

Product datasheet for **MC216281**

Pou2f2 (NM_001163556) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pou2f2 (NM_001163556) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Pou2f2
Synonyms:	Oct-2; Oct2a; Oct2b; Oct2c; Oct2d; Otf-2; Otf2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >MC216281 representing NM_001163556
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGTTTCATTCCAGCATGGGGGCTCCAGAATAAGAATGTCTAAGCCCCTGGAGGCCGAGAAGCAAAGTC
TGACTCCCGTCAGAGCACACAGACACCGAAAGAAATGGACCCGACATTAACCATCAGAACCCCCAGAA
TAAAGCGTCCCCATTCTCTGTGTCCCAACTGGCCCCAGCACAAGATCAAGGCTGAAGACCCCAAGTGGC
GATTCAGCCCCAGCAGCACCCCGCCCCCAGCCGGCTCAGCCTCATCTGCCCAAGGCCCAACTCATGC
TGACGGGCAGCCAGCTAGCTGGGACATACAGCAACTCCTCCAGCTCCAGCAGCTGGTGTCTGTCCCGG
CCACCACCTCCAGCCACCTGCTCAGTTCCTGCTGCCACAGGCACAGCAGAGTCAGCCAGGCCCTGCTACCA
ACGCCAAATCTATTCCAGCTACCTCAACAAACCCAGGGAGCTCTCCTGACCTCCAGCCCGGGCTGGGC
TTCTACACAGCCCCGAAATGCTTGGAGCCGCCCTCCACCCGGAGGAGCCAGCGATCTGGAGGAGCT
GGAACAGTTTGTCTGCACCTTCAAGCAACGCCGATCAAGCTGGGCTTCCACAGGGTGTGTGGGCCTG
GCCATGGCAAGCTCTATGGCAACGACTTCAGCCAAACGACCATTTCCTCGCTTCGAGGCCCTCAACCTGA
GCTTCAAGAACATGTGTAAGTCAAGCCCTCCTGGAGAAGTGGCTCAACGACGCAGAGACTATGTCTGT
GGATTAAGCCTACCCAGCCCAAACAGCTGAGCAGCCCAAGCCTGGGTTTCGACGGGCTGCCGGGGCGG
AGACGCAAGAAGAGGACCAGCATCGAGACGAATGTCCGCTTCGCCTTAGAGAAGAGTTTCTAGCGAACC
AGAAGCCTACCTCAGAGGAGATCCTGCTGATCGCAGAGCAGCTGCACATGGAGAAGGAAGTATCCGCGT
CTGGTTCTGCAACCGGCCGAGAAGGAGAAACGCATCAACCTTGAGTGGGCCCCCATGCTGCCAGC
CCGGAAAGCCGACCAGCTACAGCCCTCACCTGGTCACACCCCAAGGGGGCGCAGGGACCTTACCATTGT
CCAAGCTTCTAGCAGTCTGAGCAACAGTACTACTTATCCTCAGCTGTGGGACGCTCCATCCAG
CCGGACAGCAGGAGGGGTGGGGTGGGGCGGAGCTGCCGCCCTCAATTCCATCCCCTCTGTCACT
CCCCACCCCGCCACCACCAACAGCACAACCCGAGCCCTCAAGGCAGCCACTCGGCTATTGGCTTGT
CGGGCTGAACCCAGCGCGGGCCCTGGCTCTGGTGAACCCTGCCCTTACCAGCCTTGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja3714_a11.zip

Restriction Sites: SgfI-MluI

ACCN: NM_001163556

Insert Size: 1392 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001163556.1 , NP_001157028.1
RefSeq Size:	3249 bp
RefSeq ORF:	1392 bp
Locus ID:	18987
UniProt ID:	Q00196
Cytogenetics:	7 13.73 cM
Gene Summary:	<p>Transcription factor that specifically binds to the octamer motif (5'-ATTTGCAT-3'). Regulates transcription in a number of tissues in addition to activating immunoglobulin gene expression. Modulates transcription transactivation by NR3C1, AR and PGR. Isoform OCT2.5 activates the U2 small nuclear RNA (snRNA) promoter. Isoforms OCT2.1, OCT2.2 and OCT2.3 activate octamer-containing promoters. Isoforms OCT2.4 and OCT2.5 repress some promoters and activate others. Isoform OCT2.7 is unable to bind to the octamer motif, but can still activate the beta-casein gene promoter at low levels.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) encodes the smallest isoform (1), but represents the dominant transcript. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>