

Product datasheet for **MC216298**

G3bp1 (NM_013716) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	G3bp1 (NM_013716) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	G3bp1
Synonyms:	A1849976; B430204O07; C87777; G3bp; mKIAA4115
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC216298 representing NM_013716
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGTTATGGAGAAGCCTAGTCCCTGCTGGTCGGCGGGAGTTGTGCGACAGTACTACACTCTGCTGA
 ACCAGGCCCGGACATGTTGCACAGATTTTATGGAAGAAGTCTTCTATGCCACGGGGCTTGGATT
 CAACGGGAAGCCAGCAGATGCAGTCTACGGCAGAAGAAATCCACAGAAAGTATGTCACAAAATTC
 ACCAACTGCCACCAAGATCCGCCACGTGGATGCTCACGCAACTCTGAATGACGGGGTGGTGGTCCAAG
 TGATGGGGCTACTGTCCAACAACAACAGGCTCTGCGGAGTTTCATGCAGACCTTTGTCCTGCTCTGA
 GGGCTCTGTTGCCAACAAATTCTATGTTACAACGACATCTTCAGGTACCAAGATGAGGTCTTCGGTGGC
 TTTGTCACAGAGCCTCAAGAGGAATCCGAGGAAGAAGTAGAAGAACCTGAAGAAAGACAGCAGACACCAG
 AGGTGGTGCCTGATGATTCTGGAATTTCTATGATCAGACTGTCAGCAATGACTTGGAGGAGCATTTAGA
 GGAGCCTGTAGTGAACAGAACCGGAGCCAGAGCCGGAGCCGGAGCCGGAACCTGTGTCCGACATTC
 GAGGACAAGCCTGAGGCTGCATTGGAAGAAGCTGCTCCGACGATGTGCAGAAGAGCACTTCCCCGGCCC
 CGGCTGATGTGGCCCCGGCACAGGAGGACTTGAGGACGTTTTCTTGGGCATCTGTGACGAGTAAGAACCT
 TCCTCCCAGTGGGGCTGTTCCAGTGACGGGGACACCACCTCATGTGGTCAAAGTGCCAGCGTACAGCCC
 CGTCCAGAATCTAAACCTGACTCTCAGATCCCACCACAAAGGCCCTCAGAGAGATCAGAGAGTTCGAGAGC
 AGCGAATCAATATCCCTCCTCAGAGAGGACCCCGACCAATCCGTGAGGCTGGTGAACCAGGAGATGTGGA
 ACCTCGAAGGATGGTGAAGCACCTGACAGTACCAGCTCTTATTGGAACTGCCACATGAGGTGGTGA
 AAGTCGGAAGTGAAGGATTTTTTCCAAAATTTGGCAATGTGGTGGAGCTGCGCATCAACAGTGGTGGGA
 AGTTACCAATTTCCGTTTTGTTGTTGATGATTCTGAACCTGTTGAGAAGTCTTAGTAATAGGCG
 CATCATGTTCCGAGGCGCGTCCGCTGAATGTGGAAGAGAAGAAGACTCGAGCTGCCAGAGAAGGCGAC
 CGCAGGGATAACCGCCTTCGGGGACCTGGAGGCCCGCTGGTGGGCGAGTGGTGGGATGAGAGGCCCTC
 CCCCGGAGGCATGGTGCAGAAACAGGCTTTGGCGTGGCAGGGGGATTACAACTCCAAGGCAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_013716

Insert Size: 1398 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_013716.2 , NP_038744.1
RefSeq Size:	2685 bp
RefSeq ORF:	1398 bp
Locus ID:	27041
UniProt ID:	P97855
Cytogenetics:	11 B1.3
Gene Summary:	ATP- and magnesium-dependent helicase that plays an essential role in innate immunity. Participates in the DNA-triggered cGAS/STING pathway by promoting the DNA binding and activation of CGAS. Enhances also DDX58-induced type I interferon production probably by helping DDX58 at sensing pathogenic RNA. In addition, plays an essential role in stress granule formation. Unwinds preferentially partial DNA and RNA duplexes having a 17 bp annealed portion and either a hanging 3' tail or hanging tails at both 5'- and 3'-ends. Unwinds DNA/DNA, RNA/DNA, and RNA/RNA substrates with comparable efficiency. Acts unidirectionally by moving in the 5' to 3' direction along the bound single-stranded DNA. Phosphorylation-dependent sequence-specific endoribonuclease in vitro (PubMed:11604510). Cleaves exclusively between cytosine and adenine and cleaves MYC mRNA preferentially at the 3' UTR (PubMed:11604510).[UniProtKB/Swiss-Prot Function]