

Product datasheet for **MC216897**

Kcns3 (NM_001168564) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kcns3 (NM_001168564) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Kcns3
Synonyms:	D12Ertd137e
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC216897 representing NM_001168564
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGTGTTTGGTGAAGTTTTCCATCGCCCTGGACAAGATGAGAACTTGTCAACTTGAACGTGGGGGCT
 TTAAGCAGTCTGTGGATCAAAGTACACTCCTGCGGTTCCCTCACACACGACTGGGAAAGCTGCTTACCTG
 CCACTCTGAGGAGGCCATTCTGGAGCTGTGTGATGACTACAGCGTGGCAGATAAAGAGTACTACTTTGAT
 CGGAACCCCTTCTGTTCCAGATACGCTTTGAACTTTTATTACACAGGGAAGCTGCATGTGATGGAGGAAC
 TGTGTGCTTCTCCTTCTGCCAGGAGATCGAGTACTGGGGCATCAATGAGCTCTTATTGACTCCTGCTG
 TAGCAGTCGGTACCAGGAGCGCAAGGAGGAGGCCACGACAAGGACTGGGACCAGAAAAGCAACGATGTG
 AGCACAGACTCCTCCTTTGAAGAATCGTCTCTGTTTGAGAAAGAGCTGGAGAAGTTGATGAGCTGAGAT
 TTGGTCAGCTCCGAAAGAAGATCTGGATTCGAATGGAAAATCCAGCTTACTGCCTGTGCGCAAGCTCAT
 TGCCATCTCCTCCTTGAAGCGTGGTGTGGCTTCCATAGTGCCATGTGTGTGCACAGCATGTCGGAATTC
 CAGAACGAGGATGGAGAAGTGGATGACCTGTGCTGGAAGGTGTGGAGATTGCCTGCATTGCATGGTTTA
 CTGGTGAGCTAGCCATCAGGCTGGTTGGTGTCTCCATCACAAAAGAAGTTCTGGAAAAACCCCTCTGAACAT
 CATTGACTTTGTTTCTATCATTCCCTTCTATGCCACGTTGGCTGTGGACCAAGGAAGAAGAGAGTGGAG
 GACATTGAGAATATGGGCAAGGTGGTCCAGATCCTTCGGCTCATGAGGATTTTCCGAATTCTGAAGCTTG
 CCCGGCACTCTGTAGGGCTTCGGTCTCTTGGGGCCACACTGAGGCACAGTTACCATGAGGTGGGGCTACT
 GCTTCTCTTCTTCTGTGGGCATCTCCATCTTCTGTGCTTATCTACTCTGTGGAGAAAGATGAACAC
 AAGTCCAGTCTCACCAGCATCCCATCTGCTGGTGGTGGGCCACTATCAGTATGACCACAGTGGGCTATG
 GAGACCCACCCAGTCACCTTAGCTGGGAAAATCATTGCAAGCACATGTATTATCTGTGGAATCTTAGT
 GGTAGCCCTCCCATACCATCATCTTCAACAAGTTTTCCAAGTACTACCAGAAGCAGAAAAGACATGGAA
 GTGGACCAAGTGCAGCGAGGACCCACCAGAGAAGTCCATGAGCTACCGTACTTTAACATTAGGGACGTTT
 ATGCACAGCAAGTACATGCCTTATCACCAGTCTGTCTTCCATTGGCATCGTGGTCAAGTATCCTGACTC
 CACAGATGCTTCGAGCGTTGAAGACAATGAGGATGCTTACAACACTGCATCCCTGGAGAAGTACTGGA
 AAATGA

ACGCGTACGCGGCCGCTCGAGCAGAAAACATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001168564

Insert Size: 1476 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001168564.1 , NP_001162036.1
RefSeq Size:	2870 bp
RefSeq ORF:	1476 bp
Locus ID:	238076
UniProt ID:	Q8BQZ8
Cytogenetics:	12 5.58 cM
Gene Summary:	<p>Potassium channel subunit that does not form functional channels by itself. Can form functional heterotetrameric channels with KCNB1; modulates the delayed rectifier voltage-gated potassium channel activation and deactivation rates of KCNB1. Heterotetrameric channel activity formed with KCNB1 show increased current amplitude with the threshold for action potential activation shifted towards more negative values in hypoxic-treated pulmonary artery smooth muscle cells.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Both variants 1 and 2 encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>