

Product datasheet for **MC216994**

Txnrd1 (NM_001042514) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Txnrd1 (NM_001042514) Mouse Untagged Clone
Symbol:	Txnrd1
Synonyms:	T; TR; TR1; Trx; TrxR1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC216994 representing NM_001042514
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGAATGGCTCCAAAGATCCCCCTGGTCTATGACTTCGACCTGATCATCATTGGAGGAGCTCAGGAG
GACTGGCAGCAGCTAAGGAGGCAGCCAAATTTGACAAGAAAGTGCTGGTCTTGGATTTTGTACACCGAC
TCCTCTTGGGACCAGATGGGGTCTCGGAGGAACGTGTGTGAATGTGGGTTGCATACCTAAGAAGCTGATG
CACCAGGCAGCTTTGCTCGGACAAGCTCTGAAAGACTCGCGCAACTATGGCTGGAAGTGAAGACACAG
TGAAGCATGACTGGGAGAAAATGACGGAATCTGTGCAGAGTCACATCGGCTCGCTGAACTGGGGCTACCG
CGTAGCTCTCCGGGAGAAAAAGGTCGTCTATGAGAATGCTTACGGGAGGTTTCATTGGTCTCACAGGATT
GTGGCGACAAATAACAAAGGTAAGAAAAAATCTATTCAGCAGAGCGGTTCTCATCGCCACAGGTGAGA
GGCCCCGCTACCTGGGCATCCCTGGAGACAAAGAGTACTGCATCAGCAGTATGATCTTTTCTCCTTGCC
TACTGCCCGGGGAAGACCCTAGTAGTTGGTGCATCCTATGTCGCCTTGGATGTGCAGGATTTCTGGCT
GGTATCGGCTTAGACGCTACTGTAATGGTGCAGTCCATTCCTTAGAGGATTTGACCAAGACATGGCCA
ACAAAATCGGTGAACACATGGAAGAATCGGTATCAAGTTTATAAGGCAGTTCGTCCCAACGAAAATTGA
ACAGATCGAAGCAGGAACACCAGGCCGACTCAGGGTACTGCTCAATCCACAAACAGCGAGGAGACCATA
GAGGGCGAATTTAACACAGTGTGCTGGCGGTAGGAAGAGATTCTGTACGAGAATTTGGCTTAGAGA
CCGTGGGCGTGAAGATAAACGAAAAACCGAAAGATACCCGTCACGGATGAAGAGCAGACCAATGTGCC
TTACATCTACGCCATCGGTGACATCCTGGAGGGGAAGCTAGAGCTGACTCCCGTAGCCATCCAGGCGGGG
AGATTGCTGGCTCAGAGGCTGTATGGAGGCTCCAATGTCAAATGTGACTATGACAATGTCCCAACGACTG
TATTTACTCCTTTGGAATATGGCTGTTGTGGCCTCTCTGAAGAAAAGCCGTAGAGAAATTTGGGGAAGA
AAATATTGAAGTTTACCATAGTTTCTTTTGGCCATTGGAATGGACAGTCCCATCCCGGGATAACAACAAA
TGTTATGCAAAAATAATCTGCAACCTTAAAGACGATGAACGTGTGCTGGGCTTCCACGTGCTGGGTCCAA
ACGCTGGAGAGGTGACGCAGGGCTTGGCGCTGCGCTCAAGTGTGGGCTGACTAAGCAGCAGCTGGACAG
CACCATCGGCATCCACCCGGTCTGTGCAGAGATATTCACAACGTTGTCAGTGACGAAGCGCTCTGGGGGA
GACATCTCCAGTCTGGCTGCTGAGGT**TAA**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001042514

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). The expression of this clone is not guaranteed due to the nature of selenoproteins.

OTI Annotation: This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is encoded by UGA codon, which normally signals translational termination. Expression of this clone is not guaranteed due to the nature of selenoproteins.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001042514.1](#), [NP_001035979.1](#)

RefSeq Size: 3505 bp

RefSeq ORF: 1500 bp

Locus ID: 50493

UniProt ID: [Q9JMH6](#)

Cytogenetics: 10 C1

Gene Summary: The protein encoded by this gene belongs to the pyridine nucleotide-disulfide oxidoreductase family, and is a member of the thioredoxin (Trx) system. Three thioredoxin reductase (TrxR) isozymes are found in mammals. TrxRs are selenocysteine-containing flavoenzymes, which reduce thioredoxins, as well as other substrates, and play a key role in redox homeostasis. This gene encodes an ubiquitously expressed, cytosolic form of TrxR, which functions as a homodimer containing FAD, and selenocysteine (Sec) at the active site. Sec is encoded by UGA codon that normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, the Sec insertion sequence (SECIS) element, which is necessary for the recognition of UGA as a Sec codon rather than as a stop signal. Alternative splicing, primarily at the 5' end, results in transcript variants encoding same or different isoforms. [provided by RefSeq, May 2017]
Transcript Variant: This variant (3) differs in the 5' UTR compared to variant 1. Variants 1-3 encode the same isoform (1).