

## Product datasheet for **MC217139**

### **Kcnc1 (NM\_008421) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Kcnc1 (NM_008421) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Kcnc1
Synonyms:	C230009H10Rik; Kcr2-1; KShIIIB; Kv3.1; KV4; NGK2; Shaw
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >MC217139 representing NM\_008421  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGGGCCAAGGGGACGAGAGCGAGCGCATCGTGATCAACGTGGGCGGCACGCGCCACCAGACGTACCCT  
 CGACGCTGCGCACGCTGCCCGGCACGCGCTTGCCTGGCTGGCAGAGCCGGACGCCACAGCCACTTCGA  
 CTATGACCCCGCTGCCGACGAGTTCTTCTTCGACCGCCACCCGGGCGTCTTCGCTCACATCCTGAACTAT  
 TACCGCACCGGAAGCTTCACTGCCCGCCGACGTGTGCGGGCCGCTCTACGAGGAGGAGCTGGCCTTCT  
 GGGGATCGACGAGACGGACGTGGAGCCCTGCTGCTGGATGACCTATCGCCAGCACCGAGACGCTGAGGA  
 GGCGCTGGACAGCTTTGGCGGTGCGCCCTTGGACAACAGCGCCGACGACGCGGACGCCGACGCCCGCCG  
 GACTCGGGCGACGGCGAGGACGAGCTGGAGATGACCAAGAGATTGGCACTCAGTGACTCCCAGATGGCC  
 GGCTGGCGGCTTCTGGCGCCGCTGGCAACCGCGCATCTGGGCGCTGTTTCGAGGACCCCTACTCATCCCG  
 CTACGCGCGGTATGTGGCCTTTGCTCCCTCTTCTTCATCCTGGTCTCCATCACAACTTCTGTCTGGAG  
 ACTCACGAGCGCTTCAACCCCATCGTGAACAAGACCGAAATCGAGAACGTTGAAACGGCACCCAAAGTGC  
 GGTAACCGGGAAGCAGAGACGGAGGCCCTTCTCACCTACATCGAGGGCGTCTGCGTGGTCTGGTTCAC  
 CTTTCGAGTTCTCATGCGTGTGCTCTTCTGCCCAACAAGGTGGAATTCATCAAGAACTCCCTCAATATC  
 ATTGACTTTGTGGCCATTCTCCCCTTCTACCTGGAGGTGGGCCTAAGCGGCCTGCTCCTAAAAGCCGCCA  
 AGGACGTTCTGGGCTTCTGCGCGTCTGCGCTTCTGCGCATCTGCGCATCTTCAAGCTGACCCGCCA  
 CTTTCGTTGGGCTGAGGGTCTGGGCCACGCTCCGTGCCAGCACCAACGAGTTCCTGCTGCTTATCATC  
 TTCTGGCCCTGGGAGTGCTCATCTTGGCCACCATGATCTACTACGCCGAGAGGATAGGGGCACAGCCCA  
 ATGACCCAGCGCCAGCGAACACACACTTTAAAAACATCCCCATCGGCTTCTGGTGGGCTGTGGTTCAC  
 CATGACGACACTGGGCTATGGAGACATGTATCCCCAGACGTGGTCTGGAATGCTGGTGGGAGCCTTGTGT  
 GCTCTGGCTGGTGTGCTGACCATTGCCATGCCGTGCCTGTCATCGTGAACAATTTGGGATGTAATACT  
 CTTTAGCCATGGCTAAGCAGAACTACCAAGAAAAAAGAAGCATATTCGCGGCCACCACAGCTGGG  
 ATCTCCCAATTATTGTAATCTGTCGTAACCTCTCCACACCACAGTACTCAGAGTGACACATGCCCGCTG  
 GCCCAGGAAGAAATTTAGAAATTAACAGAGCAGGTAGGAAACCTCTCAGAGGCATGTCGAT**TGA**

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_008421

**Insert Size:** 1536 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_008421.3</a></u> , <u><a href="#">NP_032447.1</a></u>
<b>RefSeq Size:</b>	7788 bp
<b>RefSeq ORF:</b>	1536 bp
<b>Locus ID:</b>	16502
<b>UniProt ID:</b>	<u><a href="#">P15388</a></u>
<b>Cytogenetics:</b>	7 30.1 cM
<b>Gene Summary:</b>	<p>Voltage-gated potassium channel that plays an important role in the rapid repolarization of fast-firing brain neurons. The channel opens in response to the voltage difference across the membrane, forming a potassium-selective channel through which potassium ions pass in accordance with their electrochemical gradient (PubMed:2599109, PubMed:1400413). Can form functional homotetrameric channels and heterotetrameric channels that contain variable proportions of KCNC2, and possibly other family members as well. Contributes to fire sustained trains of very brief action potentials at high frequency in pallidal neurons. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) lacks two exons and its 3' exon extends past a splice site used in variant 1, resulting in a distinct 3' coding region and 3' UTR, compared to variant 1. The encoded isoform (2) has a shorter and distinct C-terminus, compared to isoform 1.</p> <p>Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>