

## Product datasheet for **MC217589**

### Zbtb18 (NM\_001012330) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Zbtb18 (NM_001012330) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Zbtb18
Synonyms:	RP58; zfp-238; Zfp238; Znf238
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**Fully Sequenced ORF:** >MC217589 representing NM\_001012330  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGTGTCCTAAAGTTATGAAGACAGTATGGAGTTCCAGACCACAGCAGACATTTGCTGCAGTGTCTGA  
 GCGAGCAGAGGCCACAGGGCTTTCTTTGTGACTGCACTGTTCTGGTGGGAGATGCCAGTTCGGGCACA  
 CCGAGCTGTTCTGGCTTCATGCAGCATGTATTTCCACCTCTTTACAAGGACCAGCTGGACAAAAGAGAC  
 ATTGTTCACTGAACAGCGACATTGTGACAGCCCCGCTTTCGCTCTCCTGCTTGAATTCATGTACGAAG  
 GAAACTCCAGTCAAAGACTTGCCATTGAGGACGTGCTAGCAGCTGCCAGTTATCTCCACATGTATGA  
 CATTGTCAAAGTCTGCAAAAAGAAGCTGAAAGAGAAAGCTACCACAGAGGCGGACAGCACAAAAAGAA  
 GAAGATGCTTCAAGTTGTTGGATAAAGTCGAGAGCCTCTCAGACGGCAGCAGCCACATGGCAGGTGACC  
 TGCCAGTGATGAAGATGAAGGCGAAGATGACAAATTGAACATTCTACCCAGCAAAGGGACTTGGCAGC  
 TGAGCCTGGGAACATGTGGATGCGATTGCCCTCAGACTCAGCAGGCATCCCCAGCTGGCGGAGAGGCC  
 GAGCCACACGCCACAGCAGCTGGAAAAACAGTAGCCAGCCCCTGCAGCTCAACAGAGTCTTTGTCCAGA  
 GGTCTGTACCTCCGTGAGGGATTTCGGCAGATGTTGACTGTGTGCTGGACCTGTCTGTCAAGTCCAGCCT  
 TTCAGGAGTTGAAAATCTGAACAGCTCTTATTTCTCTTACAGGACGTGCTGAGAAGCAACCTGGTGCAG  
 GTGAAGGTGGAGAAAGAGGCGTCTGTGATGAGAGTGTGTTGGCACTAATGACTATGACATGGAACATA  
 GCACTGTGAAAGAGAGTGTGAGCACTAACACAGGGTACAGTATGAGCCAGCCCACCTGGCTCCTCTGAG  
 GGAGGACTCGGTCTTAAGGGAACGGATCGGGAGGACAAAGCCAGCGATGATGAGATGATGACCCAGAG  
 AGCGAGCGGGTCCAGGTGGAAGGGGCAATGGAGAACAGTCTGCTTCCCTACGTCTCCAATATCCTGAGCC  
 CCGCAGCCAGATCTTTCATGTGCCCCCTGTGCAACAAAGTCTTCCAGCCCCCACATCTGCAGATCCA  
 CCTGAGCACGCACCTCCGAGAGCAGGATGGCATCCGTAGCAAGCCTGCCGCCGATGTCAATGTGCCACG  
 TGCTCCCTGTGTGGGAAGACTTTCTCCTGCATGTACACCTCAAGCGCCACGAGAGGACTCACTCGGGGG  
 AGAAGCCCTACACGTGCACCCAATGCGGCAAGAGTTTCCAGTACTCGCACAACTGAGCCGTATGCCGT  
 GGTGCACACCCGCGAGAAGCCCATGCCTGCAAGTGGTGCAGCGCAGGTTACGCGAGTCCGGAGACCTG  
 TACAGACACATCCGAAGTTCCTACTGTGAGTTGGTGAACCTCTTGTGGTCAAAGTGAAGCGCTGAGCT  
 TGCCACTGTGAGACTGGACCTAGAAGATAGCTCTCAAGAACTTTGGAA**TAA**

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM\_001012330

**Insert Size:** 1596 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001012330.1, NP_001012330.1</u>
<b>RefSeq Size:</b>	3848 bp
<b>RefSeq ORF:</b>	1596 bp
<b>Locus ID:</b>	30928
<b>UniProt ID:</b>	<u>Q9WUK6</u>
<b>Cytogenetics:</b>	1 H4
<b>Gene Summary:</b>	<p>Transcriptional repressor that plays a role in various developmental processes such as myogenesis and brain development. Specifically binds the consensus DNA sequence 5'-[AC]ACATCTG[GT][AC]-3' which contains the E box core, and acts by recruiting chromatin remodeling multiprotein complexes. Plays a key role in myogenesis by directly repressing the expression of ID2 and ID3, 2 inhibitors of skeletal myogenesis. Also involved in controlling cell division of progenitor cells and regulating the survival of postmitotic cortical neurons. May also play a role in the organization of chromosomes in the nucleus.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) represents the shorter transcript but encodes the longer isoform (1).</p>