

Product datasheet for **MC217882**

Cnot2 (BC063105) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cnot2 (BC063105) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Cnot2
Synonyms:	2600016M12Rik; 2810470K03Rik; AA537049; AA959607; AW557563; C79650
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >BC063105
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGTTGAAAGAAGTTGCACAGGTGACAAACAGCATGTTTGGTGTCTCAAGAAAGAAGTTGTAGAGGGG
TGGACAGCGACTACCATGATGAGAACATGTACTACAGCCAGTCTTCTATGTTCCACATCCGGTCAGAGAA
AGATATGCTGGCATCGCCATCTACGTACAGTCAAGTCTCAATTTGGGGCAAGTTTATACGGGCAACAA
AGTGCAGTACGGCTTCCAATGAGGGGGATGAGCAACAATACCCCTCAGTTAAATCGCAGCTTATCACAAG
GCACTCAGTTACCGAGCCACGTACGCCAACACAGGGGTACCAACAATGTCACCTCACACGCCTCCATC
TCCAAGCAGGGGTATTTGCCTATGAATCCTAGGAATATGATGAACCACTCCCAGGTTGGTCAGGGCATT
GGAATTCCTAGCAGGACAAATAGCATGAGCAGTTCAGGGTTAGGTAGCCCAACAGAAGCTCGCCAAGCA
TAATATGTATGCCAAAGCAACAGCCTTCTCGACAGCCTTTTACTGTGAACAGTATGTCTGGATTTGGAAT
GAACAGGAATCAGGCATTTGGAATGAATAACTCCTTATCAAGTAACATTTTTAATGGAACAGATGGCAGT
GAAATGTGACAGGATTGGACCTTTCAGATTTCCAGCGTTAGCTGACCGGAATAGAAGGGAAGGGAGCG
GCAACCCAACCTCATAATAAACCCCTTGGCTGGAAGAGCTCCTTACGTTGGAATGGTAACAAAACCTGC
AAATGAGCAATCCCAAGACTTCTCAATACACAACGAAGATTTCCAGCATTACCTGGTCCAGCTATAAA
GATCCAACGTCAAGTAATGACGACAGCAATCTAATTTGAGTACATCGGGGAAGACGACTTCAAGTACAG
ATGGACCCAAATCCCTGGAGATAAAAGTTCAACAACACAAAACAATAATCAACAGAAAAAGGGATCCA
GGTGTACCTGATGGTCGAGTACTAACATTCCTCAAGGGATGGTGACGGACCAATTTGGAATGATTGGC
CTGTTAACATTTATCAGGGCAGCAGAGACAGACCAGGAATGGTACATCTTGCTTTAGGAAGTGACTTAA
CAACATTAGCCCTCAATCTGAATCACCCTGAAAATCTCTATCCCAAATTTGCATCACCCCTGGGCTTCTTC
ACCTTGTGCGCCTCAAGACATAGACTTCCATGTTCCATCAGAATATTTAACAAACATTCACATTAGGGAT
AAGCTGGCTGCAATCAAACCTGGCCGATATGGAGAAGACCTCCTTCTATCTGTATTACATGAACGGCG
GGGATGTATTACAACTCTAGCTGCGGTAGAATTTTTAACCGTGATTGGAGATACCACAAGGAGGAGCG
GGTATGGATTACCAGGGCACCAGGCATGGAGCCAACAATGAAAACCAACACGTATGAGCGGGGGACCTAC
TATTTCTTTGACTGTCTCAACTGGAGGAAAGTAGCTAAGGAGTTCATCTGGAATATGACAAATTAGAAG
AGCGGCCTCACCTGCCATCCACCTTCAACTACAACCTGCTCAGCAAGCCTTCTAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCTGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: BC063105

Insert Size: 1596 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC063105](#), [AAH63105](#)

RefSeq Size: 3014 bp

RefSeq ORF: 1595 bp

Locus ID: 72068

Cytogenetics: 10 D2

Gene Summary: Component of the CCR4-NOT complex which is one of the major cellular mRNA deadenylases and is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. Additional complex functions may be a consequence of its influence on mRNA expression. Required for the CCR4-NOT complex structural integrity. Can repress transcription and may link the CCR4-NOT complex to transcriptional regulation; the repressive function may specifically involve the N-Cor repressor complex containing HDAC3, NCOR1 and NCOR2. Involved in the maintenance of embryonic stem (ES) cell identity; prevents their differentiation towards extraembryonic trophectoderm lineages. [UniProtKB/Swiss-Prot Function]