

## Product datasheet for **MC217906**

### **Osbp2 (BC058356) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Osbp2 (BC058356) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Osbp2
Synonyms:	ORP-4, OSBPL1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**Fully Sequenced ORF:** >BC058356  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGATCAACGCCTGTAGGGACTTCTGGAAGTACTGAGACTCACAGCCGAAATGGCAGCGGGCTCTAA  
 ATTATGAGCAGGAGCAGCGTGTCCACCTGGAAGAGACAATTGAGCAGTTGGCCAAGCAGCACAAACAGTCT  
 TGAACGGGCTTCTGCAACACCCCTGGCGGGCCAGCCAGCTCCAGCAAGAGCTTACGCGAGGGAAGCTTC  
 TTGACTTCCAAGGAGAGAACAGTGAGGAAGATGAAGATACTGAGTACTTTGACGCCATGGAAGACTCTA  
 CATCTTTCATCACCGTAGTCACTGAGGCCAAGGAAGACAGAAAGCCTGAGAGTGGACCTGGGACCACCAC  
 TGTGGACTGGACCTCAGCAGATAATGTATTAGATGGTGCCTCATTATGCCCAAGAATTCATGCAAAGTT  
 AAGAGGCGAGTCCGCATCCCTGACAAACCAACTATAGCCTAACCTCTGGAGCATCATGAAGAATTGTA  
 TTGGCCGAGAGCTTCCCGGATCCCATGCCGGTGAACCTCAATGAGCCCTGTCCATGTCCAGCGACT  
 TACAGAGGACCTGGAGTACCACCACCTGTGGACAAGGCGGTGAACCTGCACCAGCTCGGTGGAGCAGATG  
 TGCTGTGAGCCGCTTTTCTGTGTCTCTACTCCACCAGGTGCACCCGATCGCCAAGCCCTTCAACC  
 CTATGCTCGGGGAGACCTTCGAGCTGGACCGTATGGAGGACATGGGCCTGCGTTCCTCTGTGAGCAGGT  
 GAGCCACCACCCCGTCTGCTGCCACCACGTGTTCTTAAGCATGGCTGGAGCCTCTGGCAAGAAATC  
 ACCATCGCCAGCAAGTCCGAGGGAAAATACATCTCTATCATGCCACTCGGTGCCATCCACCTAGAATTCC  
 AGGCCAGTGGCAATCACTACGTGTGGAGGAAGAGCACCTCCACCGTGCACAACATCATCGTGGGCAAGCT  
 CTGGATTGACCAGTCAGGGGACATTGAGATTGTGAACCAAGACCAAGGACCGGTGCCAGCTGAAGTTC  
 GTACCTACAGCTACTTCTCAAAGAGGCAGCCGAAAGGTGACTGGAGTGGTGAAGTGCAGCCAGGGCA  
 AGGCCACTACGTGCTGTGAGTTCGTGGGATGACCAGATGGAATGTTCTAAGATTGTGCAGCAGGCC  
 CAGCTCTGATGGGAGACAGAAAACCGTGTACCAGACACTGCCCGCAAACCTGCTCTGGAGGAAATACCCA  
 CTGCCGAGAATGCGGAGAACATGTACTATTTCTCCGAGCTAGCCCTGACCCCTAACGAGCAGGAGGACG  
 GCGTGGCGCCACCAGCAGTCCGCTGCGGCCAGACCAGCGGCTTATGGAGAGGGGACGCTGGGACGAGGC  
 CAACACCAGAGAAGCAACGGCTGGAGGAGAAGCAGCGCCTGTCCAGGCGACGGCGGCTGGAGTATGCACG  
 GCAGGCTGCGGTGGGAGGAAGAGAAGGAGTCAAGTGGCTATGTGCCGCTCTGGTTCGAGAAGAGGCTGG  
 ACCCGTACTGGGAGATGGCCTGCATGTACAAGGGCGCTACTGGGAGCCAAGGAGAAGAAGGACTG  
 GCACATGTGCCCAACATCTTCTGA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCTGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-Mlul

**ACCN:** BC058356

**Insert Size:** 1635 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [BC058356](#), [AAH58356](#)

**RefSeq Size:** 3281 bp

**RefSeq ORF:** 1634 bp

**Locus ID:** 74309

**Cytogenetics:** 11 A1

**Gene Summary:** The protein encoded by this gene belongs to the oxysterol-binding protein-related family of proteins, which are defined by a C-terminal sterol domain with a highly conserved EQVSHHPP motif. Oxysterols are oxygenated derivatives of cholesterol that are involved in mechanisms that include apoptosis, cholesterol homeostasis, lipid trafficking and cell differentiation. This protein is selectively expressed at high levels in the brain and testis. Within the testis, the mRNA is localized to postmeiotic germ cells, including spermatids and spermatozoa, but is not detectable in somatic cells. Mice homozygous mutant for a targeted deletion in this gene do not exhibit overt developmental phenotypes but are male sterile. Females display normal fertility. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2014]