

## Product datasheet for **MC218348**

### Maea (BC039054) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Maea (BC039054) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Maea  
**Synonyms:** 1110030D19Rik; EMP; Gid9  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >BC039054  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGACCCTGAAGGTGCAGGAGTACCCGACCCTCAAGGTGCCCTATGAGACTGAACAAACGTTCCGAG  
CTGCTCAGAAAAACATCGATCGAGAGACTAGCCACGTACCATGGTGGTAGCTGAGCTTGAGAAGACCTT  
GAGTAGTTGCCAGCTGTGGACTCTGTGGTCAGCCTATTGGATGGTGTGGTGGAGAAGCTGAGTGTCCCT  
AAGAGGAAGGCAGTAGAGTCCATCCAGGCCGAGGATGAGAGCGCCAAGCTCTGCAAACGTAGGATCGAGC  
ACCTCAAGGAGCACAGCAGTGACCAGCCAGCAGCCAGCATGTGGAAGCGGAAGCGCATGGACCCGGAT  
GATGGTGGAGCATCTGCTACGCTGTGGCTACTACAACACAGCTGTGAAGCTGGCTCGCCAGAGTGGCATC  
GAGGACCTTGTAATATCGAGATGTTCCCTGACAGCCAAAGAAGTGGAGGAGTCCCTGGAGAGGCGTGAGA  
CAGCCACCTGCCTTGCCTGGTGCCATGATAACAAGTCCCGACTCCGGAAGATGAAGAGCTGCCTAGAGTT  
CAGCCTCAGGATTCAGGAGTTCATTGAAGTGTCCGGCAGAACAAGCGCCTGGATGCTGTGAGACATGCA  
AGAAAGCACTTCAGTCAGGCTGAAGGGAGCCAGCTGGATGAGGTCCGCCAGGTCATGGGCATGTTGGCCT  
TCCCACCAGACACATATCTCCCATAACAAGGACCTCCTGGACCCAGCCGGTGGCGAATGCTGATCCA  
GCAGTTTCGATATGATAACTACCGCTGCACCAGCTGGGAACAGCTCAGTCTTACCCTCACCTGCAG  
GCTGGGCTCTCAGCAATAAAGACACCACAGTGCTACAAGGAGGATGGCAGCTCTAAGAGCCCTGACTGCC  
CTGTGTGCAGCCGCTCTCTGAACAACTGGCACAGCCCTGCCATGGCTCACTGTGCCAACTCCCGCCT  
GGTCTGCAAGATCTCTGGTGACGTGATGAATGAGAATAACCCACCCATGATGCTGCCTAATGGCTATGTC  
TATGGCTACAATTCTCTGCTTCTATTTCGTCAGATGATAAAGTTGTTTGGCCAAGAACCAAGAAGTCT  
TCCACTTCTCCAAGCTGAGAAAGTATACATCATGTAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCTGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI



<b>ACCN:</b>	BC039054
<b>Insert Size:</b>	1158 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">BC039054</a></u> , <u><a href="#">AAH39054</a></u>
<b>RefSeq Size:</b>	2128 bp
<b>RefSeq ORF:</b>	1157 bp
<b>Locus ID:</b>	59003
<b>Cytogenetics:</b>	5 B1
<b>Gene Summary:</b>	Core component of the CTLH E3 ubiquitin-protein ligase complex that selectively accepts ubiquitin from UBE2H and mediates ubiquitination and subsequent proteasomal degradation of the transcription factor HBP1. MAEA and RMND5A are both required for catalytic activity of the CTLH E3 ubiquitin-protein ligase complex. MAEA is required for normal cell proliferation. The CTLH E3 ubiquitin-protein ligase complex is not required for the degradation of enzymes involved in gluconeogenesis, such as FBP1 (By similarity). Plays a role in erythroblast enucleation during erythrocyte maturation and in the development of mature macrophages (PubMed:16707498). Mediates the attachment of erythroid cell to mature macrophages; this MAEA-mediated contact inhibits erythroid cell apoptosis (By similarity). Participates in erythroblastic island formation, which is the functional unit of definitive erythropoiesis (PubMed:16707498, PubMed:17071116). Associates with F-actin to regulate actin distribution in erythroblasts and macrophages (PubMed:16707498). May contribute to nuclear architecture and cells division events (By similarity).[UniProtKB/Swiss-Prot Function]