OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MC218517

Zbtb48 (BC005515) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Zbtb48 (BC005515) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Zbtb48
Synonyms:	0610011D15Rik; AI327031; Hkr3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Fully Sequenced ORF:

```
>BC005515
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGACGGTTCCTTCGTGCAGCACAGCGTGAGGGTTCTGCAGGAACTCAACAAGCAGCGCGAGAAGGGCC
AGTATTGCGACGCCACGCTGGACGTGGGGGGCCTGGTGTTCAAGGCGCACTGGAGTGTCCTGGCGTGTTG
CAGCCATTTCTTCCAGAGAATCTACGGTGATGGCACAGGGGGCAGCGTTGTCCTCCCAGCGGGCTTTGCT
GAGATTTTTGGCCTCCTGCTGGACTTTTTCTACACCGGCCACCTCGCCCTCACCTCAGGGAACAGGGATC
AGGTACTCTTGGCAGCCAAAGAGTTGCGGGTGCCTGAGGCTGTGGAGCTATGTCAGAGCTTCCAGCCCCA
AACCTCAGTGGGACAGGCACAGAGTGGACTGGGTCAACCTGCCTCCCAGGACGTGAAAAGCCACCTGAAG
GAGCCGACAGACTTGGATGAGGAGGAAGTTTTCAAGACTCTGAGCCTGGCCTCCGTGGATCAGGAGCCCA
GAGACACTGAGCAGCCCCAGCTGGGTACACCTGCTCAGAGCAGCACGGCCTTCCTCTGTGGGAAACTCAC
GCAGGCTTTGAAGCCTTCTCCTTCAGAGGACAAAGAGTCTGAGGACTGCAAAGAGCCCCCAAGGCCCTTC
GAGGCTGGAGGTGCCCCGCTGCAGGGCGAGAGCAATGAGTGGGAAGTGGTGGTCCAAGTGGAGGACGACA
GGGACGGTGATTACGTATCTGAGCCTGAGACTGTGCTGACCAGAAGGAAGTCAAAAGTGATTAGAAAACC
CTGTGCAGCCGAGCCAGCCCTGGGTGCGGGTTCTCTCACAGCCGAGCCCACTGACAGCAGAAAAGGTGCA
GCCGTTCCGGTCGAATGTCCCACATGTCACAAAAAGTTCCTCAGCAAATATTACCTGAAAGTCCACAACA
GGAAACACACTGGGGAGAAACCCTTCGAGTGTCCCAAATGTGGGAAGTGTTACTTCCGCAAGGAGAATCT
CTTGGAACATGAAGCCAGGAATTGCATGAACCGCTCAGAACAGGTCTTCACATGCTCCGTATGCCAGGAG
ACCTTCCGACGGAGGATGGAGCTGCGCTTGCACATGGTGTCTCACACAGGGGAGATGCCCTACAAGTGTT
CCTCCTGCTCACAGCAGTTCATGCAGAAGAAAGACTTGCAGAGCCACATGATCAAGCTGCACGGAGCCCC
TAAACCCCACGCAGTAAGTGCCAGTCAGGGCTGGGGTTCCGGTGGCTCTGGGACAGCTCAATCCTGTCCT
CACCTGGATGTGCTCCCTCTGCCTGTCTCACCCACCTGCAGTGCCCCACTTGTGCCAAGTGCTTCCTGTC
TAGGACGGAGCTACAGCTGCACGAGGCTTTTAAGCATCGTGGAGAAAAGCTCTTTGTGTGTGAGGAATGC
GGGCACCGGGCCTCGAGCCGCAACGGGCTGCAGATGCACATCAAGGCCAAGCACAGGAATGAAAGGCCTT
ATGTCTGTGAGTTCTGCAGCCATGCCTTCACCCAGAAGGCCAACCTCAACATGCACCTGCGCACGCACAC
CGGCGAGAAGCCTTTCCAGTGCCACCTCTGTGGGAAGACCTTCCGCACCCAAGTTTGGACAAGCACAACC
GCACCCACACGGGCGAGAGGCCTTTCAGCTGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCTGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA
```

Restriction Sites: SgfI-MluI

ACCN: BC005515

Insert Size: 1644 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC005515, AAH05515
RefSeq Size:	2418 bp
RefSeq ORF:	1643 bp
Locus ID:	100090
Cytogenetics:	4 E2
Gene Summary:	Telomere-binding protein that acts as a regulator of telomere length. Directly binds the telomeric double-stranded 5'-TTAGGG-3' repeat. Preferentially binds to telomeres that have a low concentration of shelterin complex and acts as a regulator of telomere length by initiating telomere trimming, a process that prevents the accumulation of aberrantly long telomeres. Also acts as a transcription regulator that binds to promoter regions. Regulates expression of a small subset of genes, including MTFP1. Regulates expression the J and/or S elements in MHC II promoter. Acts as a negative regulator of cell proliferation by specifically activating expression of ARF, a tumor suppressor isoform of CDKN2A.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US