

Product datasheet for **MC218531**

Arhgap8 (BC024991) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Arhgap8 (BC024991) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Arhgap8
Synonyms:	MGC32512
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>BC024991 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTAAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGAGTTCGCCCAGCCTCAGTGACCTGGGCAAGAGGGAGCCGGGCGCGGGTACGGACGAGCGGGCA
CGCAGCAGCGCCGGCCTGCGCCAACGCCACCTGGAACAGTATCCATAACGGAGTGATCGCGGTCTTCCA
GCGCAAGGGGCTGCCGACCAGGAGCTCTTCATCCTCAACGAGGGCGTCCGGCAGCTGCTGAAGACGGAG
CTGGGGTCTTCTTCACTGAGTACCTGCAGAACCAGCTGCTCACGAAGGGCATGGTGATTCTTCGTGACA
AGATTCTGCTTCTACGAAGGACAGAAGCTGCTGGACTCATTGGCGGAGACCTGGGATTTCTTCTTCAGTGA
TGTGCTGCCAACCTGCGAGGCCATCTTCTATCCTGTGCAGGGCAAGGAGCCGTGGTGGCGCCAGCTCGCC
CTGCTGCATTTCCGGAACACCATCACCTCAGCGTGAAGCTGGAGGACGCGCTGGCCCGCTCTCACGCGC
GTGTTCCCGCTGCCATCGCACAGATGCTGCTGGTACTGCAGGGGGTACATGAGTCCAGGGGTGTGACTGA
AGACTATCTGCGCTCGAGACACTGATTGAGAAGGTGGTGTGCGCGTACCTGGGCACCTATGGTCTCTAT
TCCAATGAAGGACCTTGTAATCTTCTGTATCCTCGAGAAACGATTCTACGCCGCTCCCGCTCTGGGG
ATATCTAGCCAAGAACCAGTGGTGGCTCCAAAAGCTACAACACTCCCTGCTCAATCCTGTGGCCGA
GCATGAAGCAGAAGGCACAGCAGCCAGCGGCACGAGCATCCGCAGACACTCAGTCTCCGAGATGACATCT
TGTCGGGAGCCCCAGGGCTTTGTGGACACGCTGGCCAGGGCCCTCGGGGACCTCCGGTCTTCTCCAA
CACCCCACTCAGGGCCTTGCCCCAGCAGACTATACCCCTGCCCATTCCCGGAACAGGGCCCAAGGCCA
TGGCTCCCATCCACCTCCAGCCAGAGACTCTTGTGGACCAGATCCTGGAGTCCGCGGACTCAGACTCG
GAAGGGATATTGATTGACTTTGGCGGGGAAGTCGCTCCAGTGTGTCTGACTTTGAGGCACCGGGAGGCC
GGCCAAGTGTGTGTGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCTGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Restriction Sites:	Sgfl-Mlul
ACCN:	BC024991
Insert Size:	1137 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>BC024991</u> , <u>AAH24991</u>
RefSeq Size:	1731 bp
RefSeq ORF:	1136 bp
Locus ID:	109270
Cytogenetics:	15 E2
Gene Summary:	Subunit of mTORC2, which regulates cell growth and survival in response to hormonal signals. mTORC2 is activated by growth factors, but, in contrast to mTORC1, seems to be nutrient-insensitive. mTORC2 seems to function upstream of Rho GTPases to regulate the actin cytoskeleton, probably by activating one or more Rho-type guanine nucleotide exchange factors. mTORC2 promotes the serum-induced formation of stress-fibers or F-actin. mTORC2 plays a critical role in AKT1 'Ser-473' phosphorylation, which may facilitate the phosphorylation of the activation loop of AKT1 on 'Thr-308' by PDK1 which is a prerequisite for full activation. mTORC2 regulates the phosphorylation of SGK1 at 'Ser-422'. mTORC2 also modulates the phosphorylation of PRKCA on 'Ser-657'. PRR5 plays an important role in regulation of PDGFRB expression and in modulation of platelet-derived growth factor signaling. May act as a tumor suppressor in breast cancer (By similarity).[UniProtKB/Swiss-Prot Function]