

Product datasheet for MC218627

Gpr75 (NM_175490) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Gpr75 (NM_175490) Mouse Untagged Clone

Tag: Tag Free Symbol: Gpr75

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul ACCN: NM 175490

Insert Size: 1623 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 175490.4</u>, <u>NP 780699.2</u>

RefSeq Size: 2938 bp RefSeq ORF: 1623 bp Locus ID: 237716



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Gpr75 (NM_175490) Mouse Untagged Clone - MC218627

UniProt ID: Q6X632

Cytogenetics: 11 A4

Gene Summary: G protein-coupled receptor that is activated by the chemokine CCL5/RANTES. Probably

coupled to heterotrimeric Gq proteins, it stimulates inositol trisphosphate production and calcium mobilization upon activation. Together with CCL5/RANTES, may play a role in neuron survival through activation of a downstream signaling pathway involving the PI3, Akt and MAP kinases. CCL5/RANTES may also regulate insulin secretion by pancreatic islet cells through

activation of this receptor.[UniProtKB/Swiss-Prot Function]