

Product datasheet for **MC219286**

Trp63 (NM_011641) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Trp63 (NM_011641) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Trp63
Synonyms:	AI462811; delta; Ket; p6; p7; p51/p; P51/P63; P63; P73I; TAp; Tp63; Trp5; Trp53rp1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC219286 representing NM_011641
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTTGTACCTGGAAAACAATGCCAGACTCAATTTAGTGAGCCACAGTACACGAACTGGGGCTCCTGA
 ACAGCATGGACCAGCAGATTAGAACGGCTCCTCGTCCACCAGCCCTACAACACAGACCACGCACAGAA
 TAGCGTGACGGCGCCCTCGCCCTATGCACAGCCAGCTCCACCTTTGATGCCCTCTCTCCATCCCCTGCC
 ATTCCTCCAACACAGATTACCCGGGCCACACAGCTTCGATGTGTCTTCCAGCAGTCAAGCACTGCCA
 AGTCAGCCACCTGGACGTATCCACCGAACTGAAGAAGCTGACTGCCAGATTGCGAAGACATGCCCCAT
 CCAGATCAAGGTGATGACCCACCCACAGGGCGCTGTTATCCGTGCCATGCCTGTCTACAAGAAAGCT
 GAGCATGCACCGAGGTTGTAAACGATGCCCTAACCATGAGCTGAGCCGTGAGTTCAATGAGGGACAGA
 TTGCCCTCCAGTCATCTGATTGAGTAGAAGGGAACAGCCATGCCAGTATGTAGAAGATCCTATCAC
 GGAAGGCAGAGCGTGTGGTCCCTTATGAGCCACCACAGGTTGGCACTGAATTCACAACAGTCCCTGTAC
 AATTTTCATGTGTAACAGCAGCTGCGTCGGAGGAATGAACAGACGTCCAATTTTAATCATCGTTACTCTGG
 AAACCAGAGATGGCAAGTCTGGGCCGACGGTCTTTGAGGCCCGGATCTGTGCTTGCCAGGAAGAGA
 CCGGAAGGCAGATGAAGACAGCATCAGAAAGCAGCAAGTATCGGACAGCGCAAAGAACGGCGATGGTACG
 AAGCGCCCTTTCCGTGAGAATACACACGGAATCCAGATGACTTCCATCAAGAAACGGAGATCCCCAGATG
 ATGAGCTGCTGTACCTACCAGTGAGAGGTCGTGAGACGTACGAGATGTTGCTGAAGATCAAAGAGTCACT
 GGAGCTCATGCAGTACCTCCCTCAGCACAGATCGAAACGTACAGGCAGCAGCAGCAGCAGCAGCAGCAGC
 CACCTACTTCAGAAACAGACCTCGATGCAGTCTCAGTCTTCATATGGCAACAGTTCACCCACCTCTGAACA
 AAATGAACAGCATGAACAAGCTGCCTTCGGTGAGCCAGTTATCAACCCACAGCAGCGCAATGCCCTCAC
 TCCCACCACCATGCCTGAGGGCATGGGAGCCAACATTCCCTATGATGGGCACTCACATGCCAATGGCTGGA
 GACATGAATGGACTCAGCCCTACCCAAGCTCTCCCTCCTCCACTCTCCATGCCCTCCACCTCCCACTGCA
 CCCCACCACCGCCCTACCCACAGACTGCAGCATTGTCAGTTTCTTAGCAAGGTTGGGCTGCTCATCATG
 CCTGGACTATTTACGACCCAGGGGCTGACCACCATCTATCAGATTGAGCATTACTCCATGGATGATTTG
 GCAAGTCTGAAGATCCCTGAACAGTTCGACATGCCATCTGGAAGGGCATCCTGGACCACAGGCAGCTGC
 ACGACTTCTCCTCACCTCCTCATCTCCTGAGGACCCCAAGTGGTGCCTCTACCGTCAGTGTGGGCTCCAG
 TGAGACCCGTGGTGAACGTGTGATCGATGCCGTGCGCTTACCCTCCGCCAGACCATCTTTTTCCACCC
 CGTGACGAGTGAATGATTTCAACTTTGACATGGATTCTCGTCGCAACAAGCAGCAGCGTATCAAAGAGG
 AAGGAGAA**TGA**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_011641
Insert Size: 1761 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_011641.2](#), [NP_035771.1](#)

RefSeq Size: 4710 bp

RefSeq ORF: 1761 bp

Locus ID: 22061

UniProt ID: [O88898](#)

Cytogenetics: 16 17.37 cM

Gene Summary:

This gene encodes tumor protein p63, a member of the p53 family of transcription factors involved in cellular responses to stress and development. The family members include tumor proteins p53, p63, and p73, which have high sequence similarity to one another. This similarity allows p63 and p73 to transactivate p53-responsive genes causing cell cycle arrest and apoptosis. The family members can interact with each other in many ways, including direct and indirect protein interactions. This results in mutual regulation of target gene promoters. Tumor protein p63 $-/-$ mice have several developmental defects which include the lack of limbs and other tissues, such as teeth and mammary glands, which develop as a result of interactions between mesenchyme and epithelium. Both alternative splicing and the use of alternative promoters result in multiple transcript variants encoding different protein isoforms.[provided by RefSeq, Dec 2009]

Transcript Variant: This variant (4) is an alternate promoter product; it lacks several 5' exons but has an alternate 5' exon, as compared to variant 1. The resulting isoform (d, also known as DNp63alpha) has a shorter and different N-terminus, as compared to isoform a.