OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MC219438

Bcas1 (NM_001164369) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Bcas1 (NM_001164369) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Bcas1
Synonyms:	2210416M21Rik; 9030223A09Rik; AI841227; NABC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

Fully Sequenced ORF:

>MC219438 representing NM_001164369
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGAAACCAGATGAGCGTCCCACTAAGGCCTGGAGACCAGGAGCACGACCCAGGAGCAGACACTTGCA
AGGTGACGTCAGACAATGAGTGTGTTCAGAATGGGAACCCAGTTGTGCTGTCCACTCGTGTAATTCAACA
CTATGAGGAAGTCGACTTGGGAATCAGCAGCTCCAAGGATAATGTGGCTACTTCTTCCCCCAAGACAATG
GAGGCCCAGGCTGTGGGCGATGCCAGCGGAAAGAATCTTGGGAAAGAAGCCAAGACCAAGGCACCAGCTG
CTAGATCCCATTTTTTCTTGACACTCTCTCGGCCTGTACCAGGACGTCCCGGGGACCAAGGCACGGATTC
ATCGGCTGCATCAGGGAGGTTTGATGTCAGCCCAAGCGCAGCGCCTGAGAACAAAGACCCAAGTGAGCAC
GGGGCACTTCCGGTGGCAGCTGCACCAGGGCAGGCTCCAGATAAAACCCCAGGGTGCCCCGAGGCCAAGC
AGCAGACCCTCCCTGCCACCGGCCCATTGGCACCCTCACCACCTGAGTCCCAGGCAGAAGCCCCGGCCCA
GGACAAGGATTTCGGCTTTTTGAACAGATTCTTTAAACTGGACAAAGGAAGAGAAAGCGCGCCGGTGAAC
AGCCAGCCCAAAGAAGCGAAAGGCTCGGAAGACCCAGAACAGGCCACAGAGGCTCCTGCCGTGCCAGGGA
ATCCCCATGGTGTCTCTGCAGGGGAGGACATAGTCGACAGCGAGCAGAGAGGACAAGACGTTGACACTCT
GAGTTATTCTGTCCCTGGGGATCCAGAGGTGCCGGGGACCACGAAGGAGGACCCGCAGGTGGTCGATACC
ACAGAGAACAGCAGCTCCATCATGAGCTTCTTCAAGACACTGGTTTCACCTAACAAGACTGAAACAAAGA
AGGACCCAGAAGACACGGATACTGAGAACTCACCCACGACTTCAGCCAATCTCAAGTCGGACAAAGCCAA
CTTCACACCCCAGGAGACCCGAGGGAAGACAAAGGCTACCAAAAGCTGCAGCCCCCCACCGCCACCTCCT
GAACCCACCAGCGAAGGGAGAGACAGCGGCAAGGAGAAGGCAGGGCCCACCTCACTACCGCTGGGAAAGT
TGTTTTGGAAGAAGTCAGTTAAGGAGGATACACTTTCCACAGGTGCAGAGGAGAACGCGGTGTGTGAGTC
ACCAGTAGAGACCGTAAGGCTTGAGGAAGTAGAATCCAGCTTACAAACTGTGGATCTCAGTGAAGAGACC
CAGCCTGAACCCACAGACGTAAAAGTCAAAGAAGAAAGCAAACCCCGGAAGACCCCTCTGATGGCGTTTC
TCAGACAAATGTCAGTGAGATCGAGCGAAGGGATCCCCCGCTCGGAAGAAAGTAACGTGAAAGACTCCAG
CTGCCAAACGTCAAACTCCGTGGAAAAGACGCCCTCACCCCCAGAGCCAGAGCCCGCGGGAACAGCTCAG
AAAAACAAGGAGACCTCCTCCTCGAAGGACAAGAAATCAGTGGACAAGAAGTCAGCGACTGAGAACAGCA
AGCAGAAGAACGGCAAACAGGAAGTCAGAGAGCCGGCGCCGTGTGTGCAGCCGCCCACAGTGGAGGCAAA
CGCAATGCAGACTGGGGACAAGACCCCAAAGAAGTCTGAGAAGCGGCGACAGTCCCTCGGGGGCTTCCTG
AAGGGCCTGGGACCAAAGCGGATGTCGGATGCTCAGGTGCAAACGGACCCGGTCTCCATCGGACCAGTTG
GAAAATCCAAGTAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001164369

Insert Size: 1764 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001164369.1, NP_001157841.1
RefSeq Size:	2952 bp
RefSeq ORF:	1764 bp
Locus ID:	76960
Cytogenetics:	2 H3
Gene Summary:	Required for myelination.[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (2) lacks an exon in the coding region, compared to variant 1. The encoded isoform (2) is shorter than isoform 1. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.