

Product datasheet for **MC219520**

Tcf7l2 (NM_001142922) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tcf7l2 (NM_001142922) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Tcf7l2
Synonyms:	Tcf-4; Tcf4; TCF4B; TCF4E
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC219520 representing NM_001142922
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCGACGTGAACGGCGGTGGAGGAGATGACCTAGGCGCTAACGACGAGCTGATCTCCTTCAAAGACG
 AAGGCGAGCAGGAGGAGAAGAAGCTCGGAAAACCTCTCGGCGGAAAGGATTTAGCCGATGTCAAGTCCTC
 GCTGGTCAATGAATCAGAGACGAATCAAAAACAGCTCCTCCGATTCGAGGCGGAAAGACGGCCTCCGCC
 CGCTCCGAAAAGTTCCGAGATAAATCCCGGAAAGTTTGAAGAAGCGGCAAGAGGCAAGATGGAGGGC
 TCTTTAAGGGGCCACCGTATCCCGGCTACCCCTTCATCATGATCCCCGACCTGACGAGCCCTACCTCCC
 CAACGGATCGCTCTCGCCACCGCCCGAACCTATCTTCAGATGAAATGGCCACTGCTTGATGTCCAAGCA
 GGAAGCCTCCAGAGCAGACAAACCCTCAAGGATGCTCGTTCGCCGTCGCCAGCACACATCGTTTCGAACA
 AAGTACCGGTGGTCAACACCCCACTGTCCACCCACTCACGCTCTCATCACGTACAGCAATGAACA
 CTTACCCCGGAAATCCACCTCCGCACTTACCAGCTGACGTAGACCCAAAACAGGAATCCAAGGCCCT
 CCGCACCTCCAGATATCTCTCATATTACCCGCTGTCGCCCGGCACCGTAGGACAAATCCCCATCCGC
 TAGGATGGTTAGTACCACAGCAAGGTCAGCCTGTGTACCCAATCACGACAGGAGGATTCAGACACCCCTA
 CCCCACAGCGCTGACAGTCAACGCATCTATGTCTAGGTTCCCTCCCCATATGGTCCCTCCCCATCACT
 CTGCACACGACCGGCATCCCTCACCCGGCCATCGTCACACCGACAGTCAAGCAGGAATCCTCCAGAGTG
 ACGTCGGCTCACTCCACAGCTCAAAGCATCAGGACTCCAAAAGGAAGAAGAAGAAGAAGCCACAT
 AAAGAAGCCCTTAATGCATTTCATGTTGTATATGAAAGAGATGAGAGCGAAGGTGGTGGCCGAATGCACA
 TTGAAAGAGAGTGCAGCCATCAACCAGATTCTCGGGCGCAGGTGGCACGCCCTGTCCAGGGAAGAACAGG
 CAAAATACTACGAGCTGGCCCGGAAGGAACGACAGCTTCACATGCAGCTGTACCCTGGTGTGTCACG
 GGATAACTATGGGAAGAAGAAGAAGAGAAAAAGAGACAAGCAGCCGGGGAAACCAACGAACACAGCGAA
 TGTTTCCTAAATCCTTGCTTTGCTTCTCCGATCACAGACCTGAGCGCTCCTAAGAAATGCCAGCGC
 GCTTTGGCCTTGATCAACAGAATAACTGGTGGCGCCCTGCAGGAGAAAAAAAAGTGCCTTCGCTACAT
 ACAAGGTGAAGGCAGCTGCCTCAGCCACCCTCTTCAGATGGAAGCTTACTAGACTCGCCTCCCCCTCA
 CCGCATCTGCTAGGCTCCCTCCCAAGACGCCAAGTACAGACTGAGCAGACCCAGCCGCTCTCGTGT
 CCCTGAAGCCTGATCCTCTGGCCACCTGTCCATGATGCCTCCGCCACCCGCGCTCCTGTTGGCCGAAGC
 TGCCACGGCAAGGCCTCTGCCCTGTGCCAATGGGGCTCTGGACCTGCCACCTGCCGCTGTCAGCCG
 TCCATGGTCCCTCCTCATCGCTCGCACAAACCACTCAACTTCTTCTTACATTCACCAACTCGCTGGCTG
 GAACGCAACCCAGCCTCTGCTCTGGTACCAAGTCTTTAGAA**TAG**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** SgfI-MluI
- ACCN:** NM_001142922
- Insert Size:** 1797 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001142922.1](#), [NP_001136394.1](#)

RefSeq Size: 4138 bp

RefSeq ORF: 1797 bp

Locus ID: 21416

Cytogenetics: 19 51.59 cM

Gene Summary: Participates in the Wnt signaling pathway and modulates MYC expression by binding to its promoter in a sequence-specific manner. Acts as repressor in the absence of CTNNB1, and as activator in its presence. Activates transcription from promoters with several copies of the Tcf motif CCTTTGATC in the presence of CTNNB1. TLE1, TLE2, TLE3 and TLE4 repress transactivation mediated by TCF7L2/TCF4 and CTNNB1. Expression of dominant-negative mutants results in cell-cycle arrest in G1 (By similarity). Necessary for the maintenance of the epithelial stem-cell compartment of the small intestine.[UniProtKB/Swiss-Prot Function]