OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MC219829

Sh3kbp1 (NM_021389) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sh3kbp1 (NM_021389) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Sh3kbp1
Synonyms:	1200007H22Rik; 1700125L08Rik; 5830464D22Rik; AI447724; Cin85; IN85; Ruk; Seta
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Fully Sequenced ORF:

>MC219829 representing NM_021389
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGAGCTTTCTGCAGCCAAAGCCCCAAGCCCCACAGACTTGCCTGAGAGTGAAATAAAGAAAGATATGA
AGAAAGATCTTCTCTCTAACAAAGCTCCAGAGAAACCCATGCACGATGTATCCAGTGGAAACGCTCTGCT
TTCTTCTGAAACCATTTTAAGAACCAATAAACGAGGAGAACGACGGAGACGCCGATGCCAGGTGGCATTC
AGCTACCTGCCCCAGAATGACGATGAGCTGGAGCTGAAAGTCGGGGACATCATAGAGGTTGTAGGAGAGG
TAGAGGAAGGATGGTGGGAAGGTGTGCTCAATGGGAAGACTGGAATGTTTCCTTCCAACTTCATCAAGGA
GCTGTCAGGGGAGTCGGATGAGCTTGGCATCTCCCAGGATGAGCAGCTTTCCAAGTCAAGCTTAAGAGAA
ACCACAGGCTCCGAGAGTGATGGAGGCGACTCCAGCAGTACCAAGTCCGAAGGTGCCAACGGGACCATGG
CAACTGCAGCCATCCAGCCCAAGAAAGTTAAAGGAGTGGGGTTTGGAGACATTTTCAAAGACAAGCCAAT
TAAACTAAGACCAAGGTCGATTGAAGTGGAAAATGACTTCCTGCCCGTCGAAAAGACAATTGGGAAGAAG
TTACCTCCAGCTACATCAACTCCAGACCCATCGAAGACGGAGATGGACAGCAGGACAAAGACCAAGGATT
ACTGCAAAGTAATATTTCCATATGAGGCACAGAATGATGATGAATTGACAATCAAGGAAGGAGATATAGT
GACTCTCATCAATAAGGACTGCATCGACGTAGGCTGGTGGGAAGGAGAACTCAATGGCAGACGAGGCGTG
TTTCCTGACAACTTCGTGAAGTTACTTCCATCGGACTTTGACAAGGAAGGGAATAGACCCAAGAAACCGC
CACCTCCATCAGCTCCTGTCGTCAAACAAGGGGCAGGTACCACAGAGAGAAAACATGAAATTAAAAAAAT
ACCTCCTGAAAGACCAGAAACCCTTCCAAACAGAACAGAAGAGAAAGAAAGACCAGAGAGAGAGCCAAAA
CTGGATTTACAGAAGCCTTCAGTTCCTGCCATCCCACCAAAAAAGCCTCGGCCACCTAAGACCAATTCTC
TGAACAGACCTGGTGCATTGCCCCCAAGAAGACCTGAGCGACCAGTGGGCCCACTGACACACACCAGGGG
TGACAGTCCAAAGATTGACTTGGCAGGCAGCGCACTCTCTGGCATCCTGGATAAGGACCTCTCAGACCGC
AGCAATGATATTGACTTAGAAGGTTTTGACTCTGTGATATCATCTACTGAGAAACTCAGCCACCCAACCA
CAAGCAGACCAAAAGCTACAGGAAGACGGCCTCCATCCCAGTCACTCACATCTTCTTCCCTTTCAAGCCC
CGATATCTTTGACTCCCCAAGTCCCGAAGAAGATAAAGAGGAACACATTTCGCTTGCGCACAGAGGAATA
GACGTGTCAAAGAAGACTTCCAAGACTGTTACCATATCCCAAGTGTCTGATAACAAGACATCCCTGCCAC
CCAAGCCAGGGACCATGGCAGCTGCCAGCAGTGGGCCAGCTTCTCTCTCTTCAGTGGCATCCTCACCCAT
GTCATCCTCTTTGGGAACAGCTGGACAGAGAGCCAGTTCTCCATCTCTGTTCAGCACAGAAGGAAAGCCA
AAGATGGAGCCAGCAGTGAGCAGCCAGGCTGCTATCGAGGAGCTTAAGATGCAAGTCCGTGAGCTGAGGA
CCATCATTGAGACCATGAAGGACCAGCAGAAACGTGAGATTAAGCAGTTACTGTCAGAATTGGATGAAGA
GAAAAAGATCCGGCTCCGGTTGCAGATGGAAGTGAACGACATAAAGAAAGCTCTTCAATCAAAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_021389

Insert Size: 1887 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_021389.6, NP_067364.2
RefSeq Size:	4733 bp
RefSeq ORF:	1887 bp
Locus ID:	58194
UniProt ID:	Q8R550
Cytogenetics:	X F4
Gene Summary:	Adapter protein involved in regulating diverse signal transduction pathways. Involved in the regulation of endocytosis and lysosomal degradation of ligand-induced receptor tyrosine kinases, including EGFR and MET/hepatocyte growth factor receptor, through an association with CBL and endophilins. The association with CBL, and thus the receptor internalization, may be inhibited by an interaction with PDCD6IP and/or SPRY2. Involved in regulation of ligand-dependent endocytosis of the IgE receptor. Attenuates phosphatidylinositol 3-kinase activity by interaction with its regulatory subunit. May be involved in regulation of cell adhesion; promotes the interaction between TTK2B and PDCD6IP. May be involved in the regulation of cellular stress response via the MAPK pathways through its interaction with MAP3K4. Is involved in modulation of tumor necrosis factor mediated apoptosis. Plays a role in the regulation of cell morphology and cytoskeletal organization. Required in the control of cell shape and migration (By similarity).[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (2, also known as RukdeltaA) differs in the 5' UTR, lacks a portion of the 5' coding region, and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (2) has a distinct N-terminus and is shorter than isoform 1.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US