

Product datasheet for **MC220592**

Nolc1 (NM_001039352) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nolc1 (NM_001039352) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Nolc1
Synonyms:	NOPP130; NOPP140; P130
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >MC220592 representing NM_001039352
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCGGATACCGCTTTCGCCCGTGGTTCACAGCGACCTTTATCCCCTTGTGCTCAGATTTCTCGGG
 ATAGCCAACCTCTCGGAGGTGGCCAGTAAATTTGCAAAAAGCGACCGCGCTACACAGCAGGACGCCAATGC
 CTCGTCCTCTTGGACATCTATAGCTTCTGGCTCAACAGGTCCACCAAAGCCCAAGGTGAAGTTACAG
 TCAAATGGACAGTGACCAAGAAGGCTAAGAAAGAGACTTCATCCAGTGACAGCAGTGAGGACAGCAGTG
 AGGACGAGGACAAAAAGCCAGGGACTTCCCACACAGAAGGCTGCCGCACAGGTCAAGCGAGCCAGTGT
 GCCTCAGCATGCTGAAAGGCAGCAGCCAAAGCTTCCAGAGCAGCAGTGTGAAGAATCCAGTGAGGAA
 GAGGAAGAGGACAAAAAGAAAAGCCTGTCCAGCAGAAGGCAGCTAAGCCCAAGCAAGGCAGTCAGAC
 CTCTCGAAGAAGGCAGAGAGCTCTGAGTCGGACTCAGACTCGGATTCGGACTCCAGCTCAGAGGAAGA
 AACACCACAGACCAGAAGCCAAAGGCAGCTGTGGCAGCAAAGCTCAGACTAAAGCCGAAGCCAAACCA
 GGTACACCAGCGAAAGCAGACGCTAAGGTAGCCAAATGGCAAAGCAGCCGCCAGCAGCAGCAGCAGCA
 GCAGCGATGACTCAGAGGAAGAGAAGAAGGCAGCTGCACCTCCCAAGAAGACTGTACCAAAAAAGCAAGT
 CGTGGCCAAGGCCCAAGTGAAGTAGTCCCGCCCCACCCAGAAGAGCTCCAGCAGTGAGGATTCTTCC
 AGTGAAGAGGAGGAGGGACAGAGACAACCCATGAAGAAAAAGCAGGTCCCTACAGTTTCAAGTTCCACCAC
 CCTCTGTTCTTTACCAAGAAGTCCCCGGAAACCCAGGCTCCAAAGAAAGCTGCTGCGCAGACACAGCC
 TGCAGACAGCAGTGACGACAGCAGTGACGATTCTGATTCAAGTTCTGAGGAAGAGAAAAACCTCCAGCT
 AAGACGGTCTCTCAAGACACCCGCCAAAGCAGCTCCAGTGAAGAAGAAAGCAGAAAGCTTCCAGACA
 GCTCGGATCTGACAGTTCTGAGGATGAAGCTCCTGCCAAGCCAGTCAGTACAACCAAGATCCCAAGCC
 AGCTGTCACTCCGAAGCCATCTGCAGCAAAGGCAGTGACAACCTTAAGCAACCTGCAGGCAGTAACCCAG
 AAACCTCAGAGCAGGAAGGCTGACAGCAGCTCCAGCGAGGAGGAAAGCAGCTCCAGCGAGGAGGAGGAGG
 CCTCCAAGAAAAGTGCCACAACCCCAAGGCCAAGGTGACTGCTAAAGCAGCACCCGCCAAACAGGCCCC
 TCAGGCTGCTGGGGACAGCAGCTCTGACTCAGATAGTTCCAGCAGTGAAGAGGAGGAGAAGACTCCTAAG
 CCCCCAGCTAAGAAGAAGGCAGCAGGTGGAGCCGTTTCTACACCAGCCCCGGAAGAAAGCAGAGGCCA
 AGAGCAGCAGCAGCAGCAGCAGCAGCTCCGAAGATTCCAGTGAAGAGGAGAAAAAAGAAGCCCAA
 AGCTACTACCCCTAAAAACAGGCAAGCAAGGCCAATGGCACTCCAGTTCTCTGAATGGAAAAGCAGCC
 AAGGAAAAGTGAGGAGGAAGAGGAGGAGGAAGAAACAGAAGAGAAGAAAAAGGCAGCTGGGACCAAGCCAG
 GTTCAGGCAAAAAACGGAAGCAGAAATGAGACCGCAGATGAAGCAACAACCTCTAAGCTAAGAAAAGTTAA
 GCTCGAGACCCCCAATACGTTTCCAAAAAGGAAGAAGGGAGAAAGAAGGGCGTCTTCCCCTTTCCGAAGG
 GTCAGGGAGGAGGAGATTGAGGTGGACTCTCGAGTGGCGGACAATTCTTTGATGCCAAGCGAGGTGCAG
 CTGGGACTGGGGGAGCGAGCCAATCAGGTTCTGAAGTTCACCAAGGCCAAGTCCTTCCGGCATGAAAA
 AACGAAGAAGAAGCGAGGCAGCTACCGGGAGGCTCCATCTGTGCCAGTCAATTCGTCAAATTCGAC
 AGCGAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001039352
Insert Size: 2109 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001039352.2</u> , <u>NP_001034441.1</u>
RefSeq Size:	3665 bp
RefSeq ORF:	2109 bp
Locus ID:	70769
UniProt ID:	<u>E9Q5C9</u>
Cytogenetics:	19 C3
Gene Summary:	<p>Nucleolar protein that acts as a regulator of RNA polymerase I by connecting RNA polymerase I with enzymes responsible for ribosomal processing and modification (By similarity). Required for neural crest specification: following monoubiquitination by the BCR(KBTBD8) complex, associates with TCOF1 and acts as a platform to connect RNA polymerase I with enzymes responsible for ribosomal processing and modification, leading to remodel the translational program of differentiating cells in favor of neural crest specification (By similarity). Involved in nucleologenesis, possibly by playing a role in the maintenance of the fundamental structure of the fibrillar center and dense fibrillar component in the nucleolus (PubMed:11424213). It has intrinsic GTPase and ATPase activities (By similarity). [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) represents the longest transcript and encodes the longest isoform (C).</p>