

## Product datasheet for **MC221019**

### **Brsk2 (NM\_001009930) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Brsk2 (NM_001009930) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Brsk2
Synonyms:	4833424K13Rik; SAD-A; SADA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >MC221019 representing NM\_001009930  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGACATCGACGGGAAGGACGGCGGGCGCAGCACGCGCAGTATGTGGGGCCCTACCGGCTGGAGA  
 AGACGCTGGCAAGGGGACAGAGGCTTGGTGAAGCTGGGAATCCACTGTGTCACTTGCCAGAAGGTCGC  
 CATCAAAATCGTGAACCGTGAGAAGCTCAGTGAGTCGGTCTGATGAAGGTGGAGCGAGAGATTGCCATC  
 TTGAAGCTCATCGAGCATCCACATGTAAGCTGCATGACGTCTATGAAAACAAAAAATTTTATAACC  
 TGGTGCTAGAACATGTGTCTGGGGGAGAGCTGTTGACTACCTGGTGAAGAAGGGCCGGCTGACCCCAA  
 GGAGGCCCGCAAGTTCTCCGGCAGATCATCTGCACTGGACTTCTGTACAGCCACTCCATATGCCAT  
 AGAGACTTGAAGCCAGAGAACCTGCTGCTAGATGAGAGGAACAACATCCGATTGACAGACTTTGGCATGG  
 CATCCCTGCAGGTGGGAGACAGCCTGCTGGAGACCAGCTGCGGATCTCCACACTATGCCTGTCCGGAAGT  
 GATTCCGGGGCAGAAGTATGATGGCCGCAAGGCAGATGTGTGGAGCTGTGGTGTGATCCTGTTCCGCTTG  
 CTGGTGGGGGCTCTGCCTTTTATGATGATGACAACCTGCGGCAGTTGCTGGAGAAGGTCAAGCGTGGTGTGT  
 TCCACATGCCACACTTTATCCCACCAGACTGCCAGAGTCTCCTGCGTGGCATGATTGAGGTGGATGCAGC  
 TCGGCGCCTCACGCTAGAGCACATTCAGAAACACATATGGTATATAGGTGGCAAGAATGAGCCAGAGCCC  
 GAACAGCCCATCCCACGCAAGGTGCAGATCCGCTCACTACCCAGCTTGGAAAGACATTGACCTGATGTGT  
 TGGACAGCATGCACTCACTGGGCTGCTCCGAGACCGCAACAAGCTGTGCGAGGATCTGCTATCTGAGGA  
 GGAGAATCAGGAAAAGATGATTTATTTCTCCTCCTGGATCGGAAAGAACGGTATCCAAGCCATGAGGAT  
 GAGGACCTGCCCCCAGGAATGAGATAGACCCTCCCGGAAGCGTGTGGATTCCCCGATGCTGAACCGGC  
 ATGGCAAGCGGGACCTGAGCGCAAGTCCATGGAAGTGTGCTGAGTGTGACAGATGGTGGCTCCCGAGTGC  
 TGCACGGAGAGCCATTGAGATGGCCAGCATGGCCAGAGATCTCGATCCATCAGTGGTGGCTCCTCAGGC  
 CTTTCTACAAGTCCACTCAGCAGTCTCAGGCTGACCCCTCACCCCTCACCAAGGGGTAGTCCCTTCTTA  
 CCCCCAAGGGACGCCTGTCCACACGCCAAAGGAGAGCCAGCTGGCACACCCCAACCCACACCACCATC  
 CAGCCCTAGTGTGGAGGAGTGCCTGGCGGACACGACTGAACTCCATCAAGAACAGCTTCTGGGCTCA  
 CCTCGATTCCACCGCCGAAACTCCAAGTTCCACGCCAGAGGAGATGTCCAACCTGACCCAGAACTCT  
 CTCCAGAGCTGGCAAGAAATCGTGGTTCGGGAACTTCATCAACCTGGAGAAGGAGGAGCAGATCTTTGT  
 GGTGATCAAGGACAAGCCCTGAGCTCCATCAAGGCTGACATCGTTCATGCCTTCTGTCGATCCCAGC  
 CTCAGCCACAGCGTTATTTCCAGACAAGCTTCAGGGTGAATACAAGGCCACAGGGGGCCAGCAGTGT  
 TCCAGAAGCCGGTCAAGTTCAGGTGGACATCACCTACACTGAGGGCGGAGAGGCCAGAAGGAGAAATGG  
 CATCTACTCAGTCACATTCACTTACTCTCAGGCCCAAGTTCGCGCTTCAAGAGGGTGGTGGAGACCATC  
 CAGGCCAGCTGTAAAGCACCCATGACCAGCCATCAGCCAGCACCTGTGACAGCCACTAACTGTATGG  
 AAGTGTGACGGGGCGGCTTTCCAAATGTGACGAGAAGAACGGGCAGGGCCAGGCCCCAGGCCCCAGCACACC  
 CGCCAAGCGGAGTGCCACGGCCCTGGGTGACTCCGCGGCCGCTGGCCCTGGAGGGGACACCGAGTAC  
 CCGATGGGCAAGGACATGGCCAAGATGGGGCCGCCCGCCCGCCGTGAGCAGCCT**TAG**

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001009930  
**Insert Size:** 2160 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001009930.3</a></u> , <u><a href="#">NP_001009930.1</a></u>
<b>RefSeq Size:</b>	4507 bp
<b>RefSeq ORF:</b>	2160 bp
<b>Locus ID:</b>	75770
<b>UniProt ID:</b>	<u><a href="#">Q69Z98</a></u>
<b>Cytogenetics:</b>	7 F5
<b>Gene Summary:</b>	<p>Serine/threonine-protein kinase that plays a key role in polarization of neurons and axonogenesis, cell cycle progress and insulin secretion. Phosphorylates CDK16, CDC25C, MAPT/TAU, PAK1 and WEE1. Following phosphorylation and activation by STK11/LKB1, acts as a key regulator of polarization of cortical neurons, probably by mediating phosphorylation of microtubule-associated proteins such as MAPT/TAU at 'Thr-504' and 'Ser-554'. Also regulates neuron polarization by mediating phosphorylation of WEE1 at 'Ser-642' in post-mitotic neurons, leading to down-regulate WEE1 activity in polarized neurons. Plays a role in the regulation of the mitotic cell cycle progress and the onset of mitosis. Plays a role in the regulation of insulin secretion in response to elevated glucose levels, probably via phosphorylation of CDK16 and PAK1. While BRSK2 phosphorylated at Thr-175 can inhibit insulin secretion (PubMed:22798068), BRSK2 phosphorylated at Thr-261 can promote insulin secretion (PubMed:22669945). Regulates reorganization of the actin cytoskeleton. May play a role in the apoptotic response triggered by endoplasmic reticulum (ER) stress.</p> <p>[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) represents the longest transcript and encodes the longest isoform (gamma). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>