

## Product datasheet for **MC223048**

### **Tmem67 (NM\_177861) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Tmem67 (NM_177861) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Tmem67
Synonyms:	5330408M12Rik; b2b1163.1Clo; b2b1291.1Clo; B230117007
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-Myc-DDK (PS100007)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_177861, the custom clone sequence may differ by one or more nucleotides

```

ATGGGTACCATGGTGACGCGTACAAGGCCTGTGGCGCCATGGCGGTGAGATCTCGTTCTTCATCCCGGA
CTGGCACCGCCTACCTTCTCTTAGTTCTCTGCGAAGTCTCATGGGCACAAATCTTCTCCTCCCTTTCCG
GCGGCCTGAGACCTGCGACTTCAACCAGTACTTTGACATCTCGGCGCTCTCCTGTGCCCCCTGTGGCGCC
AACCCAGCGCGGGATGCACTAGGAACCTTCTGTGTATGTCTACCAGGATATCATATGATCTTAATAATG
GAGGACCTTCTATTATTTGTA AAAAGTGTCCAGAAAACATGAAAGGCGTTACTAAAGATGGCTGGGACTG
CATTCTTGTCTAGTGGCTTAACTGCTGAGGGGAAGTGCCTACTGTCCACTGGCCATATATTAGTGAA
AGAAATGTTAGTGGGTCTTTGTTAGCCCAAGCACTTGCAGCTTTGTGATGAAAGTAAAACTCATTTA
CAAAAGCCAATGCTTTAGGAACCAGGTGTGTCCGCTGCGAACCAACATTTGTGAATACAAGCAGGTCCTG
TTCATGTTCCAGAGCCTCACACTTAAACAGGTGGATTATGTTTCAGCAACACAGGGAAATTTTCATCAACGT
GTAATTTCCACTGCACGTTATGGAGAGCTTGGCATGTCATTAATTCAGAATGGTTTGCCAAGTATTTGC
AGGCAACAGCAGCTGCATGCTGGACTCAGCCAACTGACATCGTGCCAAGCTCTTGAAATATGTGCGT
GATGAACATGAACTCTTACGACTCGACCACACTCGATGCTTGTGACTGTTCCATTACATCTTTGAAAGC
ACTGCTGGATTGATCAGTGTGCATTCTGTTCCATTCTGGAGACAGAACCTTCTTGCTGTTCTATGGAG
ACCAGCCAGGATTGGCTCCTCAAGTTCTCAGTACTACACCTTCTCCTACAAAATTCAGTTTTAAAGGACA
AAACCAGCTGAAGTTTGTGTGCTTCTATGATATACGAGGAACTTCATCAATGGCAACCTTTAGAA
GGTGGTGTTTTACAGCTTTGTCCAGACACTGAGAGAAGGCTGGATGCAGCGTATGCTTTTGGAAACACGT
ACCAGCAAAATTTGAAATCTCTCTCTAACTCCTGGTTGACTTCAGCAGCCCTGATTTTATGATGT
TTACCTCGAATACACTGATGAAGAGCAGCACCGTTACCTTTGGCCTATCCAGTGTAACTAACTTCT
CAACCAACAAACTGTTTGTGAACCAAGACAGTGTCCAGCAAGTGGCTTCTGACTCGGCGCATTTTCT
TAGTGGATGCAGTAAGTGGGCGAGAAAATGACCTAGGAAATCAGCCAAGAGTAATTCGAGTTGCTACCCA
GATTTCACTGAGCATACGCCTTGTACCCAACACAAAAATGGAACATATACACTCCCCTACTTACCATT
GCCTACAGTGACATTGACATCAAAAATGCTCATAGCCAGTCTGCGAAGATTTCTTCTCAGTGAAGTATG
AGATGAATCAAGGAGACGCATCTGTGCACACAGATATTGCGTTGGGTGTGTTGGGTGGGCTGGCTGTGCT
ATCATCTCTTTTGAAGACAGCGGGATGGAAGAGGCGCATCGGGAGCCCCATGATTGATTTACAGACAGTT
ATGAAATCCTGCTGACTATGCTGGTGTCTGGCCAATGTGTTTTTATCATCACAGTGGGAACAGGTC
TTTATTGGCTTATTTCTCAAAGCACAGAAGTCAGTCTCTGTTTTGCTGCCGATGCCAGTTCAGGAAGA
ACGTTTCTGTTACTTATGTGGGTGCGCCTTTGCTATGAAGGCTCTCCAGTTTTTACATAAGTTCATATCC
CAGATTTCCATAGATATATTCTTTATTGATTGGGAACGGCCGAAAGGAAAAGTCTTAAAGCTGTTGAAG
GTGAGGGTGGTGTGCGGAGTGCCACTGTTCTGTGAGCATATGGAGAACGTAATTCGTTGGCAAATGAATG
GAATGAGATTCAGACTGTGAGAAAAATTAATCCACTCTTCAAGTGTACCACACTCTTCTTCTGGAG
GTTGTGGGATTCAAAAATTTAGCGTTAATGGATTATCCTCCAGCCTTTCTAGAAACCCATCAGACTACA
CAGCTCCTTACAGCCGATCTGAGATATGCCGTGGCTACTGCTATCTGGCTGGTATTGGAATAATACA
GGTTGTTTTCTTGTGCCTTTTATGAGAGATTCATAGAAGACAAAATCCGGCAGTTTGTGACCTGTGC
TCCATGAGTAATGTGTCAGTGTCTGCTGTCCACAGATGTTTTGGATATTACATTCATGGGAGGTCAG
TCCACGGCCATGCAGACACTAACATGGAGGAAATGAATATGAACCTTAAGAGAGAGCGGAAAAATTTGTG
CAGCCAAAGAGGTTTGGTGCCCAACACGGATGGGCAGACGTTTCAGATTGCAGTTTCTAGTCAGATGAGA
CAACACTATGACAGGATTCATGAGACTTTAACAAGGAGAAATGGCCCTGCCAGACTGCTGAGTTCGTCGG
GGAGTACTTTTGAACAAAGCATCAAAGCATACCACGCAATGAATAAGTTCCTTGGCTCTTTCATTGACCA
CGTTCATAAGGAAATGGATTACTTTATAAAAAGATAAGTTGCTTCTTGAAGAATCCTTGGGATGGAATTC
ATGGAGCCCATGGAGAAGAGCATCTTCTATAATGATGAAGGCCATTTTTCAGCAGTGTGCTGTATTATG
GGAACGAGGCCACGCTCCTCATCTTTGATCTGTTGTTCTCTGTGTTGTGGATTTGGCTTCCAGGACTT
TGTTTTAGCATCCTTCTCACATACCTGCAACAAGAGATTTTCCGATTTATCCGAAATACAGTAGGACAA
AGAATTTGGCAACCAAAACACTAGTGGATGAAAGATTTCTGATCTAA
    
```

**Chromatograms:** [https://cdn.origene.com/chromatograms/ja2030\\_h10.zip](https://cdn.origene.com/chromatograms/ja2030_h10.zip)

**Restriction Sites:** SgfI-RsrII

<b>ACCN:</b>	NM_177861
<b>Insert Size:</b>	2988 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_177861.4</a> , <a href="#">NP_808529.2</a>
<b>RefSeq Size:</b>	3456 bp
<b>RefSeq ORF:</b>	2988 bp
<b>Locus ID:</b>	329795
<b>UniProt ID:</b>	<a href="#">Q8BR76</a>
<b>Cytogenetics:</b>	4 A1
<b>Gene Summary:</b>	<p>Part of the tectonic-like complex which is required for tissue-specific ciliogenesis and may regulate ciliary membrane composition. Involved in centrosome migration to the apical cell surface during early ciliogenesis. Required for ciliary structure and function, including a role in regulating length and appropriate number through modulating centrosome duplication. Required for cell branching morphology. Essential for endoplasmic reticulum-associated degradation (ERAD) of surfactant protein C (sftpc).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) encodes the supported protein. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.</p>