

Product datasheet for MC223072

Smarcc1 (BC052423) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Smarcc1 (BC052423) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Smarcc1
Synonyms:	Rsc8, BAF155, SRG3
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>BC052423 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCCGCGACAGCGGGTGGCGGTCCGGGAGCAGCAGCAGGCGCCGTGGGTGCAGGGGTGCGGCGGGG
CCTCCGGGCTGGCCGTGTACCGGAGGAAGGACGGGGGCCCGCCAGCAAGTTTTGGGAGAGCCCGGACAC
GGTGTCCAGCTAGATTCGGTGCAGTCTGGCTGGCAAGCACTACAAGAAGTATGTTTCATGCAGATGCT
CCTACCAATAAAACACTAGCTGGACTGGTGGTGCAGCTTCTACAGTTCCAAGAAGATGCCTTTGGGAAGC
ATGTCACCAACCCAGCTTTCACCAAACTACCTGCAAAAATGTTTCATGGATTTCAAAGCTGGAGGCACCTT
GTGTCACATTCTTGGGGCAGCTTACAAGTACAAAAATGAACAGGGCTGGCGGAGATTTGATCTTCAGAAC
CCATCCCGAATGGATCGTAACGTTGAAATGTTTCATGAACATTGAGAAAACATTGGTACAGAACTGTC
TGACTAGACCAACATCTACCTCATTCCAGACATTGATTTGAAGTTGGCTAACAAGTTGAAAGATATCAT
CAAACGGCATCAGGGGACATTTACTGATGAGAAGTCAAAGCTTCCCACCATATTTATCCATATCCTTCC
TCACAAGAGGATGAGGAGTGGCTGAGACCAGTGATGAGGAGAGACAAGCAGGTGCTGGTGCAGTGGGTT
TCTACCCAGACAGCTATGACACTTGGTCCACAGTAATGATGTTGATGCTGAAATTGAAGATGCACCAAT
CCCAGAAAAGCCCTGGAAGGTTGATGAAAATGGATTTTGGACACTGACGTTTTCAATGAATGGATGAAT
GAAGAGGATTATGAAGTGGATGAGAACAGAAAAGCCAGTGAGCTTTCGTC AACGAATTTCAACAAAGAAATG
AAGAGCCAGTCAGAAGTCCAGAAAGGAGAGACAGAAAAGCCTCTGCCAACTCTAGGAAGAGGAAACCTTC
CCCTTCTCCTCCTCCACAGCCACAGAGTCCCGCAAGAAGAGCGGGAAGAAAGGACAAGCTAGCCTT
TATGGGAAACGTAGAAGTCAAGGAAGAAGATGAGCAAGAAGATCTTACCAAGGACATGGAAGACCCCA
CACCTGTACCTAACATAGAGGAAGTGGTCTCCCTAAGAATGTAAACCCAAAGAAGGACAGTGAAAAAC
ACCGTTAAAGGAGGCACGGTGGCAGATCTAGATGAGCAGGATGAAGAAGCAGTTACAACAGGAGGAAAG
GAAGATGAAGATCCAGCAAAGGTGATCCAAGTCGCTCAGTTGACCCAGGTGAAGACAACGTGACAGAAC
AGACCAATCACATCATTATCCAGCTACGCATCCTGGTTTGATTATAATTGATTTCATGTCATTGAACG
GGTGGCCTTCTGAGTTCTTAAATGAAAAAACAATCCAAGACCCCTGAAATATACTTGGCATATCGA
AATTTTATGATTGACACATACCGTCTAAACCTCAAGAATATTTAACCAGCACTGCTTGGCCGGCAAAAC



[View online »](#)

TGACTGGAGATGTGTGCTGTGATGAGGGTTCATGCCTTCTTAGAGCAGTGGGGTCTTGTAACTACCA
 AGTTGACCCAGAGAGTCGACCCATGGCAATGGGACCTCCTCCACTCCTCACTTCAATGTGTAGCTGAC
 ACACCCCTCTGGGCTTGTGCCCTGCATCTTCGATCACCTCAGGTCCTGCCGCTCAACAGATGTTAAATT
 TTCCTGAGAAGAACAAGGAAAACCAATTGATTTCGAACTTTGGTCTTCAACTGACATTTACTCCAA
 GAAAACACTGGCAAAGAGTAAAGGTGCTAGTGTGGAAGGGAGTGGACAGAACAGGAGACCCTTCTTCTC
 CTAGAGGCTCTGGAGATGTACAAGGACGATTGGAATAAAGTGCAGAACATGTTGGAAGCCGTACTCAGG
 ACGAATGCATCCTCCACTTTCTGAGGCTCCCATTTGAGGACCCTTACCTTGAAAATTCAGATGCTTCTCT
 TGGGCCACTGGCTTACCAGCCTGTCCCTTTCAGCCAGTCGGGAAACCCGGTGATGAGCACTGTTGCCTTT
 TTAGCATCTGTCGTTGACCCCGTGTAGCATCTGCTGCAGCAAAAGCAGCGTTGGAGGAGTTTTCTCGTG
 TCCGAGAAGAAGTACCCCTGGAATTGGTTGAAGCACATGTCAAGAAAGTACAGGAAGCTGCAAGAGCCTC
 TGGGAAGTGGACCCACCTATGGCTTGGAGAGCAGCTGTATTGCTGGCACAGGGCTGACGAGCCAGAG
 AAGCTTGAAGGATCTGAAGAAGAGAAGATGAAACAGATCCTGATGGTCAGCAGCCTGAAAAGGCAGAAA
 ACAAAGTGAAAAATGAATCGGATGAAGGTGATAAAATACAAGATCGAGAGAATGAAAAAACACTGAGAA
 GGAACAAGATAGTGACGTCAGTGAGGATGTCAAGCCAGAAGAAAAGGAGAATGAAGAGAACAAGAGCTC
 ACTGATACATGTAAGAAAAGAGAAGCGATGCCGGGAAGAAGAAAGTGGAAACACGAGATTCGGAAGGAA
 ACGTTGCCACAGCCGACGAGCTGCTCTGGCCTCAGCTGCTACTAAAGCCAAGCACTGGCGGCTGTTGA
 AGAAAAGAAAATCAAGTCCTTGGTAGCTCTCTTGGTTGAAACACAAAATGAAGAACTAGAGATCAAACCT
 CGACATTTTGAAGAGCTGGAGACTATAATGGACAGAGAGAAAAGAGGCTCTAGAACAACAGAGACAGCAGT
 TGCTTACTGAGCGTCAGAACTTCCACATGGAACAGTTGAAATA TGCTGAACTACTTGCCCGCAGCAAAAT
 GGAGCAGCAGCAGCAGCATGGCCAGACACCTCAGCAGGCGCACCAGCACACGGGAGGGCCGGGATGGCC
 CCATTTGGAGCCACAGGCCACCTGGCATGATGCCGCATCAGCAGCCCCCTCCCTACCCACTGATGCACC
 ATCAGATGCCGCCACCCCATCTCCCAACCAGGTCAAATACCAGGCCCTGGCTCCATGATGCCTGGCCA
 GCCCATGCCAGGTCGCATGATCCCCGCTGTGGCAGCCAACATTCACCCCTACTGGGAGTGGCCCTACCCCT
 CCTGGTATGCCTCCAATGCCCGAAACATCTTAGGACCCCGGGTACCCCTCACAGCACCAACGGCATGT
 GTAAGTAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCTGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** SgfI-MluI
- ACCN:** BC052423
- Insert Size:** 3228 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
- RefSeq:** [BC052423](#), [AAH52423](#)

RefSeq Size: 3532 bp

RefSeq ORF: 3227 bp

Locus ID: 20588

Cytogenetics: 9 F2

Gene Summary: Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. May stimulate the ATPase activity of the catalytic subunit of the complex. Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth. [UniProtKB/Swiss-Prot Function]