

Product datasheet for MC223454

Larp1 (NM_028451) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Larp1 (NM_028451) Mouse Untagged Clone
Tag: Tag Free
Symbol: Larp1
Synonyms: 1810024J12Rik; 3110040D16Rik; Larp; mKIAA0731
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC223454 representing NM_028451
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGGCCACTCAAGTGGAGCCGCTGCTGCCGGCGGGCGCCCGCTGCTGCAGGCCGAGGAGCACGGCCTGG
 CGAGGAAGAAGCCGGCGCCGACGCCAGGCCGAGTCGGGCCGGGTGACGGCGGGGAGAGCCCGACGG
 CGGCGTCCGACGGCCGGCGCCCGCTGCCAGGCTGGCCGCGACGGCGGGAGCGCGAGAGCCCGCGG
 CCACCCGACGCTGCGGAAGCCCCAGCGGGAGCGACGGCGAGGACGGCGCCGGCGGTGACTTCGTGGAGG
 CACCGCCGCCAAGGTGAACCCGTGGACGAAGCACGGCCGCGCCGGCCGGCGGTGAACGGACAGCCGCC
 TCCAGAACCTTCTGCTCCAGCCAAGGTGGTGGAGGCGAGCTGCTCCTAAACCGCGTAAGGGCAGCAAGTT
 GGTGATTTGGAGATGCAGTCAACTGGCCTACACCTGGAGAGATAGCCCACAAAAGTGTGCAGCCACAGT
 CCCACAAGCCTCAGCCTGCTCGTAAGTTGCCACCTAAGAAGGACATGAAGGAGCAAGAGAAAAGGAGATGG
 AAGTGATAGTAAGGAGAGCCAAAAACAAGTCGGATGAATCGGGGGAGGAAAAGAATGGGGATGAGGAC
 TGCCAGCGAGGCGGGCAGAAGAAGAAAGGAGCAAAACAAGTGGTTCATTGCAATAGACATGAAGC
 CGGAAGTACCCAGAGAGAAATTGGCTCCCGTCCCACTCGCCACAGGAACCAAGACATACACCCGCTGT
 CCGTGGGAGATGAAAGGATCTGAACCTGCCACCTACATGCCTGTATCTGTGGCCCCACCCACCCAGCC
 TGGCAACCAGAGACCAAAGTGGAGCCTGCCTGGCAGCAGCAGGATGAGACATCGAGTGTGAAGAGTGATG
 GGGCTGGTGGGCTCGGGCTTCCCTCCGTGGCCGTGGACGGGGCGTGGTGGTGGACGGGGCCGTGGACG
 GGGTGGCACTCGAACCCACTTTGACTACCAGTTTGGCTACCGAAAGTTTGGTGGTACAGAGGGGCCCGC
 ACCACAAGTATATGAACAACATCACTTACTACTTTGACAATGTCAGCAGCAATGAGATTTACAGTATGG
 ACCAGGAGCTGCTCAAGGATTATATCAAACGCCAGATTGAATATTACTTCAGCGTGGACAATTTAGAGCG
 AGACTTCTTCTGAGACGAAAAATGGATGCTGATGGCTTCCCTCCATCACCTTATTGCTTCTTTTAC
 CGTGTACAGGCCCTAACCACTGACATTTCACTCATCTTTGCGGCTCTAAAGGACAGCAAGTGGTAGAGA
 TGGTTGAGGAGAAAGTCCGCAGGAGGGAAGAACCTGAAAAGTGGCCACTGCCTGGACCCCAATAGTGGA
 TTATTCACAAACTGATTTTTCTCAGCTTCTCAACTGCCAGAGTTTGTCCCCGCCAGCACTACCAGAAA
 GAGACAGAGTCGGCACCTGGCTCTCCCCGTGAGTCACCCAGTGCCAACAAAAACAGAGGAGGTGACGA



[View online »](#)

```

ACCTGAAGACCCTTCCCAAGGGCCTGTCTGCCAGCCTCCCAGATCTGGATTCTGAGAGCTGGATTGAAGT
GAAGAAAAGGCCTCGACCCTCACCAGCACGCCCAAGAAGCCAGAGGCCAGCCAGTTCTCCCAACCAACT
GCTCTGCCTCAGCAGCTTCCCTCCCAGCAGCTGATGTCTAAGGATCAGGATGAGCAAGAAGAACTAGACT
TTCTGTTTGACGAGGAGATGGAGCAGATGGATGGGCGGAAGAATACCTTCACTGCCTGGTCTGAAGAGGA
CTCTGACTATGAAATTGATGACCGGGATGTCAATAAGATCCTCATCGTCACTCAAACACCACCTTACATG
CGTCGCCACCCTGGAGGAGACCGTACAGGCAACCACACTTCGCGTGCCAAGATGAGTGTGAAGTGGCCA
AGGTCATTAATGATGGACTCTTCTACTATGAACAAGACCTGTGGACTGAGAAGTTTGAGCCTGAGTATTC
ACAGATCAAGCAAGAAGTGGAAAACCTTCAAGAAAGTGAATATGATTAGTCGGGAACAGTTTGACACTCTG
ACCCCTGAGCCCCCTGTGGATCCTAACCAAGGAGTTTCTCCTGGGCCACCTCGGTTCCAACAAGTTCTTA
CTGATGCCCTGGCCAACAAGCTGTTTGGTGTCTCCGAGCCATCTACCATTGCCCGTTCTCTACCAACCAC
TGTCCCAGAGTCTCCAACTACCGAAATGCCAGGACTCCCGCACACCCCGACCCCGACCCCGCTCAAAGAC
TCTAGTCAGACACCACGGTTTTACCTGTGGTGAAGAAGGACGGACCCTAGATGCCAAGATGCCTCGAA
AAAGAAAGACAAGGCACAGCTCGAACCCCTTGGAAAGTCATGTGGGTGGTGTGATTCTCGGGA
GCACAGGCCCAGGACTGTTTCTATTAGTCCAGTCTTCCAGAGGGAACACCTGCAGTCGGCAGCTATGGC
TGTACCCCTCAGTCACTGCCAAGTTCCAGCATCTTCCATGAGCTGCTCAAGGAAAATGGCTTACAC
AACACGTCTACCAAGATATCGGAGGCGCTGCCTTAATGAGCGGAAGCGCTTGGGCAATTGCCAGTCTCA
GGAGATGAACACCCTCTTCCGCTTTTGGTCTTCTTCCCGAGATCACTTCAATAAAAAGATGTATGAA
GAGTTCAAGCAGCTCGCACTGGAGGATGCCAAAGAAGGCTACAGGTACGGTTTGGAGTGCCTTTTTCGAT
ACTACAGTTATGGTCTAGAGAAAAGTTCCGGCTGGACATATTCAAGGATTTCCAGGAGGAGACAGTGAA
GGACTATGAGGCTGGCCAGCTCTATGGATTGGAGAAGTTCTGGGCCTTCTGAAATACTCCAAAGCCAAA
AATTTGGACATTGACCCAACTGCAAGAATACCTCGGCAATTCGCGCCTTAGAAGACTTCCGAGTGG
ACCCCCCATGGCGAGGAAGGCAACCACAAGCGACACCCAGTGGTAGCAGGAGGCAGCGGAGAGGGCAG
GAAGCGGTGCCCTTCCAGTCTTCCAGCAGGCCGCCACTGGGATCAGCCAACCCCTACGACACCTACT
GGCCAGGCCACTCGAGAAGATGCCAAATGGACAAGCCAGCACTCGGACACACTGACTTTGCGAAAAGTGA

```

```

ACGCGTACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

```

Restriction Sites:	Sgfl-MluI
ACCN:	NM_028451
Insert Size:	3219 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_028451.1</u> , <u>NP_082727.1</u>
RefSeq Size:	6617 bp

RefSeq ORF: 3219 bp

Locus ID: 73158

UniProt ID: [Q6ZQ58](#)

Cytogenetics: 11 B1.3

Gene Summary: RNA-binding protein that regulates the translation of specific target mRNA species downstream of the mTORC1 complex, in function of growth signals and nutrient availability. Interacts on the one hand with the 3' poly-A tails that are present in all mRNA molecules, and on the other hand with the 7-methylguanosine cap structure of mRNAs containing a 5' terminal oligopyrimidine (5'TOP) motif, which is present in mRNAs encoding ribosomal proteins and several components of the translation machinery. The interaction with the 5' end of mRNAs containing a 5'TOP motif leads to translational repression by preventing the binding of EIF4G1. When mTORC1 is activated, LARP1 is phosphorylated and dissociates from the 5' untranslated region (UTR) of mRNA. Does not prevent binding of EIF4G1 to mRNAs that lack a 5'TOP motif. Interacts with the free 40S ribosome subunit and with ribosomes, both monosomes and polysomes. Under normal nutrient availability, interacts primarily with the 3' untranslated region (UTR) of mRNAs encoding ribosomal proteins and increases protein synthesis. Associates with actively translating ribosomes and stimulates translation of mRNAs containing a 5'TOP motif, thereby regulating protein synthesis, and as a consequence, cell growth and proliferation. Stabilizes mRNAs species with a 5'TOP motif, which is required to prevent apoptosis.[UniProtKB/Swiss-Prot Function]