

Product datasheet for **MC223540**

Adcy7 (NM_007406) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Adcy7 (NM_007406) Mouse Untagged Clone
Tag: Tag Free
Symbol: Adcy7
Synonyms: AA407758
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC223540 representing NM_007406
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGC**C

ATGCCAGCCAAGGGGCGCTACTTCTAAATGAGGGTGATGAAGGCCCGACCAGGCAGCGCTCTATGAGA
 AGTACCGGCTCACCAGCTTGACGGGCCACTGCTGCTTGTCTCTCTGGTGGCCGCGCCACCTGCAT
 TGGCCTCATCAGCATCGCCTTCACTCATGAGGATCTCCGACAGACCAGGTTGCTCTGGGACTCGGTTCC
 CTATGCTGACGCTGTTTGTGGCTCTCTATGTGCTGGTGTATGTGAGTGCCTGGTGCAGCGGTGGCTGC
 GGGCCTTGGCGCTACTCACCTGGGCTTGCCCTATGGTACTAGGCTCCGTGCTGATGTGGGACTCTTTGGA
 GAATGAAGCCCATGCGTGGGAGCAGGTGCCTTTCTTCTGTTTGTGCTTTGTGGTGTATGCACTACTG
 CCTCTCAGCAGGAGGGCAGCCATCGTGGCAGGCGTGACCTCCACGGTCTCCCATCTCTGGTGTGGAG
 CTGTGACAAGAGCCTTCCAGACGTCCATGTCTAGCACTCAACTGGGCTGCAGCTCCTGGCCAATGCCGT
 TATCCTCCTGGGTGGGAACCTCACGGGTGCCTTCCACAAGCACCAGCTGCAGGACCGCTCCAGGGATCTC
 TTTATCTACACCGTCAAATGCATCCAGATCCGTCGGAAGCTTCGTGTGGAGAAGCGCCAGCAGGAGAACC
 TGCTTCTGTGAGTCTCCAGCACACATCTCCATGGGTATGAAGCTGGCCATCATTGAGCGCCTCAAAGA
 GGGTGGTGACCGACACTACATGCCGACAACTTTACAGCCTCTATGTCAAGCGGCCAGCAGAATGTC
 AGCATCTTGTATGCAGACATCGTGGGCTTACGAGGCTGGCCAGCGACTGCTCTCCAAGGAGCTGGTGG
 TGGTGCTCAACGAGCTGTTTGGGAAGTTTGACCAGATTGCTAAGGCCAATGAGTGCATGCGGATCAAGAT
 CCTGGGTGACTGTTACTACTGCGTGTGAGGCTGCCCGTGTGCTGCCCACACATGCCCGCAACTGTGTG
 AAGATGGGTCTGGACATCTGCGAGGCCATTAAGCAGGTGCGTGAGGCCACGGGCGTGGACATCAGCATGC
 GTGTGGCATTCACTCCGGGAATGTGCTATGTGGGTCATCGGGCTCCGTAAGTGGCAGTATGATGTGTG
 GTCCCATGATGTGTCCTGGCCAACAGGATGGAGGCAGCTGGAGTCCCTGGCCGGGTGCACATCACAGAG
 GCAACATTGAATCACCTGGACAAGGCATATGAGGTGGAGGATGGGCATGGGGAGCAGCGAGACCCCTATC
 TGAAAGAGATGAACATCCGAACCTACCTGGTATCGATCCCCGGAGCCAGCAGCCACCCACCCAGCCA
 CCACCTCTCAAGCCCAAGGGGACGCAACTCTGAAGATGCGGGCTTCACTGCGTGTAAACCCGCTATCTG
 GAGTCTTGGGGGCGAGCAAGGCCCTTGCACACCTCAACCACCGGGAGAGTGTGAGCAGCAGTGAGACCC



```

CCATCTCCAATGGACGGAGGCAGAAGGCCATTCTCTGCGTCGACACCCGTGCCCTGATAGGAGTGCATC
TCCAAGGGGCGCTTGGAAAGTACTGTGATGACGAGATGCTGTCAGCCATTGAGGGTCTCAGCTCCACC
AGGCCCTGCTGCTCCAAGTCTGATGACTTCCACACCTTTGGTCCCATTCTTGGAGAAGGGCTTTGAGC
GTGAGTACCGCTGGTGGCCATCCCCGGGCTCGCTACGACTTCGCTGTGCCAGCCTTGCTTTCGTCTG
CATCTGCTTGTCCACCTTCTAGTGATGCCAGGATGGCAACTCTGGGTGTGCTTTGGGTTGGTGGCC
TGCCTGCTGGGCTGGTTCTGAGTTTCTGCTTGTACTGAGTCTCGAGGTGCTTTCCATCCCAGAGTA
CACTCCAGGCCATCTCGAGAGCGTGGAGACGACGCCCTGGTCAGGCTTGCTGCTGTGCTGACTGT
TGGCAGCCTACTGACTGTCGCCATTAACATGCCACTGACGCTTAACCCAGGCCAGAGCAGCCTGGA
GACAACAAGACAAGCCCACTGGCTGCACAGAACAGAGTTGGGACCCCATGTGAGCTCCTCCCGTACTACA
CCTGCAGCTGCATCCTGGGCTTCATTGCATGCTCTGTTTTCTGCGGATGAGCCTAGAGCTGAAGGCCAT
GCTGCTGACAGTGGCCTTGGTGGCTACCTGCTGCTCTTCAACCTCTCCCATGCTGGCAGTCTCAGGC
AACAGCACTGAGACCAACGGGACACAAAGGACACGGCTGCTCTGTCTGATGCACAAAGCATGCCAGCC
ACACCTTGCTCCGGGGCTCGGGAGACTGCCCTTCTCCAGTATTTAGAGAGAGACCTGAAGATCAT
GGTTAACTTCTACCTGATCCTGTTCTATGCCACCCTCATTTGCTGTCTAGACAGATTGACTACTACTGC
CGTTGGACTGTCTGTGAAGAAGAAGTTCAAAAAGGAGCAGGAGTTTGAACAATGGAGAATGTGA
ACCGCCTCCTCCTGGAGAATGTGCTGCCGGCGCACGTGGCTGCCCACTTCAATGGGGACAAGGCAGCAGA
GGATTGGTACCATCAATCTTATGACTGTGCTGTGTCATGTTTGCATCCGTTCCGGACTTCAAAGTGTT
TACACTGAGTGTGATGTCAACAAAGAAGGACTGGAGTGCCTTCGACTGCTGAATGAGATAATTGCTGATT
TTGACGAGCTCCTGCTGAAGCCCAAGTTTGTGGTGTGGAGAAGATCAAGACCATTGGCAGCACCTACAT
GGCGGCAGCAGGGCTCAGTGCCCTCAGGACATGAGAACCAGGACCTGGAGCGGAAGCAGTGCACATC
GGAGTCTTGGTAGAATTTAGCATGGCCCTGATGAGCAAGCTGGATGGGATCAACAGGCACTCCTTCAACT
CCTTCCGCCTCCGAGTCGGCATAAACCACGGCCCTGTGATTGCTGGAGTATTGGAGCACGAAGCCTCA
GTATGACATCTGGGAAACACAGTCAATGTTGCCAGCCGATGGAGAGCACCGGAGACTTGGGAAAATC
CAGGTTACCGAAGAGACATGCACTATCCTCCAGGGACTCGGATATTCGTGTGAATGCCGTGGGCTGATCA
ACGTCAAAGGCAAAGGGAACTGCGGACTTACTTTGTATGTACAGACTGCCAAGTTTCAAGGGCTGGG
GCTAAACTGA
    
```

AGCGGACCGACGCTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** SgfI-RsrII
- ACCN:** NM_007406
- Insert Size:** 3300 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
- RefSeq:** [NM_007406.2](#), [NP_031432.2](#)

RefSeq Size: 6121 bp

RefSeq ORF: 3300 bp

Locus ID: 11513

UniProt ID: [P51829](#)

Cytogenetics: 8 43.06 cM

Gene Summary: Catalyzes the formation of cAMP in response to activation of G protein-coupled receptors (Probable). Functions in signaling cascades activated namely by thrombin and sphingosine 1-phosphate and mediates regulation of cAMP synthesis through synergistic action of the stimulatory G alpha protein with GNA13 (PubMed:18541530). Also, during inflammation, mediates zymosan-induced increase intracellular cAMP, leading to protein kinase A pathway activation in order to modulate innate immune responses through heterotrimeric G proteins G(12/13) (PubMed:23178822). Functions in signaling cascades activated namely by dopamine and C5 alpha chain and mediates regulation of cAMP synthesis through synergistic action of the stimulatory G protein with G beta:gamma complex (By similarity). Functions, through cAMP response regulation, to keep inflammation under control during bacterial infection by sensing the presence of serum factors, such as the bioactive lysophospholipid (LPA) that regulate LPS-induced TNF-alpha production. However, it is also required for the optimal functions of B and T cells during adaptive immune responses by regulating cAMP synthesis in both B and T cells (PubMed:20505140).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longest transcript. Variants 1, 2, 3 and 4 encode the same protein.