

Product datasheet for **MC224031**

Ehmt1 (NM_001109686) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ehmt1 (NM_001109686) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Ehmt1
Synonyms:	9230102N17Rik; D330003E03; Eu-HMTase1; GLP; GLP1; KMT1D; mKIAA1876
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC224031 representing NM_001109686 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCCGCGCTGATGCTGAGCAGGCAGTTCTGGCCAAGCAAGAGACCAAGCAGGATTGCTGCATGAAAA
CTGAGCTGCTAAGGGAAGATACACCTATGGCTGCTGATGAAGTTCCACAGAGAAAACAAGAGGAGAGAC
TCCCATGGCTGCAGATGGAGAAAACAATGGGTCTTGTGAAAAGAGTGGGGATCCCAGCCATCTAAATGCA
CCCAAACACACTCAGGAGAACACAAGAGCTAGCCACAGGAAGGCACCAACAGAGTGTCTCGGGTGGCAG
AAAATGGGGTTTCAGAAAAGAGACACAGAAGTGGGGAAGCAAAAACCATGTCACAGCTGACGACTTCATGCA
GACATCTGTCAATTGGCAGCAATGGATATTTCTTAAATAAACAGCCCTGCAGGGGAGCCGTTGAGGACT
CCCAACATTCTAACCTCCTCGCTTCTGGTTCATGCTGCAAAAACCTTCTCTGGAGGAGCCAGTAAATGCA
GGACTCTGAGTGCACCTCCTCAGACACCAACCACAGCACCCTGTGCCTGGGGAAGGGAGTGCAGACAC
AGAGGACAGAAAGCCTACAGCCTCGGGCACTGATGTCAGGGTTCACAGGGCAGCAAGACCATGCCGAAG
TCCATCTTGGCCTGCATGCAGCCAGCAAAGACCATAGAGAAGTTCAAGACCATAAGGAACCAAAAAGAGG
ATATCAACAGAAACATTTCTGAATGTGGACGACAGCAGCTTTTACCAACCTTCCCAGCCCTCCACCGACT
GCTACCTCAGAATCAGTGTACATGGCCACCACAAAGTCCCAGACAGCAGCTGCAGTATCTCGGAAGAAA
AAACGAAGAATGGGAACCTATAGTTTCCCAAGAAAAAGACCAAAAGTATTAACAGAGGACCGTGA
TTGAGATGTTTAAAGCATAACCCATTCCACTGTGGGCGCCAAGGGCGAGAAAGCCTTAGATGATAGTGC
CCTGCATGTAATGGCGAGAGCTTGGAGATGGACTCAGAAGATGAAGACTCCGATGAGCTGGAGGATGAC
GAGGACCATGGAGCTGAGCAAGCGGCTGCATTTCCCACCGAGGATAGTAGGACTTCTAAAGAGAGCATGT
CTGAGACTGACCGGGCTGCAAAGATGGATGGAGATTTCAGAGGAGGAACAGGAGTCTCCGACACAGGGGA
GGATGAAGATGGTGGAGACGAGTCTGACCTGAGTCTGAATCCAGTATCAAGAAGAAATTTCTCAAGAGG
AGAGGGAAGACTGACAGCCCTGGATCAAACCTGCTCGGAAAAGGAGGGCGAGAAGTAGAAAGAAGCCGA
GCAGCATGCTTGGCTGGCCAGTGGTCCGGATGTGCTGGGGACGGATGGCCTCCAGGAAGTGCCTCTCTG
CAGCTGCCGAATGGAAACCCCAAGAGCCGCGAGATCAGCACCCCTGGCCAACAACAGTGCATGGCCACT
GAGAGCGTGGATCAGCAATTGGGCGCGTGTACAAACAGCGTGGTCAAGTATGAGCTGATGCGCCATCCA



[View online »](#)

ACAAAGCACCGCTCTTGGTGTATGTGAAGACCATCGGGGTCGCATGGTGAAGCACCAGTCTGTCTGG
 CTGCGGCTACTTCTGCACGGCGGGTAACCTCATGGAATGCCAGCCTGAGAGCAGCATCTCTCATCGTTTC
 CATAAGGACTGTGCCTCTCGAGTCAACAATGCCAGTACTGTCCCATTTGTGGGAAGAAGCTTCCAAGG
 CCAAAGAGGTGACCATAGCAAAGCAGACACAACCTCCACAGTGACCCTAGCCCCGGACAGGAGAAGAG
 CCTGGCTGCTGAAGGCAGGGCTGACACGACCACGGGCAGCATTGCTGGAGCCCCAGAGGATGAAAGATCG
 CAGAGCACAGCCCCCAGGCACCAGAGTGTTCGACCCGCGGACCGGCTGGGCTCGTGAGGCCGACAT
 CTGGCCCTTTCCAGGGCCAGGAAGGAAACCTTGGAAAGTGTCTAATCGCTCTAGACTGTGAAAAACC
 CAAGAAACTTCGCTTCCACCCAAAGCAGCTGTACTTCTCTGCCAGGCAGGGTGAGCTGCAGAAGGTGCTT
 CTCATGCTGGTTGATGGAATTGATCCCAACTTCAAATGGAGCACCAAAGTAAGCGTTCCCCATTACATG
 CTGCTGCGGAGGCTGGCCACGTGGACATCTGCCACATGCTGGTTCAGGCGGGTGCCAATATTGACTTTG
 CTCAGAGGACCAGCGACCCCACTGATGGAGGCTGCAGAGAACAACCACTTGGATGCAGTGAAGTACCTC
 ATCAAGGCTGGAGCACAGGTGGATCCGAAGGACGCAGAGGGCTCCACATGTTTGCATTTGGCTGCCAAGA
 AAGGCCACTATGATGTGGTTCAGTATCTGCTTCAAATGGACAGATGGATGTCAACTGCCAGGATGACGG
 TGGATGGACACCTATGATCTGGCCACTGAGTACAAGCACGTGGAGCTGGTGAAGCTGCTGTCTAAG
 GGCTCTGACATCAACATCCGGGACAACGAGGAGAACATTTGTCTGCACTGGGCAGCATTTTCAGGCTGTG
 TGGACATAGCTGAAATACTTCTGGCTGCCAAGTGTGACCTGCATGCTGTGAATATCCATGGAGACTACC
 CCTGCACATCGCAGCCAGGGAGAATCGCTACGACTGTGTTGTCCTCTTTCTTCTCGGGATTGAGATGTT
 ACTCTGAAAAACAAGGAAGGAGAGACTCCCTTGCAGTGTGCAAGTCTCAGTTCGCAGGTGTGGAGTGCAT
 TGCAGATGAGCAAAGCACTTCGGGACTCAGCCCCGACAAGCCCGTTGCTGTTGAGAAGACGGTGAGCAG
 GGATATCGCTCGAGGGTATGAGCGCATTCCCATCCCTGTGTCAATGCTGTGGACAGTGAAGTGTCTCT
 ACCAACTATAAGTATGTCTCCGAACTGTGTGACATCCCCATGAACATTGACAGGAACATCACTCATT
 TGCAGTACTGCGTGTGTAGATGACTGCTCCTTAGCACCTGCATGTGTGGCCAGCTGAGCATGCGCTG
 CTGGTATGATAAGGATGGCCGACTTCTGCCTGAGTTTAAACATGGCAGAACCACCCTTGATCTTCGAGTGC
 AATCATGCCTGCTCATGCTGGAGGAACTGCCGCAATCGTGTGGTCAAAAATGGTCTCAGGGCAAGGCTGC
 AGCTTTATCGGACACAGGACATGGGCTGGGGTGTGCGGTCCCTCCAGGATATCCCACTGGGCACCTTTGT
 CTGCGAATACGTAGGGGAGCTGATTTCCGACTCTGAAGCTGATGTTGCGGAAGAGGACTCTTACCTCTTT
 GATCTTGACAATAAGGATGGAGAGGTACTGCATTGACGCTCGTTCTATGGGAATGTCAGCCGGTTCA
 TAAACCACCCTGCGAACCCACCTTGTGCTGTGCGAGTGTTCATGTCACACCAGGACCTGCGGTTTCC
 CAGGATTGCCCTTTCAGTACCCGCTGATTGAGGCTGGGAGCAGCTCGGGTTCGACTACGGGGAGCGC
 TTTTGGGACGTCAAGGGCAAGCTCTTCAAGTGTCCGCTTCCAAGTGTCCGCACTCAAGCGCAG
 CCCTGGCCAGAGGCAAGCCAGTGCAGCCAGGAGCCTCAGGAGAATGGCCTTCCAGATACCAGCTGCG
 AGCCGCTGCTGACCCCTATGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites:

Sgfl-MluI

ACCN:

NM_001109686

Insert Size:

3732 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001109686.2](#), [NP_001103156.1](#)

RefSeq Size: 4948 bp

RefSeq ORF: 3732 bp

Locus ID: 77683

UniProt ID: [Q5DW34](#)

Cytogenetics: 2 A3

Gene Summary: Histone methyltransferase that specifically mono- and dimethylates 'Lys-9' of histone H3 (H3K9me1 and H3K9me2, respectively) in euchromatin. H3K9me represents a specific tag for epigenetic transcriptional repression by recruiting HP1 proteins to methylated histones. Also weakly methylates 'Lys-27' of histone H3 (H3K27me). Also required for DNA methylation, the histone methyltransferase activity is not required for DNA methylation, suggesting that these 2 activities function independently. Probably targeted to histone H3 by different DNA-binding proteins like E2F6, MGA, MAX and/or DP1. During G0 phase, it probably contributes to silencing of MYC- and E2F-responsive genes, suggesting a role in G0/G1 transition in cell cycle. In addition to the histone methyltransferase activity, also methylates non-histone proteins: mediates dimethylation of 'Lys-373' of p53/TP53.[UniProtKB/Swiss-Prot Function]
Transcript Variant: This variant (3) uses an alternate in-frame splice site and lacks an alternate in-frame exon, compared to variant 1. The encoded isoform (3) is shorter than isoform 1.