

Product datasheet for MC224171

Ehmt1 (NM_172545) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ehmt1 (NM_172545) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Ehmt1
Synonyms:	9230102N17Rik; D330003E03; Eu-HMTase1; GLP; GLP1; KMT1D; mKIAA1876
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC224171 representing NM_172545 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGGCCCGCGCTGATGCTGAGCAGGCAGTTCTGGCCAAGCAAGAGACCAAGCAGGATTGCTGCATGAAAA
CTGAGCTGCTAAGGGAAGATACACCTATGGCTGCTGATGAAGGTTCCACAGAGAAAACAAGAGGAGAGAC
TCCCATGGCTGCAGATGGAGAAAACAATGGGTCTTGTAAGAGAGTGGGGATCCCAGCCATCTAAATGCA
CCCAAACACACTCAGGAGAACACAAGAGCTAGCCACAGGAAGGCACCAACAGAGTGTCTCGGGTGGCAG
AAAATGGGGTTTCAGAAAGAGACACAGAAGTGGGGAAGCAAAAACCATGTCACAGCTGACGACTTCATGCA
GACATCTGTCAATGGCAGCAATGGATATTTCTTAATAAACAGCCCTGCAGGGGAGCCGTTGAGGACT
CCCAACATTCTAACCTCCTCGCTTCTGGTCTGCTGCAAAAACCTCTTCTGGAGGAGCCAGTAAATGCA
GGACTCTGAGTGCACCTCCTCAGACACCAACCACAGCACCCTGTGCCTGGGGAAGGGAGTGCAGACAC
AGAGGACAGAAAGCCTACAGCCTCGGGCACTGATGTCAGGGTTCACAGGGCAGCAAGACCATGCCGAAG
TCCATCTTGGCCTGCATGCAGCCAGCAAAGACCATAGAGAAGTCAAGACCATAAGGAACCAAAAAGAGG
ATATCAACAGAAACATTTCTGAATGTGGACGACAGCAGCTTTTACCAACCTTCCCAGCCCTCCACCAGT
GCTACCTCAGAATCAGTGTACATGGCCACCACAAAGTCCCAGACAGCAGCTGCAGTATCTCGGAAGAAA
AAACGAAGAATGGGAACCTATAGTTTCCCAAGAAAAAGACCAAAAGTATTAACAGAGGACCGTGA
TTGAGATGTTTAAAGCATAACCCATTCCTGCTGGGCGCCAAGGGCAGAAAAGCCTTAGATGATAGTGC
CCTGCATGTAATGGCGAGAGCTTGAGATGGACTCAGAAGATGAAGACTCCGATGAGCTGGAGGATGAC
GAGGACCATGGAGCTGAGCAAGCGGCTGCATTTCCACCAGGATAGTAGGACTTCTAAAGAGAGCATGT
CTGAGACTGACCGGGCTGCAAAGATGGATGGAGATTGAGAGGAGAACAGGAGTCTCCGACACAGGGGA
GGATGAAGATGGTGGAGACGAGTCTGACCTGAGTCTGAATCCAGTATCAAGAAGAAATTTCTCAAGAGG
AGAGGGAAGACTGACAGCCCTGGATCAAACCTGCTCGGAAAAGGAGGGCAGAGTAGAAGAAGCCGA
GCAGCATGCTTGGTCCGAGGCTTGTAAAGTCATCTCCAGGAAGCATGGAGCAGGCAGCTCTGGGAGACAG
CGCTGGCTATATGGAAGTTTCCCTGGATTCCTGGATCTCCGTGTGAGAGGAATCTGTCTTCCCAGACA
GAAAATGAAGGGCTGGCCAGTGGTCCGGATGTGCTGGGACGGATGGCCTCCAGGAAGTGCCTCTCTGCA



GCTGCCGAATGGAAACCCCAAGAGCCGCGAGATCAGCACCCCTGGCCAACAACCAAGTGCATGGCCACTGA
 GAGCGTGGATCACGAATTGGGCCGGTGTACAAACAGCGTGGTCAAGTATGAGCTGATGCGCCCATCCAAC
 AAAGCACCCGCTCTTGGTGTATGTGAAGACCATCGGGGTGCGATGGTGAAGCACCAGTGTCTCTGGCT
 GCGGCTACTTCTGCACGGCGGGTAACTTCATGGAATGCCAGCCTGAGAGCAGCATCTCTCATCGTTTCCA
 TAAGGACTGTGCCTCTCGAGTCAACAATGCCAGTACTGTCCCATTTGTGGGGAAGAAGCTTCCAAGGCC
 AAAGAGGTGACCATAGCAAAAGCAGACACAATCCACAGTGACCCTAGCCCTGGACAGGAGAAGAGCC
 TGGTCTGTAAGGCAGGGCTGACACGACCACGGGCAGCATTGCTGGAGCCCAAGAGGATGAAAGATCGCA
 GAGCACAGCCCCCAGGCACCAGAGTGTCTCGACCCTGCCGACCAGGCTGGGCTCGTGAGGCCGACATCT
 GGCTTTCCAGGGCCAGGAAAGGAAACCTTGAAAAGTGTCTAATCGTCTAGACTCTGAAAAACCCA
 AGAAACTTCGTTCCACCAAGCAGCTGTACTTCTGCGCAGGCAGGGTGGAGTGCAGAAGGTGCTTCT
 CATGCTGGTTGATGGAATTGATCCCAACTTCAAAATGGAGCACCAGTAAAGCGTTCCTTACATGCT
 GCTGCGGAGGCTGGCCACGTGGACATCTGCCACATGCTGGTTCAGGCGGGTGCCAATATTGACACTTGT
 CAGAGGACCAGCGGACCCACTGATGGAGGCTGCAGAGAACAACCACTTGGATGCAGTGAAGTACCTCAT
 CAAGGCTGGAGCACAGGTGGATCCGAAGGACGCAGAGGGCTCCACATGTTTGCATTTGGCTGCCAAGAAA
 GGCCACTATGATGTGGTTCAGTATCTGCTTCAAATGGACAGATGGATGTCAACTGCCAGGATGACGGTG
 GATGGACACCTATGATCTGGGCCACTGAGTACAAGCACGTGGAGCTGGTGAAGCTGCTGCTAAGGG
 CTCTGACATCAACATCCGGGACAACGAGGAGAACATTTGTCTGCACTGGGCAGCATTTTCAGGCTGTGTG
 GACATAGCTGAAATACTTCTGGCTGCCAAGTGTGACCTGCATGCTGTGAATATCCATGGAGACTACCCC
 TGCACATCGCAGCCAGGGAGAATCGCTACGACTGTGTTGTCTTCTTCTCGGGATTGAGATGTTAC
 TCTGAAAAACAAGGAAGGAGAGACTCCCTTGCAGTGTGCAAGTCTCAGTTCGCAGGTGGGAGTGCATTG
 CAGATGAGCAAAGCACTTCGGGACTCAGCCCTGACAAGCCCGTGTGTTGAGAAGACGGTGGAGCAGGG
 ATATCGCTCGAGGGTATGAGCGCATTCCATTCCCTGTGTCAATGCTGTGGACAGTGAAGTGTCTCTAC
 CAACTATAAGTATGTCTCCAGAATGTGTGACATCCCCATGAACATTGACAGGAACATCACTCATTG
 CAGTACTGCGTGTGTGTAGATGACTGCTCCTCTAGCACCTGCATGTGTGGCCAGCTGAGCATGCGCTGCT
 GGTATGATAAGGATGGCCGACTTCTGCCTGAGTTTAAATGCGAGAACCACCTTGATCTTCGAGTGCAA
 TCATGCCTGCTCATGCTGGAGGAACTGCCGCAATCGTGTGGTGTGAAAATGGTCTCAGGGCAAGGCTGCAG
 CTTTATCGGACACAGGACATGGGCTGGGGTGTGCGGTCCCTCCAGGATATCCCACTGGGCACCTTTGTCT
 GCGAATACGTAGGGGAGCTGATTTCCGACTCTGAAGCTGATGTTCCGGAAGAGGACTCTTACCTCTTTGA
 TCTTGACAATAAGGATGGAGAGGTATACTGCATTGACGCTCGGTTCTATGGGAATGTCAGCCGGTTCATA
 AACCACCACTGCGAACCACCTTGTGCCTGTGCGAGTGTTCATGTCACACCAGGACCTGCGGTTTCCCA
 GGATTGCCTTCTCAGTACCCGCTGATTCAGGCTGGGGAGCAGCTCGGTTTCGACTACGGGGAGCGCTT
 TTGGGACGTCAAGGGCAAGCTCTTCAGTTGCCGGTGTGGGTCTTCAAGTGTCCGCACTCAAGCGCAGCC
 CTGGCCCAGAGGCAAGCCAGTGCAGCCCAGGAGCCTCAGGAGAATGGCCTTCCAGATACCAGCTCTGCAG
 CCGCTGCTGACCCCTATGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** Sgfl-MluI
- ACCN:** NM_172545
- Insert Size:** 3870 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_172545.4, NP_766133.2</u>
RefSeq Size:	5086 bp
RefSeq ORF:	3870 bp
Locus ID:	77683
Cytogenetics:	2 A3
Gene Summary:	<p>Histone methyltransferase that specifically mono- and dimethylates 'Lys-9' of histone H3 (H3K9me1 and H3K9me2, respectively) in euchromatin. H3K9me represents a specific tag for epigenetic transcriptional repression by recruiting HP1 proteins to methylated histones. Also weakly methylates 'Lys-27' of histone H3 (H3K27me). Also required for DNA methylation, the histone methyltransferase activity is not required for DNA methylation, suggesting that these 2 activities function independently. Probably targeted to histone H3 by different DNA-binding proteins like E2F6, MGA, MAX and/or DP1. During G0 phase, it probably contributes to silencing of MYC- and E2F-responsive genes, suggesting a role in G0/G1 transition in cell cycle. In addition to the histone methyltransferase activity, also methylates non-histone proteins: mediates dimethylation of 'Lys-373' of p53/TP53.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) uses an alternate in-frame splice site, compared to variant 1. The encoded isoform (2) is shorter than isoform 1.</p>