

Product datasheet for MC224239

Acin1 (NM_001085473) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Acin1 (NM_001085473) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Acin1
Synonyms:	2610036I19Rik; 2610510L13Rik; Acinus; acinusL; acinusS; Acn; C79325; mKIAA0670
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC224239 representing NM_001085473 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGATCGCC

ATGTGGGGACGGAACGACCGAACAGCTCCGGAGAAACCCGGGAATTCTGAGCGGTAATAGAGGGGTAG
ACTATGGCAGTGGGCGGGCCAATCCGGTCCGTTCTGAAGGGCGTTGGCGGAAATTACCGAAGATGCCGA
AGCCGTCGGGACGACCCGAGTACCTCAGCAAGATGGCGGAGCTGGAGGAGGTGACTCTGGACGGGAAG
CCTCTTACGGCTCTGCGGGTACCGACCTGAAGGCCGCACTGGAGCAGCGAGGCCTAGCCAAGAGCGGGC
AGAAGAGTGCCTTGGTCAAGCGGCTCAAAGGGGCTCTAATGCTAGAAAATTTACAAAAACTCAACACC
CCATGCTGCATTCCAGCCAAATTCACAGATCGGGGAGGAAATGAGCCAGAACAGCTTCATAAAGCAGTAT
CTGAAAAAGCAGCAGGAGCTACTTAGGCAGCGCCTGGAACGGGAAGCTCGGGAGGCTGCGGAACCTGAA
AAGCCTCAGTGAGTCGGAGGACGAGATGACCCATCCTGAGGGAGTGGCTTCCCTGCTGCCTCCTGATTT
TCAGAGCAGCCTGAACAGACCAGAGCTGGAGCTCAGCACACATTCACCCGAAAGAGCTCCTCTTTTTCT
GAAGAAAAAGGAGAATCTGATGATGAGAAGCCGAGGAAAGGGGAAAGACGATCATCCAGAGTTAGACAGG
CAAAATCTAACTCCCTGAGTACAGTACAGTCTGAGGAGGAAGAGGATCAAGAGACACCATCTAGAAA
CCTGAGGGTCAGAGCAGATCGAAAATTTAAAAATAGAGGAGGAGGAAGAAGAAGAGGAAGAAGAAGAT
GACGATGATGAAGAGGAAGAGGAGGTAGATGAGGCACAGAAATCTAGAGAGGCTGAGGCACCAACCTGA
AGCAGTTTGGAGTGAAGAAGGGGAAGAGAGGACCAGAGCAAAACCAGAAAAGGTGGTGGATGAGAAAAC
CCTAAACATCAGATCCCAGGAAAAGGGTGGATGAGAAAAGGAGGGCGAGTTACTAGATCCCAAGAAGAA
GCTAGAAGAAGTCATCTGGCCAGACAGCAACAAGAGAAAAGAGACAAAATGTTTCTCCTCCTCAAGAAG
AAAATGAGGTAAGTCTTCAAAAGTTGGAGGAAAAATCCAGTCTCCTCCCCACCTCCGCTTCTCTGA
AGACCTAGAGAAGGCCCTGTTGTGCTGCAGCCAGAACAGATAGTCAGTGAAGAGGAAACACCCCACT
TTACTTACCAAGGAAGCGTCATCTCCACCAACTCATATACAACCTCAGGAAGAGATGGAGCCAGTGGAA
GCCAGACACCCCTGTCCCTATTGATGCTCCTCCTAACACAGATGCTGGAGCCAGGGAGCCACTAGC
GTCTCCTCACCCTGCGCAGCTGTAAGAAGCCTGTCTCCTTTGTGAGGACTACAGACACCAAAGCAGAG
TCTCCAGCAGGGAGAGTGTGAGTGTGCTCCTGCCTCGGCTCAGAAAAGCTCACTGCCTGAATGCT



[View online »](#)

```

CCACCCAGAAGGGTGTGAAAGTGAGCGTGAAAAGTCTGCTCCCCTCCCTCTAACAGTGGAGGAGTTCGC
ACCTGCCAAAGGCATCACTGAGGAACCTATGAAGAAACAGTCTTTGGAACAGAAGGAGGGCAGAAGAGCC
TCCCATGCTCTCTTCCCAGAGCACAGTGGGAAGCAGTCAGCCGACTCATCCTCTAGCAGGTCCTCTCCC
TTTCATCTCCAGCTCTCCATCCAGATCTCCATCTCCTGACAGTGTGGCTTCCCGCCACAGTCGTCTCC
AGGATCTAAGCAGAGAGATGGAGCCCAAGCAGGATTCATGCCAACCTCAGGAGAGACCAAGATGGGC
TCCAGGTCAACTTCAGAGTCCAGGTACGTTCCCGATCTCGTTCCTGTTCCCGTCAAGCAGCAGCAGAA
AATCTGTAGCCCTGGAGTCTCCAGAGATAGCAACACCAGTCACTGAAACCAAAGATCCCTCTGTGG
TCAGGAGGCTGCAGTCCATCTGGGCCACAGTGCAGGTCCTTGAACCAAAGGAGAAGGCTCCCAGGTTT
TCAGCATCTGTCCGGGGAGGCATCTGAGCCATCCTGAGCCAGAGCAACAGCACGTGATCCAGAGTTGC
AGCCGGAGCAGGGGAGCCAAAGAAGTGTGAAGCTGAAGAGGCAGAGCCACCAGTGCACACAGCCTCA
AACCTCAGAGACTCAGATCTCTCATCTGCTAGAATCAGAAAGGACTCATCACACTGTTGAAGAGAAGGAG
GAAGTGACCATGGACACCAGTAAAACAGACCTGAAAATGAGGTGCCTGAGCCTCCTCTGCTGTTGCAG
ACCAAGTCAGCAATGATGAGCGCCAGAGGGTGGTGTGAAGAAGAGGAAAAGAAAGAGAGTTTCATGCC
CAAGTCATTCAAGAGGAAAATCTCCGTTGTCTCAGCTACCAAGGGGGTGAAGCTGGAACAGTGACACA
GAGGGGGGCCAGCTGGCCGAAAACGCCGTTGGGGAGCCAGCAGTCCCGGACACAGAAGAAACCGTCCA
TCAGTATCACCACTGAGTCACTCAAGGAGGCTGTTGTGGATCTTCATGCCGATGACTCCCGAATCTCTGA
GGATGAGACAGAGCGTAATGGCGACGATGGGACCCATGACAAGGGACTGAAGATATGCCGGACAGTCACT
CAGGTAGTACCCGAGAGGGCCAGGAGAATGGGCAGAGGGAAGAGGAAGAAGAGAAAGAGCCTGAAGCCG
AGCTGCCGGCGCCACCCAGGTGTCAAGTGGAGGTTGCCTTGCCTCCACCTGTGGAGCACGAAGTAAAGAA
AGTAACATTAGGAGATACCTTAACCCGGAGGTCCATCAGCCAACAGAAGTCTGGAGTTTCCATTACAATT
GATGACCCAGTCCGACCGCCAGGTGCCCTCCCACCCAGGGGCAAGATCAGTAACATTGTCCACATCT
CCAACCTGGTTTCGTCCTTCACTTTAGGCCAGCTGAAGGAATTATTGGGGCGTACAGGAACCTTGGTGGA
AGAGGCTTCTGGATAGACAAGATCAAATCTCATTGCTTTGTGACGTAATCTACAGTACAGGAAGCCGTT
GCCACCCGCACAGCTCTGCACGGGGTCAAGTGGCCCAAGTCCCAACCCAAATTCCTTTGTGCTGACTATG
CTGAGCAAGATGAGCTGACTATCACCGGGGACTCTTGGTAGATCGGCCATCTGAAACTAAGGCAGAGGA
ACAGGGAGCACCAAGGCCCTGCATCCCCACCCACCCCAAGTCCAGCCACCGCCACCCCGGGCT
GAGCAGCGGGAGCAGGAAAGGGCTGTTTCGAGAGCAATGGGCAGAACGGGAACGGGAAATGGAGCGCCGG
AGAGGACTCGGTCTGAGAGAGAATGGGATCGGGACAAAGTTCGAGAGGGACCCCGCTCCCGATCACGGTC
CCGTGACCGCCCGGAAAGAGCGAGCAAAATCTAAAGAAAAGAAGAGTAAAAGAAAAGAAAAGCCAG
GAGGAGCCACCTGCCAAGCTGCTGGATGACCTTTCGTAAGACTAAGGCAGTCCCTGCATCTATTGGC
TCCCTCTGACTGAGAGCCAAATTGTTTCAAGAGGAGGCAGAGCAAGCTGAACGGGCCAAGGAGCGGGAGAA
GCGGGCAAAGAACGAGAAGAAGAAGAAACAAAAGGAACGGGAGAAGGAAGCTGAGCGGGAACGGAACCGG
CAGCTAGAACGGGAGAAGAGGAGGGAGCACAGCAGGGAGAGAGAGAGGGACAGGGAGAGAGCGGGACA
GGGGTGACCGAGAGCGGGAGAGGGAGCGAGACCGAGGCAGGGAGAGGGATCGCAGAGACACCAA
GCGCCACAGCAGAAGCCGGAGTCGAAGCACACCTGTACGGGACCGGGTGGGCGCCGTAG

```

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** SgfI-MluI
- ACCN:** NM_001085473
- Insert Size:** 3981 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001085473.2](#), [NP_001078942.2](#)

RefSeq Size: 4715 bp

RefSeq ORF: 3981 bp

Locus ID: 56215

UniProt ID: [Q9JIX8](#)

Cytogenetics: 14 C2

Gene Summary: Auxiliary component of the splicing-dependent multiprotein exon junction complex (EJC) deposited at splice junction on mRNAs. The EJC is a dynamic structure consisting of core proteins and several peripheral nuclear and cytoplasmic associated factors that join the complex only transiently either during EJC assembly or during subsequent mRNA metabolism. Component of the ASAP complexes which bind RNA in a sequence-independent manner and are proposed to be recruited to the EJC prior to or during the splicing process and to regulate specific excision of introns in specific transcription subsets; ACIN1 confers RNA-binding to the complex. The ASAP complex can inhibit RNA processing during in vitro splicing reactions. The ASAP complex promotes apoptosis and is disassembled after induction of apoptosis. Involved in the splicing modulation of BCL2L1/Bcl-X (and probably other apoptotic genes); specifically inhibits formation of proapoptotic isoforms such as Bcl-X(S); the activity is different from the established EJC assembly and function. Induces apoptotic chromatin condensation after activation by CASP3. Regulates cyclin A1, but not cyclin A2, expression in leukemia cells (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (4) differs in the 5' UTR and 5' coding region, and uses an alternate in-frame splice site in the mid coding region, compared to variant 1. The resulting isoform (4) is longer and has a distinct N-terminus, compared to isoform 1.