

## Product datasheet for MC224299

### Kdr (NM\_010612) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Kdr (NM_010612) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Kdr
Synonyms:	6130401C07; Flk-1; Flk1; Krd-1; Ly73; sVEGFR-2; VEGFR-2; VEGFR2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC224299 representing NM_010612 Red=Cloning site Blue=ORF

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCCGATCGCC

ATGGAGAGCAAGGCGCTGCTAGCTGTGCTCTGTGTTCTGCGTGGAGACCCGAGCCGCTCTGTGGTT  
TGCCTGGCGATTTCTCCATCCCCCAAGCTCAGCACACAGAAAGACATACTGACAATTTGGCAAATAC  
AACCCCTCAGACTTGCAGGGGACAGCGGGACCTGGACTGGCTTTGGCCCAATGCTCAGCGTATTCT  
GAGGAAAGGGTATTGGTACTGAATGCGCGGTGGTGACAGTATCTTCTGCAAAACTCACCATTCCCA  
GGGTGGTTGAAAATGATACTGGAGCCTACAAGTCTCGTACCGGGACGTGACATAGCCTCCACTGTTTA  
TGTCTATGTTGAGATTACAGATCACCATTTCATCGCCTCTGTGAGTACCATGCGATCGTGTACATC  
ACCGAGAACAAGAACAAACTGTGGTATCCCCTGCCGAGGGTGGATTTCAAACCTCAATGTGTCTCTTT  
GCGCTAGGTATCCAGAAAAGAGATTTGTTCCGGATGGAACAGAAATTTCTGGGACAGCGAGATAGGCTT  
TACTCTCCCCAGTTACATGATCAGCTATGCCGGCATGGTCTTCTGTGAGGCAAAGATCAATGATGAAACC  
TATCAGTCTATCATGTACATAGTTGTGGTTGTAGGATATAGGATTTATGATGTGATTCTGAGCCCCCGC  
ATGAAATTGAGCTATCTGCCGAGAAAACTTGTCTTAAATTGTACAGCGAGAACAGAGCTCAATGTGGG  
GCTTGATTTACCTGGCACTCTCCACCTCAAAGTCTCATATAAGAAGATTGTAACCCGGGATGTGAAA  
CCTTTTCTGGGACTGTGGCAAGATGTTTTGAGCACCTTGACAAATAGAAAGTGTGACCAAGAGTGACC  
AAGGGGAATACACCTGTGTAGCGTCCAGTGGACGGATGATCAAGAGAAATAGAACATTTGTCGAGTTCA  
CACAAAGCCTTTTATTGCTTTCCGGTAGTGGGATGAAATCTTTGGTGAAGCCACAGTGGGCACTCAAGTC  
CGAATCCCTGTGAAGTATCTCAGTTACCCAGCTCCTGATATAAATGGTACAGAAATGGAAGGCCATTG  
AGTCCAACACACAATGATTGTTGGCGATGAACTCACCATCATGGAAGTACTGAAAGAGATGCAGGAAA  
CTACACGGTCATCCTACCAACCCATTTCATGGAGAAACAGAGCCACATGGTCTCTCTGGTTGTGAAT  
GTCCCACCCAGATCGGTGAGAAAGCCTTGATCTCGCCTATGGATTCTACCAGTATGGGACCATGCAGA  
CATTGACATGCACAGTCTACGCCAACCTCCCTGCACCACATCCAGTGGTACTGGCAGCTAGAAGAAGC  
CTGCTCTACAGACCCGCCAAACAAGCCCGTATGCTTGTAAAGAATGGAGACACGTGGAGGATTTCCAG



```

GGGGAAACAAGATCGAAGTCACCAAAAACCAATATGCCCTGATTGAAGGAAAAACAAAACCTGTAAGTA
CGCTGGTCATCCAAGCTGCCAACGTGTCAGCGTTGTACAATGTGAAGCCATCAACAAAGCGGGACGAGG
AGAGAGGGTCACTCCTTCCATGTGATCAGGGTCTGAAATTACTGTGCAACCTGCTGCCAGCCAAC
GAGCAGGAGAGTGTGCCTGTTGTGACTGCAGACAGAAATACGTTTGAGAACCTCACGTGGTACAAGC
TTGGCTCACAGGAACATCGGTCCATGGGCGAATCACTCACACCAGTTTGAAGAACTGGATGCTCT
TTGAAACTGAATGGCACCATGTTTTCTAACAGCACAAATGACATCTTGATTGTGGCATTTCAGAATGCC
TCTCTGCAGGACCAAGGCGACTATGTTTGTCTGCTCAAGATAAGAAGACCAAGAAAAGACATTGCCTGG
TCAAACAGCTCATCATCCTAGAGCGCATGGCACCCATGATCACCGGAAATCTGGAGAATCAGACAACAAC
CATTGGCGAGACCATTGAAGTGACTTGCCAGCATCTGGAATCCTACCCACACATTACATGGTTCAAA
GACAACGAGACCCTGGTAGAAGATTGAGCATTGTACTGAGAGATGGGAACCGGAACCTGACTATCCGCA
GGGTGAGGAAGGAGGATGGAGGCCTCTACACCTGCCAGGCCTGCAATGTCCTTGGCTGTGAAGAGCGGA
GACGCTCTTCATAATAGAAGGTGCCAGGAAAAGACCAACTTGGAAAGTCATTATCCTCGTCGGCACTGCA
GTGATTGCCATGTTCTTCTGGCTCCTTCTGTGCTTGTGCTACGGACCGTTAAGCGGGCCAAATGAAGGG
AACTGAAGACAGGCTACTGTCTATTGTGATGGATCCAGATGAATTGCCCTTGGATGAGCGCTGTGAACG
CTTGCCCTATGATGCCAGCAAGTGGGAATTCGCCAGGACCGGCTGAAACTAGGAAAACCTCTTGGCCGC
GGTGCCTTCGGCCAAGTATTGAGGCAGACGCTTTTGGAAATGACAAGACAGCGACTTGCAAAACAGTAG
CCGTCAAGATGTTGAAAGAAGGAGCAACACACAGCGAGCATCGAGCCCTCATGTCTGAACTCAAGATCCT
CATCCACATTGGTCACCATCTCAATGTGGTGAACCTCCTAGGCGCCTGCACCAAGCCGGGAGGGCCTCTC
ATGGTGATTGTGGAATTCTGCAAGTTTGGAAACCTATCAACTTACTTACGGGGCAAGAGAAAATGAATTTG
TTCCCTATAAGAGCAAAGGGGCACGCTTCCGCCAGGGCAAGGACTACGTTGGGGAGCTCTCCGTGGATCT
GAAAAGACGCTTGGACAGCATCACCAGCAGCCAGAGCTCTGCCAGCTCAGGCTTTGTTGAGGAGAAATCG
CTCAGTGATGTAGAGGAAGAAGAAGCTTCTGAAGAAGTGTACAAGGACTTCTGACCTTGGAGCATCTCA
TCTGTTACAGCTTCCAAGTGGCTAAGGGCATGGAGTTCTTGGCATCAAGGAAGTGTATCCACAGGACCT
GGCAGCAGGAAACATTCTCCTATCGGAGAAGAATGTGGTTAAGATCTGTGACTTCGGCTTGGCCCGGGAC
ATTTATAAAGACCCGGATTATGTCAGAAAAGGAGATGCCCGACTCCCTTTGAAGTGGATGGCCCCGGAAA
CCATTTTTGACAGAGTATACACAATTCAGAGCGATGTGTGGTCTTTTCGGTGTGTTGCTCTGGAAAATATT
TTCCTTAGGTGCCTCCCATACCTGGGGTCAAGATTGATGAAGAATTTGTAGGAGATTGAAAGAAGGA
ACTAGAATGCGGGCTCCTGACTACACTACCCAGAAAATGTACCAGACCATGCTGGACTGCTGGCATGAGG
ACCCCAACCAGAGACCCTCGTTTTTCAGAGTTGGTGGAGCATTGGGAAACCTCCTGCAAGCAAATGCGCA
GCAGGATGGCAAAGACTATAATGTTCTTCCAATGTCAGAGACACTGAGCATGGAAGAGGATTCTGGACTC
TCCCTGCCTACCTCACCTGTTTCTGTATGGAGGAAGAGGAAGTGTGCGACCCCAATTCATTATGACA
ACACAGCAGGAATCAGTATTATCTCCAGAACAGTAAGCGAAAAGAGCCGGCCAGTGAGTGTAAAAACATT
TGAAGATATCCATTGGAGGAACCAGAAGTAAAAGTATCCCAGATGACAGCCAGACAGACAGTGGGATG
GTCCTTGATCAGAAGAGCTGAAAACCTCTGGAAGACAGGAACAAATTATCTCCATCTTTTGGTGGAAATGA
TGCCAGTAAAAGCAGGGAGTCTGTGGCCTCGGAAGGCTCCAACCAGACCAGTGGCTACCAGTCTGGGTA
TCACTCAGATGACACAGACACCACCGTGTACTCCAGCGACGAGGCAGGACTTTTAAAGATGGTGGATGCT
GCAGTTACGCTGACTCAGGGACCACACTGCGCTCACCTCCTGTTTAA
    
```

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_010612

**Insert Size:** 4038 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">BC020530</a></u> , <u><a href="#">AAH20530</a></u>
<b>RefSeq Size:</b>	5464 bp
<b>RefSeq ORF:</b>	4038 bp
<b>Locus ID:</b>	16542
<b>UniProt ID:</b>	<u><a href="#">P35918</a></u>
<b>Cytogenetics:</b>	5 40.23 cM
<b>Gene Summary:</b>	<p>Tyrosine-protein kinase that acts as a cell-surface receptor for VEGFA, VEGFC and VEGFD. Plays an essential role in the regulation of angiogenesis, vascular development, vascular permeability, and embryonic hematopoiesis. Promotes proliferation, survival, migration and differentiation of endothelial cells. Promotes reorganization of the actin cytoskeleton. Isoforms lacking a transmembrane domain, such as isoform 2, may function as decoy receptors for VEGFA, VEGFC and/or VEGFD. Isoform 2 plays an important role as a negative regulator of VEGFA- and VEGFC-mediated lymphangiogenesis by limiting the amount of free VEGFA and/or VEGFC and by preventing their binding to FLT4. Modulates FLT1 and FLT4 signaling by forming heterodimers. Binding of vascular growth factors to isoform 1 leads to the activation of several signaling cascades. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate and the activation of protein kinase C. Mediates activation of MAPK1/ERK2, MAPK3/ERK1 and the MAP kinase signaling pathway, as well as of the AKT1 signaling pathway. Mediates phosphorylation of PIK3R1, the regulatory subunit of phosphatidylinositol 3-kinase, reorganization of the actin cytoskeleton and activation of PTK2/FAK1. Required for VEGFA-mediated induction of NOS2 and NOS3, leading to the production of the signaling molecule nitric oxide (NO) by endothelial cells. Phosphorylates PLCG1. Promotes phosphorylation of FYN, NCK1, NOS3, PIK3R1, PTK2/FAK1 and SRC.[UniProtKB/Swiss-Prot Function]</p>