

Product datasheet for **MC224342**

Igf1r (NM_010513) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Igf1r (NM_010513) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Igf1r
Synonyms:	A330103N21Rik; CD221; D930020L01; hyft; IGF-1R
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC224342 representing NM_010513 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAAGTCTGGCTCCGGAGGAGGGTCCCCGACCTCGCTGTGGGGCTCGTGTTTCTCTCCGCCGCGCTCT
CTCTCTGGCCGACGAGTGGAGAAATCTGTGGGCCCGCATTGACATCCGCAACGACTATCAGCAGCTGAA
GCGCCTGGAAAAGTGCACGGTATCGAGGGCTTCTCCACATCCTGCTCATCTCCAAGGCCGAGGACTAC
CGAAGCTACCGCTTCCCCAAGCTCACCGTCATCACTGAGTACTTGTCTTCCGAGTCGCTGGCCTCG
AGAGCCTGGGAGACCTTCCCCAACCTCACAGTCATCCGTGGCTGGAAACTTCTACAACACTACGCACT
GGTCATCTTCGAGATGACCAATCTCAAGGATATTGGGCTTTATAATCTGAGGAACATTACTCGGGGGGCC
ATCAGGATTGAGAAGAACGCCGACCTCTGTTACCTCTCCACCATAGACTGGTCTCTCATCTTGGATGCGG
TGTCCAATAACTACATTGTGGGGAACAAGCCCCGAAGGAATGTGGGGACCTGTGTCCAGGGACATTGGA
GGAGAAGCCCATGTGTGAGAAGACCACCATCAACAATGAGTACAACACTACCGCTGCTGGACCACAAATCGC
TGCCAGAAAATGTGCCAAGTGTGTGCGGGAAGCGAGCCTGCACCGAGAACAACGAGTGTGCCACCCGG
AGTGCCCTGGGACAGCTGCCACACACCGGACGACAACAACCTGCGTGGCCTGCAGACACTACTACTACAA
AGGCGTGTGTGCCTGCCTGCCCGCTGGCACCTACAGGTTGAGGGCTGGCGCTGTGTGGATCGCGAT
TTCTGCGCCAACATCCCCAACGCTGAGAGCAGTGACTCGGATGGCTTCTGTTATCCACGACGATGAGTGCA
TGCAAGGATGTCCCTCAGGCTTCATCCGCAACAGCACCCAGAGCATGTACTGTATCCCCTGCGAAGGCC
CTGCCCAAAGTCTGCGGCGATGAAGAGAAGAAAACGAAAACCATCGATTGCGTGACTTCTGCTCAAATG
CTCCAAGGATGCACCATCTGAAGGGCAATCTGCTTATTAACATCCGGAGAGGCAATAACATTGCCTCGG
AGTTGGAGAACTTCATGGGGCTCATCGAGGTGGTGACCGGCTACGTGAAGATCCGCCATTCTCATGCCTT
GGTCTCCTTGTCTTCTCTGAAGAACCTTCGTCTCATCTTAGGAGAGGAGCAGCTGGAAGGGAACTACTCC
TTCTATGTCTAGACAACCAGAACTTGACGAGCTGTGGGACTGGAACCACCGGAACCTGACCGTCAGGT
CCGGAAAGATGTACTTTGCTTTCAATCCAAGCTGTGTCTCCGAAATTTACCGCATGGAGGAAGTGAC
CGGAACCAAGGGACGCCAGAGCAAGGGGACATAAACACCAGGAACAACGGAGAGCGAGCTTCTGTGAA



[View online »](#)

```

AGTGATGTTCTCCGTTTCACCTCCACCACGACCTGGAAGAACCGAATCATCATAACGTGGCACCCGGTACC
GGCCGCCGGACTACCGGGATCTCATCAGCTTACAGTTTACTACAAGGAGGCACCATTTAAAAACGTTAC
GGAATATGACGGGCAGGATGCCTGTGGCTCCAACAGCTGGAACATGGTGGATGTAGACCTGCCTCCGAAC
AAGGAGGGCGAGCCTGGCATTACTGCATGGGCTGAAGCCCTGGACCCAGTATGCTGTCTATGTCAAGG
CTGTGACCCTCACCATGGTGGAAAACGACCATATCCGTGGGGCCAAAAGTAAAATCTTGTACATTCGCAC
CAATGCTTCAGTCCCTCCATTCCTTAGATGTCTCTCAGCATCAAACCTTCTCAGTGTATTGTG
AAGTGAATCCTCCAACCTGCCAATGGTAACCTTGAGTTACTACATTGTGAGGTGGCAGCGGCAGCCCC
AGGATGGTTACCTGTACCGGCACAACACTACTGCTCAAAGACAAAATACCCATCAGAAAAGTACGCCGATGG
TACCATCGACGTGGAGGAGTGACGGAATAACCAAGACAGAAGTGTGTGGTGGTATAAAGGGCCATGC
TGCGCTTGCCCTAAAACCTGAAGCTGAGAAGCAGGCTGAGAAGGAGGAGGCTGAGTACCGTAAAGTCTTTG
AGAATTTCTTCCAAATTCATCTTTGTGCCAGGCCGAAAGGAGGCGGAGAGACGTATGCAAGTGGC
CAACACGACCATGTCCAGCCGAAGCAGGAACACCACGGTACTGACACCTACAATATCACAGACCCGGAG
GAGTTCGAGACAGAGTACCCTTTCTTTGAGAGCAGAGTGGATAACAAGGAGAGGACTGTCATCTCCAACC
TCCGGCCTTCACTCTGTACCGCATCGATATCCACAGCTGCAACCACGAGGCTGAGAAGCTGGGCTGCAG
CGCTCCAACCTTGTCTTTGCGAGAACCATGCCAGCAGAAGGAGCAGATGATATCCCTGGTCCGGTGACC
TGGGAGCCAAGACCCGAAAACCTCATCTTTTTAAAGTGGCCAGAACCAGGAAACCCGATGATCC
TAATGTATGAAATTAATACGGGTCGCAAGTCCGAGGATCAGCGGGAATGTGTGTCCAGACAGGAGTACAG
GAAGTACGGAGGGGCCAAAACCTCAACCGTCTAAACCCAGGGAATAACAGCCCGGATTCAGGCTACCTCC
CTCTCTGGGAATGGGTATGGACAGATCCTGTGTTCTTCTATGTCCCGCCAAAACGACGTATGAGAAT
TCATGCATCTGATCATTGCTCTGCCGTTGCCATCCTGCTGATCGTTGGGGGGCTGGTTATCATGCTGTA
TGTCTTCCATAGAAGAGAAAATAACAGCAGGTTGGCAATGGAGTGTGTATGCTTCTGTGAACCCGAG
TATTTACGCGCAGCTGATGTGTACGTGCCTGATGAATGGGAGTGTGCTCGAGAGAAGATCACCATGAACC
GGGAGCTCGGACAAGGGTCTTTGGGATGGTCTATGAAGGAGTGGCAAGGGTGTGGTCAAGGATGAACC
CGAAACAGAGTGGCCATCAAGACGGTAAACGAGGCTGCAAGTATGCGTGAAGAATCGAGTTTCTCAAC
GAGGCCTCGGTGATGAAGGAGTTCAATTGTACCATGTGGTCCGGTGTGGTGTGGTATCCCAAGGCC
AGCCACCTGTCATCATGGAATAATGACACGCGGTGATCTAAAAGTATCTCCGGTCTCTGAGGCC
AGAAGTGGAGCAGAATAATCTAGTCCTCATTCTCCGAGCTTAAGCAAGATGATCCAGATGGCTGGAGAG
ATTGCAGATGGCATGGCCTACCTCAATGCCAACAAGTTCGTCCACAGAGACCTTGTGCTAGGAACTGCA
TGGTAGCCGAAGATTTACAGTCAAATTTGGAGATTTCCGTATGACACGAGACATCTACGAGACGGACTA
CTACCGAAAAGGGCGGAAGGGTGTGCTGCCTGTGCGCTGGATGTCTCCGAGTCCCTCAAGGATGGTGTG
TCACTACTCATTCTGATGTCTGGTCTTCCGGGTCGCTCTGGGAGATCGCCACGCTGGCTGAGCAGC
CCTACCAGGGCTGTCCAACGAGCAAGTCTTCGTTTCGTATGGAGGGTGGCCTTCTGGACAAGCCGGA
CAACTGCCCTGATATGCTGTTTGAACCTTATGCGCATGTGCTGGCAGTATAACCCCAAGATGCGGCCCTCC
TTCTGGAGATCATCGGCAGCATCAAGGATGAGATGGAGCCAGCTTCCAGGAGGCTCCTTCTACTACA
GCGAGGAGAACAAGCCTCCCGAGCCAGAGGAGCTGGAGATGGAGCCTGAGAACAATGGAGAGCGTCCCACT
GGACCCTTCGGCCTCCTCAGCCTCCCTGCCTCTGCCTGAAAGACACTCAGGACACAAGGCTGAGAATGGC
CCGGCCCTGGCGTGTCTGTTCTCCGCGCCAGTTTGTATGAGAGACAGCCTTACGCTCACATGAACGGGG
GACGCGCAACGAGAGGGCTTGCTCTGCCACGTCCTCGACCTGTA

```

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja3471_f07.zip
Restriction Sites: SgfI-MluI
ACCN: NM_010513
Insert Size: 4110 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010513.2 , NP_034643.2
RefSeq Size:	11978 bp
RefSeq ORF:	4110 bp
Locus ID:	16001
UniProt ID:	Q60751
Cytogenetics:	7 37.27 cM

Gene Summary:

Receptor tyrosine kinase which mediates actions of insulin-like growth factor 1 (IGF1). Binds IGF1 with high affinity and IGF2 and insulin (INS) with a lower affinity. The activated IGF1R is involved in cell growth and survival control. IGF1R is crucial for tumor transformation and survival of malignant cell. Ligand binding activates the receptor kinase, leading to receptor autophosphorylation, and tyrosines phosphorylation of multiple substrates, that function as signaling adapter proteins including, the insulin-receptor substrates (IRS1/2), Shc and 14-3-3 proteins. Phosphorylation of IRSs proteins lead to the activation of two main signaling pathways: the PI3K-AKT/PKB pathway and the Ras-MAPK pathway. The result of activating the MAPK pathway is increased cellular proliferation, whereas activating the PI3K pathway inhibits apoptosis and stimulates protein synthesis. Phosphorylated IRS1 can activate the 85 kDa regulatory subunit of PI3K (PIK3R1), leading to activation of several downstream substrates, including protein AKT/PKB. AKT phosphorylation, in turn, enhances protein synthesis through mTOR activation and triggers the antiapoptotic effects of IGF1R through phosphorylation and inactivation of BAD. In parallel to PI3K-driven signaling, recruitment of Grb2/SOS by phosphorylated IRS1 or Shc leads to recruitment of Ras and activation of the ras-MAPK pathway. In addition to these two main signaling pathways IGF1R signals also through the Janus kinase/signal transducer and activator of transcription pathway (JAK/STAT). Phosphorylation of JAK proteins can lead to phosphorylation/activation of signal transducers and activators of transcription (STAT) proteins. In particular activation of STAT3, may be essential for the transforming activity of IGF1R. The JAK/STAT pathway activates gene transcription and may be responsible for the transforming activity. JNK kinases can also be activated by the IGF1R. IGF1 exerts inhibiting activities on JNK activation via phosphorylation and inhibition of MAP3K5/ASK1, which is able to directly associate with the IGF1R (By similarity). When present in a hybrid receptor with INSR, binds IGF1 (By similarity). [UniProtKB/Swiss-Prot Function]