

Product datasheet for MC224429

Cux1 (NM_009986) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cux1 (NM_009986) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Cux1
Synonyms:	CDP; Cutl1; Cux; Cux-1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC224429 representing NM_009986 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGCCAATGTGGGATCGATGTTTTCAATATTGGAAGCGCTTTGATTTACAGCAGCTGCAGAGAGAAC
TTGATGCCACCGCAACAGTATTGGCAAACAGGCAAGATGAGAGCGAACAGTCCAGAAAGCGGCTCATTGA
GCAGAGCCGAGAATCAAGAAGAACAACCTCCAGAGGATTTACGCAAGCAGGTAGCACCAGCTCTAAAGAGC
TTCCAAGGGGAGATTGATGCACTGAGTAAAAGAAGCAAAGAAGCAGAGGCAGCCTTCTTGACTGTGTACA
AGAGACTAATTGATGTTCCAGATCCGGTACCAGCCCTGGACGTCGGGCAACAGCTGGAAATAAAAGTGCA
GCGTCTACACGACATTGAAACAGAGAACCAGAACTTAGGGAAACACTAGAAGAGTACAACAAGGAGTTT
GCTGAAGTGAAAAATCAAGAGGTTACGATAAAAAGCACTTAAGGAGAAAAATCCGAGAATACGAGCAGACCC
TGAAGAGTCAGGCCGAGACCATTGCTCTGGAGAAAAGAGCAGAAGCTACAAAATGATTTTGCAGAGAAGGA
GAGAAAGCTGCAAGAGACACAGATGTCCACCACCTCAAACTGGAGGAAGCTGAGCACAACCTCCAGACT
CTGCAAACAGCCCTGGAAAAAAGCTGAAACAGAATTATTTGACCTGAAAACCAAAATATGATGAAGAACTA
ACAGAGAGAAGCAGAGACTTTAAGGGAACAGCTCTCATCGGCCAACCACTCTCTCAACTGGCCTCGCAG
ATCCAGAAGGCTCCAGATGTGGAGCAGGCCATAGAGGTGCTGACCCGATCCAGCCTAGAAGTAGAGTTGG
CTGCCAAAGAGCGGGAGATCGCCAGCTGGTGGAGATGTGCAGCGACTCCAGGCCAGCCTCACCAAGCT
ACGTGAGAATCCGCCAGCCAGATCTCACAGCTGGAGCAGCAACTGAATGCCAAGAATAGCACACTCAA
CAACTGGAAGAAAAAAGCTCAAAGGCCAGGCTGACTATGAAGAAAGTGAAGAAAGAGCTGAACACCCTGAAGT
CCATGGAGTTTGCACCATCGGAGGGAGCAGGGACACAGGACTCTACCAAGCCCTGGAGGTTTTACTCCT
GGAGAAGAACCCTCGCTGCAGTCCGAGAATGCCACGCTGCGCATCTCCAACAGTGACCTGAGCGGTCT
TACAGCACAACCTCCATATCTTCCCAAGTCCATTACAACAAGCCAGATGTAATGGCATGGCCCAT
CTCCCAGCAATCAGAAAGTGCTGGGAGCATCTCAGAGGGCGAGGAAATGATACCGCAGAGATCGCCCG
GCAGGTCAAAGAGCAGCTCATCAAGCACAACATTTGGCCAGCGCATCTTCGGACATTACGTCTGGGACTG
TCGCAAGGCTCTGTGAGCGAGATCTGGCCCGGCCAAGCCCTGGAACAAGCTGACTGTCCGTGGCAAGG



AGCCATTCCACAAGATGAAGCAGTTCCTGTCTGATGAGCAGAACATCCTGGCACTCCGTAGCATCCAAGG
 CAGACAGAGAGAGAATCCAGGCCAGAGCCTGAACAGACTCTTTCAGGAAGTACCGAAACGAAGAAATGGG
 TCTGAAGGTAACATCACTACCCGGATCCGAGCATCTGAGACTGGTTCTGATGAAGCCATCAAGTCCATCC
 TGGAAACAAGCCAAGAGGGAACTACAAGTGCAGAAAACCGCTGAGCCAGTCCAGACATCTTCCACGTCCAG
 CAGTGGAACTCTGACGATGCCATCCGCTCCATCTACAGCAGGCCCGCCGGGAAATGGAGGCCAGCAG
 GCTGCCCTTGACCCTGCCTTAAAGCCAGCACCAGTGTCCCAGCCGACCTCACCATCCTCACCCCAAGC
 ACCTGTCTGCCTCACCCATGTCTACTGTGTCCACTTACCCGCCTTTGCTATCTCCCTGAAGAAAACCCC
 TGAGCAGCCTGAGACCAGTACCGCAGCCTTGCCAGTGGCCAGCTCTCAAAAAAGAGGCTCAGGATGTA
 CCCACACTGGACCCACAGGATCAGCTGATGCTGCCAGGGAGTCTGAGGCCGATGAAGAGTGAGCTAG
 TCCGTGGCAGCACCTGGAAGGATCCCTGGTGGAGCCCTATACAGCCTGAAAGAAGAAACCTCACTTCTTC
 CGAAGAGACCAAGGCCGATGAAACAACCTGCAAGCGGAAAGAAAGGGCAGGCAGCAGCCAGCCTCGGGCT
 GAGCGCAGCCAGCTTCAAGGACCCTCAGCATCCGAGAGTACTGGAAAGAGTGGCCAAGCGCTGAGTCCC
 CATACTCCAGAGCTCAGAGCTGAGCCTACTGGAGCCAGCCGAGTGAACACCCAGAATAGCCCTCT
 GCCCTCTTCCCAATTGTGCCATGGCGAAGCCAGCCAAGCCTTCAAGTCCCGCCGCTGACTCCTGAGCAG
 TACGAGGTCTACATGTATCAGGAAGTGGACACTATCGAGCTCACTCGGCAGGTCAAGAGAGAGCTGGCCA
 AGAACGGCATTGCCAGAGGATCTTTGGGGAGAAGGTACTGGGCCGTGCCAGGGCAGTGTGAGCGACAT
 GCTTTCAAGGCCAAAACCATGGAGCAAACCTGACCCAGAAAAGGCCGAGAACCCTTCATCCGGATGAGCTC
 TGGCTGAATGGAGAGCTGGGCAAGGTGTTCTGCCAGTGAAGGGCAACAGCAAGGGCCAGTCTCCACT
 CCGTGGCGTCTCTGCAGGACCCCTCCAGCAGGGCTGTGTGAGCTCAGAAAGCACTCAAAGACCTCTGC
 CAGCTGCAGCCCTGCCCTGAGTCCCAATGAGTTCAGCGAATCTGTGAAGAGTCTCACCGAGCTGGTC
 CAGCAGCCCTGTCCCGCATTGAGACCAGTAAAGAAGGCAAAACCACAGAGCCAGCCAGCCGCTGCCT
 CAGACTCCAGCCACAACACCCTGCCTCTCTCTGGACTCAGCCCTCAGCATCCAAGAATTAGTAGC
 CATGTCTCCTGAGCTGGACAGTATGGCATAACCAAGAGGGTCAAAGAGGTGTGACAGACAACAACATC
 GTCAGCGCTTATTTGGGGAGACCATTTGGGGCTCACCCAGGGTCTGTCTCCGACCTCCTTGCCCGCC
 CAAAGCCTTGGCATAAGCTTAGTCTGAAAGGACGGGAACCCTTTGTCCGATGCAGCTATGGCTGAACGA
 CCCCAACAATGTGGAGAAGCTGATGGATATGAAGCGGATGGAGAAGAAAGCCTACATGAAGAGGCGACAC
 AGCTCTGTGAGTACAGTACAGCCTTGTGAGCCCCCTCTGTGGTATTGACTATAGCCAAGGCGCCAGCC
 CCCAGCCACAACACCAGCTGAAGAAACCTCGAGTGGTGTGGCTCCAGAGGAGAAGGAAGCGCTGAAGCG
 AGCATATCAGCAGAAGCCATACCCATCACCAAAAACCTCGAGGAACTTGCCACACAACCTCAACCTGAAG
 ACCAGCACCGTCACTCAACTGGTTCATAATTACAGGTCTCGGATCCGAGAGAACTGTTCAATTGAGGAGA
 TTCAAGCTGGAAGCCAGGGCCAGGCTGGTCCAGCGACTCACCTTCAGCTCGAAGTAGCCCGCTGCACC
 CAGCTCGGAAGGTGACAGCTGTGACGGCGTGAAGCCACCGACCGAGGAGCCAGGTGGCAACATAGTG
 GCCACCAAGTCTCAGGGAGGGCTGGCAGAGGTGGCCGAGCCCGGAGCCCGGGAAGAAGCGACGACG
 CGGCGGAGAAGGCGAAGGCACAGCCACTATGCTCGGGACCCAGGACAGGACGACGGTGAAGACGCAAG
 CCGGCCTAGGCCACTTCCCGAGGGCCTCGCCGACGCCCCAGCGCTGTGCCAAGCCTCGCCGACCCCGG
 GCCGGAGAGGACGCCGTACCTCAGCCACTGCCCGGCCACGGCCACCGAGGCCCGGGGGCCAGGG
 CGGGCCCTGCCGAGAGGAGTTCTGCGTTGCCAAGCACCAGCGCGCTGCCAACGCGCTGCGCGAAGGCC
 TAGCTCACTGCAGAGCCTCTTGGTCTGCCGAGGCCGCGGGCGCCGGGACAACCTGGTGGGAAGAAG
 AAGGCTGCGAACTTGAACAGCATCATCCACCGCCTGGAGAAGGCTGCCAGCCGGAGGAGCCCATCGAAT
 GGGAGTCTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_009986
Insert Size: 4281 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_009986.4 , NP_034116.3
RefSeq Size:	12912 bp
RefSeq ORF:	4281 bp
Locus ID:	13047
UniProt ID:	P53564
Cytogenetics:	5 75.96 cM
Gene Summary:	<p>Transcription factor involved in the control of neuronal differentiation in the brain. Regulates dendrite development and branching, and dendritic spine formation in cortical layers II-III (PubMed:20510857). Also involved in the control of synaptogenesis (Probable). In addition, it has probably a broad role in mammalian development as a repressor of developmentally regulated gene expression. May act by preventing binding of positively-activating CCAAT factors to promoters. Component of nf-munr repressor; binds to the matrix attachment regions (MARs) (5' and 3') of the immunoglobulin heavy chain enhancer. Represses T-cell receptor (TCR) beta enhancer function by binding to MARbeta, an ATC-rich DNA sequence located upstream of the TCR beta enhancer. Binds to the TH enhancer; may require the basic helix-loop-helix protein TCF4 as a coactivator.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) contains an alternate 5' terminal exon and it thus differs in the 5' UTR and 5' coding region, and it also uses an alternate in-frame splice site in the central coding region, compared to variant 3. The encoded isoform (a) has a distinct N-terminus and is shorter than isoform c. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>