

Product datasheet for MC224516

Pola1 (NM_008892) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pola1 (NM_008892) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Pola1
Synonyms:	AW321876; Pola
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
Fully Sequenced ORF:	>MC224516 representing NM_008892 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGCCCATGCACGAAGAGGACTGTAACCTGGAGGCAAGCGCTGTGTCAGATTACGGGAGTTTTGCAG
CTTCCCGAGCTCGCGGAGAAAAGAAATCAAAGAAAGGACGTCAAGAAGCTTTAGAGAGACTGAAAAAGGC
TAAAGCTGGGAGAAAGTATAAATACGAAGTTGAGGACCTCACAAGTGTTTATGAAGAAGTTGATGAAGAG
CAGTATTCGAAACTGGTTCAGGCCCGTCAGGATGATGACTGGATTGTGGATGACGATGGGATAGGCTATG
TGGAAAGATGGCAGAGAGATTTTTGATGATGACCTTGAGGATGATGCACCTTGACACCTGTGAAAAAGGAAG
TGATGGCAAAGCACACAGAAAGGACAGGAAGGATGTAAGAAACCTTCAGTGACAAAACCAACAATATC
AAGGCAATGTTTCATTGCTAGTGCCGGGAAGAAAACCTACAGATAAAGCAGTAGACTTGTCCAAGGATGATC
TGCTAGGTGACATTCTACAGGATCTAAACACTGAGACAGCTCAAATAACTCCACCACCTGTATTGATACC
AAAGAAAAAAGATCTACTGGGGCTTTGCTCAACCCTTTTCAGTGACACCCCTAAGGCAATTCCTTCA
GGAAAACCTGCTCCCTGTCTCAGGAATGAGCCTCTGTTAACTCCATTCTCTTAAACGTGTGAAC
TTGCTGGAGAGCTGGCTCAGCCAGAATGTCCAGAAGATGAGCAGGAGCTAGGGGTAAATGGAGTTTGAAGA
CGGTGACTTTGATGAGTCCATGGACACAGAGAAGGTAGATGAGAAGCCTGTGACTGCTAAGACTTGGGAC
CAAGAGACTGAGCCAGTAGAAAGGTTGGAACATGAGGCAGATCCTGAGAGGGGAACCACATCTTACTTAG
AAAATTTTCTGCCAGATGTCTTTGTTGGGACATTGATCAGGATGATGAAAGCATACCTCAGGAAGTTCA
AGTGGATTCCAGTAATCTCCATTGGTAAAAGGGCAGATGATGAACAAGTGTTCAGTTTTATTGGCTG
GATGCTTATGAAGATCCATACAACCAACAGGTGTGGTTTTCTGTTGGCAAAGTGTGGATTGAATCAG
TCAAAACCATGTGAGCTGTTGTGTTATGGTAAAAATATTGAGCGAACACTCTACTTCTCCCGTGA
AATGAAATTTGACCTAACACAGGGAAAAGAACAGCAATTCAGTTACAATGAAGGATGTTTATGAAGAA
TTTGATTCAAAAATTTAGCAAAAATATAAATAATGAAGTTCAAGTCCAAGATAGTGAAAAAGAACTATG
CTTTTGAGATACCTGATGTTCCAGAAAAATCTGAGTACCTGGAAGTTAGATACTCGGCAGAAAGTGCCACA
GCTTCCACAGAATTTAAAAGGAGAAACATTTTCTCATGTGTTTGGAACTAACACGTCTAGCTTGGAACTG
TTCTTGATGAATAGGAAGATCAAAGGACCTTGTGGCTTGAAGTAAAAATCCACAACCTTGAATCAGC



CAATCAGTTGGTGTAAATTTGAGGTAATGGCTTTGAAACCAGACCTGGTGAATGTAAATTAAGGATGTCAG
 TCCTCCTCCACTTGTGGTGTATGCTTTTCAGCATGAAGACAATGCAGAATGTACAGAACCATCAACATGAG
 ATTATTGCTATGGCGGCTTTGGTTCATCACAGTTTTGCATTAGATAAAGCACCTCCAGAGCCTCCCTTTC
 AGACACATTTCTGTGTTGTGCTAAACCAAGGACTGTATTTCCCATGTGATTTCAAAGAAGTGATTTTC
 GAAAAAGAATATGAAGGTTGAGATCGTGCAACAGAAAGAACCTTGATAGGATTTTTCTTGCAAAAGTT
 CACAAAATTGACCCTGACATTCCTGTGGTGCATAATTTGTAGTTTTGAACTGGAAGTGCTGCTGCAAA
 GAATTAATGAGTGAAGGTTCTTACTGGTCCAAGATAGGTCGGCTGAGGAGATCCAACATGCCAAAAT
 TGGGAGCCGGAGTGGATTTGGTGAAAGAAATGCTACCTGTGGCCGAATGATATGTGATGTGGAAATTTCA
 GCAAAAGAATTGATTCATTGTAAAAGCTACCATTTGTCTGAACTTGTTCCAGCAGATTCTGAAAAGTGA
 GGATTGAATTCACAGAAAATATACGAAACATGTATAGTGAATCTTCTATCTGTTGTACCTGTTGGA
 ACATATCTGAAAAGATGCCAGATTCATTTTGCAGATCATGTGTGAGCTAAATGTTCTTCCATTAGCATTG
 CAGATCACTAACATCGCTGGGAACATTATGTCTAGGACTGATGGGTGGACGATCTGAGCGAAATGAGT
 TTTTGTGCTTCATGCATTTTATGAAAACAATATATTGTGCTGACAAGCAGATTTTCAGAAAACCTCA
 GCAAAAAGTGGGAGATGAAGATGAGGAAATGATGGGGACACCAATAAACAAGAAAGGGCGTAGAAA
 GCAACTTACGCTGGAGGCTTGGTTTTGGACCCAAAGTTGGTTTTATGACAAGTTCATTTTGTCTCTGG
 ATTTCAACAGTTTATATCCTTCCATCATTACAGGAATTAACATTTGTTTTACAACAGTGCAAAAGGTTAC
 TTCAGAGGTGCAGAAAGCTACAGAGGATGAGGAACAAGAACAGATCCCTGAGTTGCCAGATCCAAAATTA
 GAGATGGGCATTTTGGCCAGAGAGATTCGGAAACTGGTAGAGCGGAGAAAACAAGTCAAACAGCTAATGA
 AACAGCAAGATTTAAATCCAGACCTTGTCTTCAGTATGACATCCGACAGAAAGGCTTTGAAGCTCACAGC
 AAACAGTATGTATGGTTGCCTGGGATTTTCGTACAGCAGATTTTATGCTAAACACTGGCTGCCTTGGTG
 ACATACAAAGGAAGGAGATTTTGTATGCATACGAAAGACATGGTACAGAAGATGAATCTTGAAGTTATTT
 ATGGAGACACAGATTCATTAATGATAAAATACCAATAGCACCAACTGGAAGAAGTATTTAAGTTGGGAAA
 CAAGGTA AAAAGTGAAGTGAATAAATGTACAAACTGCTTGAATAAGACATTGATGCTGTTTTCAAGTCT
 CTGCTGTTGCTGAAGAAAAGAAAATATGCTGCTCTAGTTGTTGAACCAACATCAGATGGGAATTACATTA
 CCAAGCAGGAGCTGAAAGGATTAGATATAGTTAGAAGAGACTGGTGTGATCTTGCCAAGGACACTGGAAA
 CTTTGTCAATTGGCCAGATTTCTTCTGATCAAAGCCGGACACCATTGTGGAAAACATTGAGAAGAGGTTA
 ATAGAAATTTGGAGAAAATGTGCTAAATGGCAGTGTCCCAGTGAGCCAGTTTGAATTAACAAGGCATTGA
 CAAAGGATCCCCAGGATTACCCTGATAGAAAAGCTTACCTCATGTACATGTTGCACTGTGGATAAATTC
 TCAAGGAGGCAGGAAGGTGAAAGCTGGTGTACGGTGCCTATGTTATTTGTCAGGATGGGTCAAACCTC
 ACTGCAACTCAGAGGGCCTATGCCCCAGAACAATTGCAGAACTTGACAATTTAGCCATCGACCCCAAT
 ACTACTTGGCCCAGCAGATCCACCCTGTTGTGGCTCGGATCTGTGAGCCAATAGATGGAATTGATGCTGT
 ACTCATTGCATTATGGCTAGGACTTGACTCCACTCAATTTAGAGTTCATCAGTATCACAAAGATGAAGAG
 AATGATGCCCTCCTTGGTGGTCCAGCACAGCTAACTGATGAAGAGAAAATCAAGGATTGTGAAAAATTTCA
 AATGCCTTTGTCTTCATGTGGAAGTGAATAATTTATGATAATGTCTTTGAAGGCTCGGGACTGGATAT
 GGAACCCAGTTTGTATCGTTGCAGTAATGTTGATTGTAAGGTTTACCCTTGACCTTCATGGTACAGCTG
 AGCAACAAATTGATCATGGACATTAGACGGTGCATTA AAAAGTACTATGATGGCTGGTTGATATGTGAAG
 AGCCAATTGTTGCAGTCGCCTTCGACGCTTCCCCTTCATTTCTCCGAAATGGGCCTCTGTGTCCAGT
 CTGCATGAAAGCTGTGCTTAGACCAGAGTATTCTGACAAGTCTTGTACCCAGCTGTGCTTTTACCGG
 TACATTTTTGATGCGGACTGTGCACTGGAAAAACTTACTGAACATGAGAAAGATAAATTAAGAAGCAGT
 TTTTCCCTCTCCGAGTTCTTCAGGACTACAGAAAAGTCAAGAACATAGCAGAGCAGTTCTTGTCTGGAG
 TGCTACTCTGAAGTGAACCTCAGCAAGCTCTTCGCCAATTACGCTGGGAAGTCC**TGA**

ACGCGTACGCGGCCGCTCGAGCAGAAAACATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_008892
Insert Size: 4398 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_008892.2</u> , <u>NP_032918.1</u>
RefSeq Size:	5350 bp
RefSeq ORF:	4398 bp
Locus ID:	18968
UniProt ID:	<u>P33609</u>
Cytogenetics:	X 41.06 cM
Gene Summary:	Plays an essential role in the initiation of DNA replication. During the S phase of the cell cycle, the DNA polymerase alpha complex (composed of a catalytic subunit POLA1/p180, a regulatory subunit POLA2/p70 and two primase subunits PRIM1/p49 and PRIM2/p58) is recruited to DNA at the replicative forks via direct interactions with MCM10 and WDHD1. The primase subunit of the polymerase alpha complex initiates DNA synthesis by oligomerising short RNA primers on both leading and lagging strands. These primers are initially extended by the polymerase alpha catalytic subunit and subsequently transferred to polymerase delta and polymerase epsilon for processive synthesis on the lagging and leading strand, respectively. The reason this transfer occurs is because the polymerase alpha has limited processivity and lacks intrinsic 3' exonuclease activity for proofreading error, and therefore is not well suited for replicating long complexes. In the cytosol, responsible for a substantial proportion of the physiological concentration of cytosolic RNA:DNA hybrids, which are necessary to prevent spontaneous activation of type I interferon responses.[UniProtKB/Swiss-Prot Function]