

## **Product datasheet for MC224842**

## Col4a2 (NM\_009932) Mouse Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Col4a2 (NM\_009932) Mouse Untagged Clone

Tag: Tag Free Symbol: Col4a2

Synonyms: Col4; Col4a-2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul
ACCN: NM\_009932
Insert Size: 5124 bp

31218p

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements.

Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA.

Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence

verification at a reduced cost. Please contact our customer care team at

<u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** NM 009932.4, NP 034062.3

 RefSeq Size:
 6467 bp

 RefSeq ORF:
 5124 bp

 Locus ID:
 12827

 UniProt ID:
 P08122

 Cytogenetics:
 8 5.62 cM

**Gene Summary:** This gene encodes the alpha-2 subunit of the type IV collagens, an essential component of basement membranes. The encoded protein forms a triple helical heterotrimer comprised of

alpha-1 and alpha-2 subunits that assembles into a type IV collagen network. Canstatin, a peptide derived fom the C-terminus of the collagen chain, is a matrikine that has been shown to inhibit angiogenesis. Homozygous knockout mice for this gene exhibit impaired basement membrane integrity and embryonic lethality. This gene shares a bi-directional promoter with

a related gene on chromosome 8. [provided by RefSeq, Nov 2015]