

Product datasheet for MC225518

Pkig (NM_001277096) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Pkig (NM_001277096) Mouse Untagged Clone

Tag: Tag Free Symbol: Pkig

Synonyms: PKIgamma

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

Fully Sequenced ORF: >MC225518 representing NM_001277096

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCGAACACCTCATCCTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001277096

Insert Size: 228 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001277096.1</u>, <u>NP 001264025.1</u>

RefSeq Size: 1050 bp
RefSeq ORF: 228 bp
Locus ID: 18769
Cytogenetics: 2 84.4 cM

Gene Summary: Extremely potent competitive inhibitor of cAMP-dependent protein kinase activity, this

protein interacts with the catalytic subunit of the enzyme after the cAMP-induced dissociation

of its regulatory chains.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (6) differs in the 5' UTR and uses an alternate in-frame splice site, compared to variant 4. The encoded isoform (2) is shorter than isoform 1. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for

the transcript record were based on alignments.