

Product datasheet for MC225638

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Fkbp1a (NM 001302079) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Fkbp1a (NM 001302079) Mouse Untagged Clone

Tag: Tag Free
Symbol: Fkbp1a

Synonyms: Fkb; Fkbp; Fkbp1; FKBP12

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC225638 representing NM_001302079

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TTGTTTTTGATGTGGAGCTTCTAAAACTGGAA<mark>TGA</mark>

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001302079

Insert Size: 315 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.





Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001302079.1</u>, <u>NP 001289008.1</u>

RefSeq Size: 1795 bp
RefSeq ORF: 315 bp
Locus ID: 14225
UniProt ID: P26883
Cytogenetics: 2 G3

Gene Summary: This gene is a member of the immunophilin family. The encoded protein is a cis-trans prolyl

isomerase that binds the immunosuppressants FK506 and rapamycin, and is associated with immunoregulation, protein folding, receptor signaling, protein trafficking and T-cell activation. It may modulate the calcium release activity of the ryanodine receptor Ryr1. It also interacts with the type I TGF-beta receptor. Disruption of this gene in mouse causes severe ventricular defects. Pseudogenes of this gene have been defined on chromosomes 4, 10, 14, and 16. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2014] Transcript Variant: This variant (5) contains an alternate exon in the 5' region and uses an alternate start codon compared to variant 1. It encodes isoform 3 which has a distinct N-terminus and is shorter than isoform 1. Variants 5 and 6 both encode the same isoform (3).