

Product datasheet for MC225776

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Dnmt3l (NM_001284200) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Dnmt3l (NM_001284200) Mouse Untagged Clone

Tag: Tag Free
Symbol: Dnmt3l

Synonyms: D6Ertd14; D6Ertd14e; ecat; ecat7

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

Fully Sequenced ORF: >MC225776 representing NM_001284200

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GTATTTTCTCAAAACTCACTTCCTCTTTAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001284200

Insert Size: 381 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.



ORIGENE

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001284200.1, NP 001271129.1

RefSeq Size: 1129 bp
RefSeq ORF: 381 bp
Locus ID: 54427

Cytogenetics: 10 39.72 cM

Gene Summary: CpG methylation is an epigenetic modification that is important for embryonic development,

imprinting, and X-chromosome inactivation. Studies in mice have demonstrated that DNA methylation is required for mammalian development. This gene encodes a nuclear protein that is a catalytically inactive regulatory factor of DNA methyltransferases. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, Sep 2015]

Transcript Variant: This variant (6) is expressed in testis (PMID: 17060371). It contains alternate 5' UTR exons, lacks a portion of the 5' coding region, and initiates translation at a downstream AUG start codon, compared to variant 1. The resulting isoform (2) has a shorter

N-terminus compared to isoform 1. Variants 4, 5 and 6 encode the same isoform (2).