

## Product datasheet for **MC225875**

### Anapc15 (NM\_001291348) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Anapc15 (NM\_001291348) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Anapc15  
**Synonyms:** 3200002M19Rik; 6330414C15Rik; APC15  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >MC225875 representing NM\_001291348  
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGAGGAAACTGAGGCCAGAGAGGTTAAGTGTATTGGCCAAAATCAAAGAGCTAGAGCCATGTCCACCT  
TGTTCCCGTCACTCTCCCTCGTGTGACTGAGACTGTGGTTAATCTGGACCGACCCTGTGTGGAGGA  
GACAGAGCTGCAGCAGCAGGAGCAGCAGCATCAGGCCTGGCTCCAAAGCATCGCAGAGAAAGACAACAAC  
CTGGTACCAATTGGCAAGCCGGCCTCAGAGCACTACGATGATGAGGAAGAAGAGGATGATGAAGATGATG  
AGGACAGTGAAGAGGATCCGAAGATGATGAGGACATGCAAGACATGGATGAGATGAATGACTATAATGA  
GTCACCTGATGATGGAGAGGTCAATGAGGTGGACATGGAAGGCAACGAACAGGATCAGGACCAGTGGATG  
ATCTAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001291348  
**Insert Size:** 426 bp  
**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

<b>OTI Annotation:</b>	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001291348.1</a></u> , <u><a href="#">NP_001278277.1</a></u>
<b>RefSeq Size:</b>	850 bp
<b>RefSeq ORF:</b>	426 bp
<b>Locus ID:</b>	75430
<b>UniProt ID:</b>	<u><a href="#">P60007</a></u>
<b>Cytogenetics:</b>	7 E2
<b>Gene Summary:</b>	Component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3 ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. In the complex, plays a role in the release of the mitotic checkpoint complex (MCC) from the APC/C: not required for APC/C activity itself, but promotes the turnover of CDC20 and MCC on the APC/C, thereby participating in the responsiveness of the spindle assembly checkpoint. Also required for degradation of CDC20 (By similarity).[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (1) encodes the longest isoform (a).