

## **Product datasheet for MC225947**

## Thoc7 (NM 001285780) Mouse Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Thoc7 (NM\_001285780) Mouse Untagged Clone

Tag: Tag Free Symbol: Thoc7

Synonyms: Nif3l1bp1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC225947 representing NM\_001285780

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCTGAGCACTCTGTCCCAGTGTGAATTTTCAATGGGCAAAACATTGCTGGTATATGATATGAATCTCA
GAGAAATGGAAAAATTATGAAAAAATATACAAAGAAATAGAATGTAGTATTGCTGGAGCACATGAAAAAAT
TGCTGAGTGTAAAAAAGCAGATTCTTCAAGCAAAACGAATACGAAAAAATCGACAAGAATATGACGCTTTG
GCCAAAGTGATCCAGCATCACCCAGACAGGCATGAGACACTGAAGGAGCTAGAGGCTCTGGGCAAAGAAT
TAGAGCATCTCTCACATATTAAAGAAAGTGTTGAAGATAAGCTGGAATTGACGAAACAATTTCACGT
TCTTCTTAGTACCATCCATGAACTTCAACAGACATTGGAGAATGATGACAAGCTGTCAGAGGTGGATGAA
GCTCAAGAAAGCACCATGGAAGCAGACCCTAAGCCATAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM 001285780

**Insert Size:** 459 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

## Thoc7 (NM\_001285780) Mouse Untagged Clone - MC225947

**OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001285780.1</u>, <u>NP 001272709.1</u>

RefSeq Size: 1069 bp
RefSeq ORF: 459 bp
Locus ID: 66231
UniProt ID: Q7TMY4
Cytogenetics: 14 A1

**Gene Summary:** Required for efficient export of polyadenylated RNA. Acts as component of the THO

subcomplex of the TREX complex which is thought to couple mRNA transcription, processing and nuclear export, and which specifically associates with spliced mRNA and not with unspliced pre-mRNA. TREX is recruited to spliced mRNAs by a transcription-independent mechanism, binds to mRNA upstream of the exon-junction complex (EJC) and is recruited in a

splicing- and cap-dependent manner to a region near the 5' end of the mRNA where it

functions in mRNA export to the cytoplasm via the TAP/NFX1 pathway.[UniProtKB/Swiss-Prot

Function]

Transcript Variant: This variant (3) differs in the 5' UTR and initiates translation at a downstream start codon, compared to variant 1. The encoded isoform (3) has a shorter N-

terminus, compared to isoform 1.