

Product datasheet for **MC226396**

Chtop (NM_001293782) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Chtop (NM_001293782) Mouse Untagged Clone
Tag: Tag Free
Symbol: Chtop
Synonyms: 2500003M10Rik; Fop; Srag
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC226396 representing NM_001293782
Red=Cloning site **Blue**=ORF **Orange**=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGCTGAAGAACAACAGCCGATGCCAGTGAATATTCGGCTTCGATGCAGCAGCAGCAGCAGCTAGCCA
GTGCCAGAAACAGAAGACTGGCCAGCAGATGGAGAATAGACCCTCTGTCCAGGCAGCATTAAAACCTTAA
GCAGAAGAGCTTAAAGCAGCGCCTGGGTAAAGTAATATCCAGGCACGGTTAGGCCGCCATAGGTGCC
CTGGCCAGGGGAGCAATTGGAGGAAGAGGCCTACCCATAATCCAGAGAGGCTTGCCCGAGGAGGACTAC
GTGGGGGACGTGCTACCAGAACCCTGCTTAGGGGTGGGATGTCGCTCCGAGGTCAAACCTGCTCCGAGG
TGGACGAGCCGTAGTCCCGAATGGGCTTAAGAAGAGGTGGTGTTCGAGGTCGTGGAGGTCCTGGGAGA
GGGGGCCTAGGGCGTGGAGCTATGGGTCGTGGCGGAATCGGTGGTAGAGGTCGGGGTATGATAGGTCGGG
GAAGAGGGGGCTTTGGAGGCAGAGGCCGAGGTCGTGGCCGAGGGAGAGGTGCCCTCACTCGCCCTGTATT
GACCAAGGAGCAGCTGGACAACCAATTGGATGCATACATGTCGAAAACCTAAAGGACACCTGGATGCTGAA
TTGGATGCCTACATGGCACAGACAGATCCTGAAACCAATGAT**TGA**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001293782
Insert Size: 675 bp



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001293782.1</u> , <u>NP_001280711.1</u>
RefSeq Size:	3435 bp
RefSeq ORF:	675 bp
Locus ID:	66511
UniProt ID:	<u>Q9CY57</u>
Cytogenetics:	3 F1
Gene Summary:	<p>Plays an important role in the ligand-dependent activation of estrogen receptor target genes (By similarity). May play a role in the silencing of fetal globin genes (PubMed:20688955). Recruits the 5FMC complex to ZNF148, leading to desumoylation of ZNF148 and subsequent transactivation of ZNF148 target genes (PubMed:22872859). Required for the tumorigenicity of glioblastoma cells. Binds to 5-hydroxymethylcytosine (5hmC) and associates with the methylosome complex containing PRMT1, PRMT5, MEP50 and ERH. The CHTOP-methylosome complex associated with 5hmC methylates H4R3 and transactivates genes involved in glioblastomagenesis (PubMed:25284789).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (8) differs in the 5' UTR, lacks a portion of the 5' coding region, and uses a downstream start codon compared to variant 1. The encoded isoform (3) has a shorter N-terminus compared to isoform 1. Variants 3 and 8 encode the same isoform.</p>