

Product datasheet for MC226408

Spc25 (NM_001199124) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Spc25 (NM_001199124) Mouse Untagged Clone

Tag: Tag Free Symbol: Spc25

Synonyms: 2600017H08Rik; 2610205L13Rik; Spbc; Spbc25

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC226408 representing NM_001199124

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001199124

Insert Size: 681 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Spc25 (NM_001199124) Mouse Untagged Clone - MC226408

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001199124.2</u>, <u>NP 001186053.1</u>

RefSeq Size: 1388 bp
RefSeq ORF: 681 bp
Locus ID: 66442
UniProt ID: Q3UA16

Cytogenetics: 2 C2

Gene Summary: This gene encodes a component of the kinetochore-associated NDC80 protein complex,

which is required for the mitotic spindle checkpoint and for microtubule-kinetochore

attachment. During meiosis in mouse, the protein localizes to the germinal vesicle and then is associated with the chromosomes following germinal vesicle breakdown. Knockdown of this gene in oocytes results in precocious polar body extrusion, chromosome misalignment and aberrant spindle formation. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Apr 2015]

Transcript Variant: This variant (3) uses an alternate splice site in the 5' UTR compared to

variant 1. Variants 1, 2, and 3 encode the same isoform (1).