

## **Product datasheet for MC226466**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Pomc (NM\_001278581) Mouse Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Pomc (NM\_001278581) Mouse Untagged Clone

Tag: Tag Free
Symbol: Pomc

Synonyms: ACT; ACTH; alp; alpha-MSH; alpha-MSH; BE; Beta-LPH; beta-M; beta-MSH; Clip; gamma-;

Gamma-LPH; gamma-MSH; Npp; PO; Pomc-1; Pomc1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC226466 representing NM\_001278581

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCGAGATTCTGCTACAGTCGCTCAGGGGCCCTGTTGCTGCCCCTCCTGCTTCAGACCTCCATAGATG
TGTGGAGCTGGTGCCTGGAGAGCAGCCAGTGCCAGGACCTCACCACGGAGAGCAACCTGCTGGCTTGCAT
CCGGGCTTGCAAACTCGACCTCTCGCTGGAGACGCCCGTGTTTCCTGGCAACGGAGATGAACAGCCCCTG
ACTGAAAACCCCCGGAAGTACGTCATGGGTCACTTCCGCTGGGACCGCTTCGGCCCCAGGAACAGCAGCA
GTGCTGGCAGCGCGCGCAGAGGCGTGCGGAGGAAGAGGCGGTGTGGGGAGATGGCAGTCCAGAGCCGAG
TCCACGCGAGGGCAAGCGCTCCTACTCCATGGAGCACTTCCGCTGGGGCAAGCCGGTGGGCAAGAAACGG
CGCCCGGTGAAGGTGTACCCCAACGTTGCTGAGAACGAGTCCGGCGGAGGCCTTTCCCCTAGAGTTCAAGA
GGGAGCTGGAAGGCGAGCGGCCATTAGGCTTGGAGCAGCTCCTGGAGTCCGACGCGGAGAAGGACGACGG
GCCCTACCGGGTGGAGCACTTCCGCTGGAGCAACCCGCCCAAGGACAAGCGTTACGGTGGCTTCATGACC
TCCGAGAAGAGCCAGACGCCCCTGGTGACGCTCTTCAAGAACGCCATCATCAAGAACGCGCACAAGAAGG
GCCAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-Mlul

ACCN: NM\_001278581

**Insert Size:** 708 bp



## Pomc (NM\_001278581) Mouse Untagged Clone - MC226466

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal

tag.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001278581.1</u>, <u>NP 001265510.1</u>

RefSeq Size: 1214 bp
RefSeq ORF: 708 bp
Locus ID: 18976
UniProt ID: P01193

Cytogenetics: 12 1.99 cM

**Gene Summary:** This gene encodes a polypeptide hormone precursor that undergoes extensive, tissue-

specific, post-translational processing. Processing yields several biologically active peptides, which are involved in diverse cellular functions, such as energy homeostasis, steroidogenesis, and increased melanin production in melanocytes. In mouse deficiency of this gene is

associated with obesity, defects in adrenal development, and altered pigmentation. A pseudogene of this gene is located on chromosome 19. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Jun 2013]

Transcript Variant: This variant (1) represents the longest transcript. Variants 1, 2, 3, 4, and 5 encode the same protein. Sequence Note: This RefSeq record was created from transcript and

genomic sequence data to make the sequence consistent with the reference genome

assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.