

Product datasheet for **MC226682**

Ccnc (NM_001290420) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Ccnc (NM_001290420) Mouse Untagged Clone
Tag: Tag Free
Symbol: Ccnc
Synonyms: AI451004; AU020987; CG1C
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC226682 representing NM_001290420
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCAGGGAACCTCTGGCAGAGCTCCCACTATTTGCAGTGGATTTGGATAAACAAGATCTGTTGAAAG
 AGCGCCAAAAGGACCTAAAGTTTCTCTCAGAAGAGGAGTATTGGAAGTTACAAATATTTTTACAAATGT
 TATCCAAGCATTAGGTGAACATCTAAATTAAGACAACAAGTTATTGCTACTGCTACAGTCTATTTCAAG
 AGATTCTATGCTAGGTATTCTCTGAAAAGTATAGATCCTGTATTAATGGCGCCTACATGTGTGTTTCTGG
 CATCCAAAGTAGAGGAATTTGGTGTGCTCAAATACAAGATTGATTGCTGCTACTACTTCTGTATTA
 AACTAGATTTTCATATGCTTTTCCAAAGGAATTCCTTACAGGATGAATCATATACTAGAATGTGAATTT
 TACCTCTTAGAATTAATGGACTGTTGCTTGATAGTGTATCATCCTTATAGACCTTTGCTCCAGTATGTGC
 AGGACATGGGCCAGGAAGACGTGCTGCTCCCTTGCATGGAGGATAGTGAATGATACCTACAGGACGGA
 TCTCTGTCTGCTGTACCCTCCGTTTATGATCGCTTTAGCTTGCCTACATGTAGCCTGTGCTGTAACAAG
 AAAGATGCTAGACAGTGGTTTGCAGAACCTTTCTGTGGATATGGAGAAGATTTTGGAAATAATCAGGGTTA
 TTTTAAAACGTATGAGCAGTGAAGAATTTTGTGAGAGAAAAGAGATGGCAACTATTCTTAGTAAGAT
 GCCGAAACCAAAACACCTCAAACAGCTAA

ACGCGTACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001290420
Insert Size: 801 bp



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001290420.1, NP_001277349.1</u>
RefSeq Size:	1500 bp
RefSeq ORF:	801 bp
Locus ID:	51813
Cytogenetics:	4 A3
Gene Summary:	<p>Component of the Mediator complex, a coactivator involved in regulated gene transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors. Binds to and activates cyclin-dependent kinase CDK8 that phosphorylates the CTD (C-terminal domain) of the large subunit of RNA polymerase II (RNAP II), which may inhibit the formation of a transcription initiation complex (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) differs in the 3' terminal exon, compared to variant 1. It encodes isoform 3, which has a shorter C-terminus compared to isoform 1.</p>