

## Product datasheet for **MC226987**

### Lgals8 (NM\_001199043) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Lgals8 (NM\_001199043) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Lgals8  
**Synonyms:** 1200015E08Rik; AI326142; D13ErtD524e; Lgals-8  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >MC226987 representing NM\_001199043  
**Red**=Cloning site **Blue**=ORF **Orange**=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGTTGTCCTTAAATAACCTACAAAATATCATCTATAACCCGATAATCCCCTATGTTGGCACCATTACTG  
AGCAATTGAAGCCTGGCTCTCTGATTGTAATCCGTGGGCATGTCCTAAAGATTCAGAAAGATTCAGGT  
TGACTTTCAGCTGGGCAACAGCCTGAAGCCAAGAGCAGACGTGGCCTTCCACTTTAACCCCGGTTCAAA  
AGGTCTAGCTGCATTGTTTGTAAACACTGACACAGGAGAAGTGGGGCTGGGAGGAGATCACCTACGACA  
TGCCCTTCAGAAAAGAAAAGTCCTTTGAGATCGTGTTTCATGGTGCTCAAGAACAAATTCCAGGTGGCTGT  
GAACGGAAGGCATGTTCTGCTGTACGCCACAGGATCAGCCCGGAGCAGATCGACACAGTGGGCATCTAC  
GGCAAAGTGAACATCCACTCCATCGGGTTCAGATTCAGCTCGGATTTACAGAGTATGAAACATCTGCTC  
TGGGACTGACACAGATAAACAGAGAGAATATACAAAAGCCAGGCAAGCTCCAGCTGAGCCTGCCATTTGA  
AGCAAGTTGAATGCCTCCATGGGTCCTGGACGAACCGTTGTATTAAAGGGGAAGTGAACACCAATGCC  
CGAAGCTTTAATGTTGACCTAGTGGCAGGAAAAACAAGGATATCGCTCTGCACTTGAACCCACGCTCA  
ATGTGAAAGCATTGTAAAGAAATTCCTTTCTTCAGGATGCCTGGGAGAGAGAGAAAATATTACCTG  
CTTCCATTTAGTTCTGGGATGTACTTTGAGATGATAATCTACTGTGATGTCCGGGAATTCAGGTTGCT  
ATAAATGGTGTGCACAGCCTGGAGTACAAACACAGATTTAAAGACCTAAGCAGTATTGATACACTATCAG  
TCGATGGTATATCCGTTTGCTGGATGTAAGGAGCTGGT**AG**

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001199043  
**Insert Size:** 951 bp



[View online »](#)

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001199043.1</a> , <a href="#">NP_001185972.1</a>
<b>RefSeq Size:</b>	2996 bp
<b>RefSeq ORF:</b>	951 bp
<b>Locus ID:</b>	56048
<b>UniProt ID:</b>	<a href="#">Q9JL15</a>
<b>Cytogenetics:</b>	13 4.64 cM
<b>Gene Summary:</b>	<p>Beta-galactoside-binding lectin that acts as a sensor of membrane damage caused by infection and restricts the proliferation of infecting pathogens by targeting them for autophagy. Detects membrane rupture by binding beta-galactoside ligands located on the luminal side of the endosome membrane; these ligands becoming exposed to the cytoplasm following rupture. Restricts infection by initiating autophagy via interaction with CALCOCO2/NDP52. Required to restrict infection of bacterial invasion such as <i>S.typhimurium</i>. Also required to restrict infection of Picornaviridae viruses. Has a marked preference for 3'-O-sialylated and 3'-O-sulfated glycans.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) differs in the 5' UTR and uses an alternate in-frame splice site in the 5' coding region, compared to variant 3. Variants 1 and 2 encode the same isoform (1), which is shorter than isoform 2. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>