

## Product datasheet for **MC227114**

### Gls2 (NM\_001285779) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Gls2 (NM_001285779) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Gls2
Synonyms:	A330074B06Rik; A1195532; GA; GLS; Lga
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_001285779
Insert Size:	1014 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
RefSeq:	<u><a href="#">NM_001285779.1</a></u> , <u><a href="#">NP_001272708.1</a></u>



[View online »](#)

RefSeq Size: 2489 bp

RefSeq ORF: 1014 bp

Locus ID: 216456

Cytogenetics: 10 D3

**Gene Summary:** Plays an important role in the regulation of glutamine catabolism. Promotes mitochondrial respiration and increases ATP generation in cells by catalyzing the synthesis of glutamate and alpha-ketoglutarate. Increases cellular anti-oxidant function via NADH and glutathione production. May play a role in preventing tumor proliferation.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) uses an alternate in-frame splice site in the 5' region and uses a downstream start codon compared to variant 1. It encodes isoform 3 which has a shorter N-terminus compared to isoform 1. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.