

## Product datasheet for **MC227929**

### **Rarb (NM\_001289760) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Rarb (NM_001289760) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Rarb
Synonyms:	A830025K23; Hap; Nr1b2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >MC227929 representing NM\_001289760  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCCGCATCGCC

ATGAGCACCAGCAGCCACGCATGCCAGTCCCGGCAGTGGCAGACATGACTCACTACCCAGCTGCAC  
 CCTACCCATTACTGTTCCCCCTGTCTCAGAGGACTCTCCCTGCCTCCACTCCATGGGCTCCATGGCCA  
 CCCACCTCCCAGTGGATGCAGCAGCCCATCACAGCCAGTGTGGGGCAGGCATGTGAGAGGACAAGTGGT  
 GGAAGTCAAGTTTGCAGCTTCTACCAAGTGACACCAAGCTTGAATGCAGCCATCGAGACACAGAGTACCA  
 GCTCTGAGGAGCTCGTCCGAGCCACCATCTCCACTTCTCCTCTCGGGTGTACAAGCCCTGTTCTGT  
 TTGCCAGGACAAGTCAATCGGGTACCCTATGGCGTCAGTGCCTGCGAGGGGTGCAAGGGCTTTTCCGC  
 AGAAGTATTCAGAAGAATGATCTACACTTGCATCGAGATAAAGACTGCGTCATTAACAAGGTCACTA  
 GGAACCGATGCCAGTACTGCCGCTGCAGAAGTGTGTTGAAGTGGGCATGTCAAAGAGTCTGTTAGGAA  
 TGACAGGAACAAGAAAAGAAGGAGCCTTCAAAGCAGGAATGCACAGAGAGCTATGAGATGACAGCGGAG  
 CTAGACGACCTCACTGAGAAGATCCGGAAAGCCACCAGGAAACCTTTCCCTCACTCTGCCAGCTGGGTA  
 AATACACCACGAATTCAGCGCTGACCACCGGGTCCGATTGGACTTGGGCTCTGGGACAATTCAGTGA  
 GCTGGCCACCAAGTGCATTATTAAGATCGTGGAGTTCGCCAAGCGCTGCGCGGGCTTACAGGTCTGACC  
 ATCGCAGACCAGATCACCTGCTCAAAGCCGCTGCTTGGATATCTTGATTCTCAGAATTTGTACCAGGT  
 ATACCCAGAGCAAGACACCATGACTTTCTCTGATGGCCTTACACTAAATCGAATCAGATGCACAAATGC  
 TGGCTTCGGTCTCTGACTGACCTGTGTTACCTTTGCCAACAGCTCCTGCCTTTGAAATGGATGAC  
 ACAGAAACAGGCCTTCTCAGTCCATCTGTTAATCTGTGGAGACCGCCAGGACCTTGAGGAACCAACAA  
 AAGTAGACAAGTCCAAGAACCCTGCTGGAAGCACTAAAGATTTACATTAGAAAACGACGACCCAGCAA  
 GCCTCACATGTTTCCAAAGATCTTAATGAAAATCACAGATCTCCGAGCATCAGCGCGAAAAGGTGCCGAA  
 CGTGTAATTACCTTGAATGGAATTCCTGGATCAATGCCACTCTCATTACAGGAAATGCTGGAGAATT  
 CTGAAGGACATGAACCTTGACCCCAAGTCAAGTGGGAATATAGCAGAGCACAGTCCCAGCGTGTCCCC  
 CAGCTCAGTGGAGAACAGTGGAGTCACTCAGTCACTCAGTCACTGCTGCAGTGA

ACCGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** SgfI-MluI
- ACCN:** NM\_001289760
- Insert Size:** 1449 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001289760.1</a> , <a href="#">NP_001276689.1</a>
<b>RefSeq Size:</b>	3158 bp
<b>RefSeq ORF:</b>	1449 bp
<b>Locus ID:</b>	218772
<b>UniProt ID:</b>	<a href="#">P22605</a>
<b>Cytogenetics:</b>	14 7.08 cM
<b>Gene Summary:</b>	<p>Receptor for retinoic acid. Retinoic acid receptors bind as heterodimers to their target response elements in response to their ligands, all-trans or 9-cis retinoic acid, and regulate gene expression in various biological processes. The RAR/RXR heterodimers bind to the retinoic acid response elements (RARE) composed of tandem 5'-AGGTCA-3' sites known as DR1-DR5. In the absence of ligand, acts mainly as an activator of gene expression due to weak binding to corepressors (By similarity). The RXRA/RARB heterodimer can act as a repressor on the DR1 element and as an activator on the DR5 element (By similarity). In concert with RARG, required for skeletal growth, matrix homeostasis and growth plate function (PubMed:19389355).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (beta3) encodes the longest isoform (beta3). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>