

## Product datasheet for **MC227929**

### **Rarb (NM\_001289760) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Rarb (NM_001289760) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Rarb
Synonyms:	A830025K23; Hap; Nr1b2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**Fully Sequenced ORF:** >MC227929 representing NM\_001289760  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGAGCACCAGCAGCCACGCATGCCAGTCCCGCAGTGGCGTGGACACATGACTCACTACCCAGCTGCAC  
 CCTACCCATTACTGTTCCCCCTGTATCAGAGGACTCTCCCTGCCTCCACTCCATGGGCTCCATGGCCA  
 CCCACCTCCCAGTGGATGCAGCACCCCATCACAGCCAGTGTGGGGCAGGCATGTCAGAGGACAACCTGGT  
 GGAAGTCAGTTTGCAGCTTCTACCAAGTGGACACCAAGCTTGAATGCAGCCATCGAGACACAGAGTACCA  
 GCTCTGAGGAGCTCGTCCCGAGCCACCATCTCCACTTCTCCTCCTCGGGTGTACAAGCCCTGTTCTGT  
 TTGCCAGGACAAGTCATCGGGCTACCACTATGGCGTCAGTGCCTGCGAGGGGTGCAAGGGCTTTTCCGC  
 AGAAGTATTCAGAAGAACATGATCTACACTTGCCATCGAGATAAGAAGTGCCTCATTAAACAAGGTCATA  
 GGAACCGATGCCAGTACTGCCGCTGCAGAAGTCTTTGAAGTGGGCATGTCAAAGAGTCTGTTAGGAA  
 TGACAGGAACAAGAAAAAGAAGGAGCCTTCAAAGCAGGAATGCACAGAGAGCTATGAGATGACAGCGGAG  
 CTAGACGACCTCACTGAGAAGATCCGGAAAGCCACCAGGAAACCTTTCCCTCACTCTGCCAGCTGGGTA  
 AATACACCACGAATTCAGCGCTGACCACCGGGTCCGATTGGACTTGGGCCTCTGGGACAATTCAGTGA  
 GCTGGCCACCAAGTGCATTATTAAGATCGTGGAGTTCGCCAAGCGTCTGCCGGGCTTACAGGTCTGACC  
 ATCGCAGACCAGATCACCTGCTCAAAGCCGCTGCTTGGATACTTGATTCTCAGAATTTGTACCAGGT  
 ATACCCAGAGCAAGACACCATGACTTTCTCTGATGGCCTTACACTAAATCGAACTCAGATGCACAATGC  
 TGGCTTCGGTCTCTGACTGACCTTGTTTACCTTTGCCAACGACTCCTGCCTTTGGAATGGATGAC  
 ACAGAAACAGGCCTTCTCAGTCCATCTGTTAATCTGTGGAGACCGCCAGGACCTTGAGGAACCAACAA  
 AAGTAGACAAGCTCCAAGAACCCTGCTGGAAGCACTAAAGATTTACATTAGAAAACGACGCCAGCA  
 GCCTCACATGTTTCCAAAGATCTTAATGAAAATCACAGATCTCCGACGATCAGCGCGAAAGGTGCCGAA  
 CGTGTAATTACCTTGAAAATGAAAATTCCTGGATCAATGCCACCTCTCATTACAGGAAATGCTGGAGAATT  
 CTGAAGGACATGAACCTTGACCCCAAGTTCAAGTGGGAATATAGCAGAGCACAGTCCCAGCGTGTCCCC  
 CAGCTCAGTGGAGAACAGTGGAGTCAGTCAGTACCACCTGCTGCAG**TGA**

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** Sgfl-MluI
- ACCN:** NM\_001289760
- Insert Size:** 1449 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001289760.1</a> , <a href="#">NP_001276689.1</a>
<b>RefSeq Size:</b>	3158 bp
<b>RefSeq ORF:</b>	1449 bp
<b>Locus ID:</b>	218772
<b>UniProt ID:</b>	<a href="#">P22605</a>
<b>Cytogenetics:</b>	14 7.08 cM
<b>Gene Summary:</b>	<p>Receptor for retinoic acid. Retinoic acid receptors bind as heterodimers to their target response elements in response to their ligands, all-trans or 9-cis retinoic acid, and regulate gene expression in various biological processes. The RAR/RXR heterodimers bind to the retinoic acid response elements (RARE) composed of tandem 5'-AGGTCA-3' sites known as DR1-DR5. In the absence of ligand, acts mainly as an activator of gene expression due to weak binding to corepressors (By similarity). The RXRA/RARB heterodimer can act as a repressor on the DR1 element and as an activator on the DR5 element (By similarity). In concert with RARG, required for skeletal growth, matrix homeostasis and growth plate function (PubMed:19389355).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (beta3) encodes the longest isoform (beta3). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>