

Product datasheet for **MC228097**

Banp (NM_001285981) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Banp (NM_001285981) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Banp
Synonyms:	AA408158; SMAR1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC228097 representing NM_001285981
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGATGTCAGAGCAGGACCTGGCGGATGTGGTTTCAGATTGCAGTGAAGACCTGAGCCCTGATCACCCAG
 TTGTTTTGGAGAATCATGTCGTGACAGATGATGATGAACCTGCCTTGAAGCGCCAGCAGTACAGATCAA
 TTGCCAGGACCCCTCTATAAAGTCTTCTGTACTCTATTAACCAGACGATATGTTTGCGGTTGGATAGC
 ATTGAGGCCAAGCTGCAAGCTCTCGAGGCCACTTGCAAATCTCTGGAAGAGAAGCTAGACCTGGTCACCA
 AATAACAGCACAGTCCCATCCAGGTCCCATGGTGGCAGGTTCCCACTTGGCGCCACCCAGACCTGCAA
 CAAAGTGCATGCGCTGTTCTGGGCGTCGGCAGAACACCATCGTGGTAAAAGTGCCTGGTCAGGACGAC
 AGCCACAACGAAGATGGGAGAGCGGGTCAGAGGCCAGTACTCCGTGTCTAACTGTGGCCAGCCAGGAA
 GCCAGAACATTGGAAGCAACGTCACTCATCACCTGAACTCCGAAGAGGACTATCCAATGGCACCTG
 GCTGGGCGATGAGAATAACCCTGAGATGCGGGTACGCTGTGCCATCATCCCTCCGACATGTTGCACATC
 AGCACCAACTGTCGCACGGCCGAGAAGATGGCGCTGACACTGCTGGACTACCTGTTCCACCGTGAGGTGC
 AGGCTGTGTCCAACCTGTCCGGCCAGGGCAAGCACGGGAAGAAGCAGCTGGACCCCTCACCATCTACGG
 CATCCGGTGTACCTCTTCTATAAATTTGGAATCACGGAATCTGACTGGTATCGGATCAAGCAGAGCATT
 GACTCCAAGTGCCGGACAGCCTGGCGCGGAAGCAGCGAGGCCAGAGCCTGGCGGTCAAGAGCTTCTCTC
 GGAGGACGCCATCCTCATCTCTTACAGTGCCTCAGAGACCATGATGGGAACCCCTCCTCCCACAGTGA
 GCTACAGCAGTACAGCCACAGGCCCTACACTACGCCCTGGCCAACGCCAGCAGTCCAGATCCACCAG
 ATTGGGGAGGATGGACAGGTGCAAGTAATCCCACAGGGCCACCTCCACATTGCCAGGTGCCTCAAGGGG
 AGCAGGTGCAGATCACACAGGACAGCGAGGGCAATCTGCAGATCCATCATGTGGGTCAGGATGGCCAGT
 GTGGGGCCTGTGCCAGAATCCATTCTGTGTCAGCGGTGACTCAGTGGCCAGGCTAATCCCTCCAGCTT
 TGGCCTCTGGGAGGAGACACTTGATCTGCCTGCTGGAATGAAATGATCCAGGTACTGCAGGGTGCTC
 AGCTCATAGCCGTGGCCTCTTACAGCCCTGCTGTACAGGAGTAGATGGGTGCGCTCTCCAGGGCAGTGA
 CATTAGGTTTCAATGTCCAGCTGGCGCTGTGAGTGACCACACAGCCGAGCGCAGACCCGAGAGGCC
 CTGCAGCCACTCTGCAGCCGACATGCAGCTTGAACATGGGGCCATCCAGATCCAG**TGA**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

- Restriction Sites:** Sgfl-Mlul
- ACCN:** NM_001285981
- Insert Size:** 1530 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001285981.1 , NP_001272910.1
RefSeq Size:	5381 bp
RefSeq ORF:	1530 bp
Locus ID:	53325
UniProt ID:	Q8VBU8
Cytogenetics:	8 70.82 cM
Gene Summary:	<p>Controls V(D)J recombination during T-cell development by repressing T-cell receptor (TCR) beta enhancer function. Binds to scaffold/matrix attachment region beta (S/MARbeta), an ATC-rich DNA sequence located upstream of the TCR beta enhancer. Represses cyclin D1 transcription by recruiting HDAC1 to its promoter, thereby diminishing H3K9ac, H3S10ph and H4K8ac levels. Promotes TP53 'Ser-15' phosphorylation and nuclear accumulation, which causes cell cycle arrest and inhibits tumor growth.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) lacks an alternate in-frame exon in the coding region compared to variant 2. The resulting protein (isoform 3) is shorter but has the same N- and C-termini compared to isoform 2. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>