OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MC228183

Runx2 (NM_001271627) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Runx2 (NM_001271627) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Runx2
Synonyms:	AM; AML3; Cbf; Cbfa; Cbfa-1; Cbfa1; LS3; Os; Osf2; PEB; Pebp2a1; PEBP2aA; Pebpa2a
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

Fully Sequenced ORF:

>MC228183 representing NM_001271627
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCGTCAAACAGCCTCTTCAGCGCAGTGACACCGTGTCAGCAAAGCTTCTTTTGGGATCCGAGCACCA
GCCGGCGCTTCAGCCCCCCCTCCAGCAGCCTGCAGCCCGGCAAGATGAGCGACGTGAGCCCGGTGGTGGC
TGCGCAGCAGCAGCAACAGCAGCAGCAGCAGCAGCAACAGCAGCAGCAACAACAGCAACAGCAACAACAG
CAGCAGCAGCAGCAGCAGGAGGCGGCCGCAGCAGCAGCGGCGGCAGCGGCGGCGGCAGCAGCGGCGG
CGGCCGCAGTGCCCCGATTGAGGCCGCCGCACGACAACCGCACCATGGTGGAGATCATCGCGGACCACCC
GGCCGAACTGGTCCGCACCGACAGTCCCAACTTCCTGTGCTCCGTGCTGCCCTCGCACTGGCGGTGCAAC
AAGACCCTGCCCGTGGCCTTCAAGGTTGTAGCCCTCGGAGAGGTACCAGATGGGACTGTGGTTACCGTCA
TGGCCGGGAATGATGAGAACTACTCCGCCGAGCTCCGAAATGCCTCCGCTGTTATGAAAAACCAAGTAGC
CAGGTTCAACGATCTGAGATTTGTGGGCCGGAGCGGACGAGGCAAGAGTTTCACCTTGACCATAACAGTC
TTCACAAATCCTCCCCAAGTGGCCACTTACCACAGAGCTATTAAAGTGACAGTGGACGGTCCCCGGGAAC
CAAGAAGGCACAGACAGAAGCTTGATGACTCTAAACCTAGTTTGTTCTCTGATCGCCTCAGTGATTTAGG
GCGCATTCCTCATCCCAGTATGAGAGTAGGTGTCCCGCCTCAGAACCCACGGCCCTCCCTGAACTCTGCA
CCAAGTCCTTTTAATCCACAAGGACAGAGTCAGATTACAGATCCCAGGCAGGCACAGTCTTCCCCACCGT
GGTCCTATGACCAGTCTTACCCCTCCTATCTGAGCCAGATGACATCCCCATCCATCCACTCCACCACGCC
GCTGTCTTCCACACGGGGCACCGGGCTACCTGCCATCACTGACGTGCCCAGGCGTATTTCAGATGATGAC
ACTGCCACCTCTGACTTCTGCCTCTGGCCTTCCTCTCTCAGTAAGAAGAGCCAGGCAGGTGCTTCAGAAC
TGGGCCCTTTTTCAGACCCCAGGCAGTTCCCAAGCATTTCATCCCTCACTGAGAGCCGCTTCTCCAACCC
ACGAATGCACTACCCAGCCACCTTTACCTACACCCCGCCAGTCACGTCAGGCATGTCCCTCGGCATGTCC
GCCACCACTCACTACCACACGTACCTGCCACCACCCTACCCCGGCTCTTCCCAAAGCCAGAGTGGACCCT
TCCAGACCAGCAGCACTCCATATCTCTACTATGGTACTTCGTCAGCATCCTATCAGTTCCCAATGGTACC
CGGGGGAGACCGGTCTCCTTCCAGGATGGTCCCACCATGCACCACCACCTCGAATGGCAGCACGCTATTA
AATCCAAATTTGCCTAACCAGAATGATGGTGTTGACGCTGACGGAAGCCACAGCAGTTCCCCAACTGTTT
TGAATTCTAGCGGCAGAATGGATGAGTCTGTTTGGCGGCCATATTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001271627

Insert Size: 1587 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001271627.1, NP_001258556.1
RefSeq Size:	5904 bp
RefSeq ORF:	1587 bp
Locus ID:	12393
UniProt ID:	Q08775
Cytogenetics:	17 21.33 cM
Gene Summary:	This gene encodes a member of the runt domain-containing family of transcription factors. This protein is essential for osteoblastic differentiation and skeletal morphogenesis and acts as a scaffold for nucleic acids and regulatory factors involved in skeletal gene expression. The protein can bind DNA both as a monomer or, with more affinity, as a subunit of a heterodimeric complex. Transcript variants that encode different protein isoforms result from the use of alternate promoters as well as alternate splicing. [provided by RefSeq, Sep 2015] Transcript Variant: This variant (4) represents use of a distal promoter. It has an additional segment in 5' UTR and encodes the same isoform 1, compared to variant 1. This variant is reported in PMID: 9238031. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.