

Product datasheet for **MC228394**

Nf2 (NM_001252250) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nf2 (NM_001252250) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Nf2
Synonyms:	merlin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC228394 representing NM_001252250
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCCGGAGCCATCGTTCTCGCATGAGCTTCAGCTCACTCAAGAGGAAGCAGCCCAAGACATTACGG
TGCGGATCGTCACCATGGACGCCGAGATGGAGTTCAACTGCGAGATGAAATGGAAGGGAAGGACCTGTT
TGATTTGGTGTGCCGCACTGGGGCTTCGGGAAACCTGGTTCTTTGGACTGCAGTATACAATCAAGGAC
ACGGTGGCTGGCTCAAATGGACAAGAAGGTGTTGGATCATGATGTTTCGAAGGAAGAACCAGTTACCT
TTCACCTCCTGGCCAAATTTTATCCTGAAAATGCTGAGGAGGAGCTAGTTCAAGAGATCACGCAACACTT
ATTTTTCTTACAGGTGAAGAAGCAGATTTTGGATGAAAAGGTCTACTGCCCTCCCGAGGCGTCCGTGCTC
TTGGCGTCATATGCTGTCCAGGCCAAGTATGGCGACTATGACCCCTCTGTGCACAAGCGGGGATTTTATG
CCCAAGAGGAATTGCTCCGAAAAGGGTGATAAATCTCTATCAGATGACTCCGGAATGTGGGAGGAGAG
AATTACGGCTTGGTATGCGGAGCACCGGGCAGAGCCAGGGATGAAGCTGAAATGGAGTATTGAAGATA
GCTCAGGACCTGGAGATGTATGGTGTGAACTACTTTACAATCCGGAATAAAAAGGACACAGAGTTGCTGC
TTGGAGTGGATGCTCTTGGGCTTCATATCTATGACCCCTGAGAACAGGCTGACCCCAAGATCTCCTTCCC
ATGGAATGAAATCCGAAACATCTCTACAGCGACAAGGAGTTTACTATTAACCCTGGATAAGAAAATT
GATGTCTTCAAATTTAACTCCTCAAAGCTTCGTGTTAATAAGCTGATTCTTCAGCTATGTATTGGGAACC
ATGACCTATTTATGAGGCGACGGAAAGCTGACTCTTTAGAAGTTCAGCAGATGAAAGCCCAGGCCAGGGA
AGAGAAGGCTAGAAAGCAGATGGAAAGGCAGCGGCTGGCTCGAGAGAAGCAGATGCGGGAGGAGGCCGAG
CGTACAAGAGATGAGTTAGAGAGGAGGCTCCTGCAGATGAAAGAAGAAGCAACGATGGCCAATGAAGCTC
TGATGCGCTCTGAGGAGACAGTGTCTGTTGGCTGAAAAGGCTCAGATCACAGAGGAGGAGGCCAAGCT
TTTGGCACAAAAGGCTGCAGAGGCTGAGCAAGAGATGCAGCGAATCAAGGCCACGGCCATTTCGGACAGAG
GAGGAGAAGCGCCTGATGGAGCAGAAGGTGCTGGAGGCTGAAGTCTGGCATTGAAGATGGCTGAGGAGT
CAGAGAGGAGGCCAAGGAGGCTGATCAGTTAAAGCAAGACTTGAAGAAGCCAGAGAAGCAGAGCGAAG
AGCCAAGCAGAAGCTCTTAGAAATCGCCACCAAGCCACCTATCCACCCATGAACCCAATTCACCACCA
CTGCCTCCTGACATACCGAGCTTCGACATTATTGCTGACAGCTTGTCTTTGACTTCAAGGATACGGACA
TGAAGCGACTTTCCATGGAGATAGAGAAAGAAAAGTGGAGTACATGGAGAAGAGCAAGCACCTGCAGGA
GCAGCTCAACGAGCTCAAGACGGAGATCGAGGCCCTTAAAAGCTCAAAGAGCGGGAGACGGCCTTGGACGTC
CTACACAGCGAGAGCTCAGACAGAGGCGGCCCCAGCAGCAAGCATAATACCATTA AAAAGCCTCAAGCCC
AAGGCAGAAGACCTATCTGCATT**TGA**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001252250

Insert Size: 1776 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001252250.1](#), [NP_001239179.1](#)

RefSeq Size: 4777 bp

RefSeq ORF: 1776 bp

Locus ID: 18016

UniProt ID: [P46662](#)

Cytogenetics: 11 3.0 cM

Gene Summary: Probable regulator of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway, a signaling pathway that plays a pivotal role in tumor suppression by restricting proliferation and promoting apoptosis. Along with WWC1 can synergistically induce the phosphorylation of LATS1 and LATS2 and can probably function in the regulation of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway. May act as a membrane stabilizing protein. May inhibit PI3 kinase by binding to AGAP2 and impairing its stimulating activity. Suppresses cell proliferation and tumorigenesis by inhibiting the CUL4A-RBX1-DDB1-VprBP/DCAF1 E3 ubiquitin-protein ligase complex (By similarity). Plays a role in lens development and is required for complete fiber cell terminal differentiation, maintenance of cell polarity and separation of the lens vesicle from the corneal epithelium.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) encodes the longest isoform (1). Variants 1 and 2 encode the same isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.