

## Product datasheet for **MC228630**

### **Acsl4 (NM\_019477) Mouse Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Acsl4 (NM_019477) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Acsl4
Synonyms:	9430020A05Rik; ACS4; AU018108; FacI4; Lacs4
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**Fully Sequenced ORF:** >MC228630 representing NM\_019477  
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCAAAGAGAATAAAGCTAAGCCACTTCAGACAAACCTGGAAGTCCATATCGTCTGTGCACACT  
 TCGACTACTAGCTGTATAGACATCCCTGGAGCAGATACTCTGGATAAAATTATTTGACCATGCTGTAGC  
 CAAATTTGGGAAGAAGGACAGCCTTGAACCCGGGAGATCCTGAGTGAAGAAAATGAAATGCAGCCAAAT  
 GGAAAGGTTTTAAGAAGTTAATCTTGGGAATTATAAATGGATAAACTATCTTGAAGTGAAGTGCAGAG  
 TGAATAACTTTGGAAGTGGCCTCACTGCATTGGGACTGAAACCAAGAACACCATTGCCATTTCTGTGA  
 GACCAGGGCAGAGTGGATGATTGCAGCACAGACTTGTCTTAAGTACAACCTTCCACTTGTGACTTTATAT  
 GCCACACTTGGCAGAGAAGCTGTAGTTCATGGATTAATGAATCTGAGGCTTCTATCTGATTACTAGTG  
 TTGAGCTTCTGGAAAGCAAACCTGAAGGCGCCTTAGTAGATATCAATTGTGTTAAACATATCATTATGT  
 GGATAATAAGACTATCAATAGAGCAGAGTACCCTGAGGGGCTTGAATTCACAGCATGCAATCAGTAGAG  
 GAGCTGGGAGCCAAGCCAGAAAACCTTGAGCGTTCCTCCAAGTAGACCAACCCCTTCAAGCATGGCCATTG  
 TCATGTACACCAGTGGTTCTACGGGCGCCCAAGGGAGTGATGATGCATCATAGCAATTTGATTGCTGG  
 AATGACAGGCCAGTGTGAACGTATCCCTGGACTAGGACCGAAGGACACATATATTGGCTACTTACCTTTG  
 GCTCATGTGCTGGAAGTACAGCAGAGATATCATGCTTTACCTATGGCTGTAGGATTGGATACTCTTAC  
 CCCTTACACTGTCTGACCAGTCCAGCAAATCAAGAAGGGAAGCAAGGGTGATTGTACTGTACTGAAACC  
 CACTTATGGCCGCTGTTCCGAAATCATGGATAGAAATTTATAAGAATGTTATGAGCAAGGTTCAAGAG  
 ATGAATTATGTTCAAAAACCTATTTAAAATCGGGTATGATTACAAATAGAGCAAATCAAGAAAGGCT  
 ATGACCCCTCTTTGTAATCTGATACTGTTTAAAAGGTGAAGGCTCTGCTGGGAGGAAATGTCGGCAT  
 GATGCTGTCTGGCGGCGGCCACTGTCCCTCAGACACACCGATTTCATGAATGTCTGCTTCTGCTGCCCC  
 ATTGGTACAGGATATGGGCTGACAGAATCATGTGGTGTGGAACAGTTACTGAAGTACTGACTACACTA  
 CTGGAAGAGTTGGAGCTCCTCTTATTTGCTGTGAAATTAACCTGAAAGACTGGCAGGAAGTGGTTATAC  
 AGTTTCATGATAAGCCGAACCCAGAGGTGAGATTGTGATCGGTGGCCAGAATATCTCCATGGGATATTTT  
 AAAACGAAGAGAAAACAGCAGAAGATTATTGTGTTGATGAAAATGGACAAAGTGGTTTTGCCTGGCG  
 ATATTGGAGAATCCATCCTGATGGATGCTTACAGATTATAGATCGTAAGAAAGATCTGGTAAAGTTACA  
 AGCAGGAGAATATGTATCTTTGGAAAGTAGAAGCTGCACTGAAGAATTGTCCACTGATCGACAACATC  
 TGTGCTTTTGCCAAAAGTGACCAGTCTATGTGATCAGTTTTGTGTTTCTAACCAGAAAAGTTGACTC  
 TTTTGGCAACAACAGAAGGGGTAGAAGGATCTTGGGTTGATATTTGCAATAATCCCGCCATGGAAGCTGA  
 AATACTGAAAGAAATTCGAGAAGCTGCAATGCCATGAAATTGGAGCGATTTGAAATCCGATCAAGGTT  
 CGGTTAAGCCCAGAGCCATGGACCCCGAGACTGGTTTGGTAACAGATGCCTTCAAGCTGAAAAGGAAGG  
 AGTTGAAGAACCATTATCTCAAAGACATTGAGCGAATGTATGGGGCAAATAA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAAACCTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-MluI

**ACCN:** NM\_019477

**Insert Size:** 2013 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_019477.3</a></u> , <u><a href="#">NP_062350.3</a></u>
<b>RefSeq Size:</b>	4990 bp
<b>RefSeq ORF:</b>	2013 bp
<b>Locus ID:</b>	50790
<b>UniProt ID:</b>	<u><a href="#">Q9QUJ7</a></u>
<b>Cytogenetics:</b>	X F2
<b>Gene Summary:</b>	Activation of long-chain fatty acids for both synthesis of cellular lipids, and degradation via beta-oxidation. Preferentially uses arachidonate and eicosapentaenoate as substrates. [UniProtKB/Swiss-Prot Function]