

Product datasheet for **MC228654**

Esrp1 (NM_001290383) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Esrp1 (NM_001290383) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Esrp1
Synonyms:	2210008M09Rik; A630065D16; BC031468; Rbm35a
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC228654 representing NM_001290383
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGACGGCGTCTCCGATTACTTGGTGGTCTTTTTGGGATCACTGCTGGGGCCACCGGAGCCAAGCTGG
 GTTCGGATGAGAAGGAGCTGATCCTGCTGTTATGGAAAGTCGTGGATTTGGCCAACAAGAAGGTGGGACA
 GCTGCACGAAGTACTAGTTAGACCGGATCAGTTGGAAGTACAGAGGATTGTAAGAAGAACTAAAATA
 GACGCCGAAAACCTGTCTTCCGCGCCGACGCTGGACCAAGCCCTCCGACAGTTTAAACAGTCAGTGAGCA
 ATGAAGTGAACATCGGGGTAGGGACTTCTTCTGTCTGTACTGACGGGACGCTTACATTAGGCAGAT
 CTTGCATCCCAGGCTTCCAAGAAGAATGTGTTACTGCCTGAGTGCTTCTATTCTTTTTCGATCTTCGG
 AAAGAGTCAAGAAGTGTGCCCGGCTCTCCCGATATCGACAAGCTGGATGTCGACGCGATGACAGAAA
 GCCTGAACCTTGAGAAGAGTGACTCTGTGTCCCGATACGGAGCCCTCCAAGTTGAAGACATGGGGAACAT
 AATTTTAGCAATGATCTCCGAGCCCTACAATCACAGATTTTCAGATCCAGAGAGAGTAACTACAAGTTT
 GAAAGTGGCACTTGCAAGATGGAACCTATTGATGACAGCACAGTGGTGAGAGCTCGAGGTTTGCCCTGGC
 AATCTTCAGATCAAGATATTGCAAGTTCTTCAAAGGACTCAATATTGCCAAGGGTGGCGCAGCACTTTG
 CCTGAATGCTCAGGGCCGGAGGAACGGAGAAGCTCTGGTTAGATTTGTAAGTGAGGAGCACAGAGATCTA
 GCCCTGCAGAGGCACAAACATCATATGGGGACCCGGTACATTGAGGTTTACAAAGCAACAGGCGAAGATT
 TCCTTAAAATTGCCGGAGGGACATCCAATGAGGTAGCCAGTTTCTCTCCAAGGAAAACCAAGTCATCGT
 GCGCATGAGGGGGCTCCCTTTCACGGCCACGGCTGAAGAAGTGGTGGCTTCTTTGGACAGCACTGCCCC
 ATCACTGGAGGGAAGGAAGGCATCCTCTCGTTACCTACCCAGATGGTAGGCCAACCGGAGATGCTTTTG
 TGCTCTTTGCTTGTGAGGAGTATGCTCAGAAGCCCTGAGGAAGCACAAGGAGTTGTGGGTAAGAAGATA
 CATCGAGCTCTTCAGGAGCACAGCTGCCGAAGTTCAGCAGGTGCTGAACCGATTCTCCTCAGCCCTCTG
 ATTCCACTTCCAACCCCTCCCATTATCCCTGACTACCTCAGCAGTTTGTGCTCCACGAATGTCAGAG
 ACTGCATACGCTCTGCGAGGTCTTCCCTATGCTGCCACAATAGAAGACATTCTGGACTTCTGGGGAGTT
 TTCCACAGATATTCGTACACATGGAGTGCACATGGTATTGAATCACCGGGACGCCCGTCAGGAGATGCC
 TTTATCCAGATGAAGTCAACAGACAGAGCATTATGGCTGCGCAGAAGTACCATAAAAAAACCATGAAGG
 ACAGATATGTTGAAGTCTTTCAGTGTTCAGCTGAGGAGATGAACCTTGTGTTAATGGGGGCACTTTAAA
 TCGAAATGGCTTGTCCCCACCGCATGTAAGTTACCATGCCTGTCTCCTCCCTCTACACATTCCCAGCT
 CCCACGGCTGTGATTCTACCGAAGCTGCCATTTATCAACCTTCTGTCTTGAACCCACGGGCACTGC
 AGCCCTCCACTGATACTACCCGGCAGGCACTCAGCTTTCATGAACTACACAGCCTACTATCCCAGCCC
 CCCAGGTTTCGCCTAATAGTCTTGCTACTTCCCTACAGCTGCTAATCTTAGCAGTGTCCCGCCCCAGCCT
 GGCACCGTGGTCAGAATGCAGGGCCTGGCTACAATACTGGAGTTAAGGAAATCTTAACCTTCTCCAAG
 GTTACCAGTATGCAACCGAGGATGGACTTGTACACACAAATGACCAGGCCAGGACTTACCCAAAGAATG
 GGTTTGTATT**AA**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001290383

Insert Size: 2043 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001290383.1</u> , <u>NP_001277312.1</u>
RefSeq Size:	3966 bp
RefSeq ORF:	2043 bp
Locus ID:	207920
UniProt ID:	<u>Q3US41</u>
Cytogenetics:	4 A1
Gene Summary:	<p>mRNA splicing factor that regulates the formation of epithelial cell-specific isoforms. Specifically regulates the expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Also regulates the splicing of CD44, CTNND1, ENAH, 3 transcripts that undergo changes in splicing during the epithelial-to-mesenchymal transition (EMT). Acts by directly binding specific sequences in mRNAs. Binds the GU-rich sequence motifs in the ISE/ISS-3, a cis-element regulatory region present in the mRNA of FGFR2 (By similarity). Regulates splicing and expression of genes involved in inner ear development, auditory hair cell differentiation, and cell fate specification in the cochlear epithelium (PubMed:29107558).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) uses an alternate in-frame splice site in the 5' coding region, compared to variant 1. It encodes isoform 2, which is shorter by an amino acid, compared to isoform 1.</p>