

Product datasheet for **MC228674**

Clcn4 (NM_001302386) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Clcn4 (NM_001302386) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Clcn4
Synonyms:	cIC-4; Clc4-2; Clcn4-2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC228674 representing NM_001302386
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGCTACTCATTGGGCTGCTGGCAGGTACCTTGGCTGGAGTCATCGATCTCGCTGTGGATTGGATGACGG
 ACCTCAAGGAGGGGTCTGTCTGTCGCACTTCTGGTACAGCCATGAACAGTGCTGTTGGACCTCCAACGA
 GACCACCTTTGAGGACAGGGACAAGTGTCCCTGTGGCAGAAGTGGTCAGAGCTTCTTCTGAGCCAGTCA
 GAGGGCGCCAGCGCTTACATTCTGAATTACTTAATGTACATTCTATGGCGTTGCTGTTTGCATTCTGG
 CTGTCTCCCTGGTACGTGTGTTCCGACCGTATGCCTGTGGCTCTGGCATAACCCGAGATAAAGACTATTTT
 GAGTGGCTTTATCATCAGGGGATACTTGGGAAATGGACTCTTCTAATCAAGACTGTCACCCTCGTGCTC
 GTCGTATCCTCTGGCCTGAGCCTTGGCAAAGAGGGCCACTGGTGCATGTGGCATGTTGCTGTGGCAACT
 TCTTCAGCAGCCTTTTCCAAGTATAGCAAGAATGAAGGCAAGAGGCGTGAGGTGCTTTCAGTGCAGC
 TGCTGCTGGTGTCTCTGTGGCCTTGGTGTCCGATAGGAGGTGTCTTTCAGTCTAGAGGAGGTCACT
 TACTACTTTCCCTTGAACCTTGTGGAGGTCACTTTTGCAGCCCTGGTGGCTGCCTTCACTGCGCT
 CCATCAACCCCTTTGAAATAGCCGCTGGTCTCTTTTATGTGGAGTATCATACACCCTGGTACATGGC
 TGAACCTTTCCCTTTCATCCTGCTTGGAGTCTTTGGGGTTTATGGGGAACCCCTTTCACACGCTGCAAC
 ATTGCTTGGTGCAGGAGCGTAAGACCACCAGGCTGGGCAGGTACCCAGTGTGGAGGTTATTGCGGTGA
 CAGCCGTACCCGCATCGTGGCTACCCCAATCCCTACACTCGCCAGAGCACCAGTGAGCTCATCTCTGA
 GCTTTCAACGATTGTGGGGCTCTCGAGTCTTCTCAGTCTGTGACTACATCAACGACCCCAACATGACT
 CGGCCTGTGGATGACATTCGGACCGCCGGCTGGGGTTGGAGTTACACAGCCATGTGGCAGCTGGCCT
 TGGCCTGATCTTCAAAATAGTCATTACTATATTTACCTTTGGCATGAAGATTCCCTCAGGTCTCTTCAT
 CCCAGTATGGCTGTGGAGCCATGGCAGGCCGATGGTGGGAATCGGTGTGGAGCAGTGGCCTACCAT
 CACCATGACTGGATCATCTTCAGGAAGTGGTGCAGGCCTGGAGCGGACTGTGTCACACCAGGGCTTTATG
 CGATGGTGGGAGCTGCAGCCTGTCTAGGTGGGGTACTAGGATGACAGTGTCTCTAGTGGTCAATATGTT
 TGAACGACTGGAGTCTGGAGTATATTGTACCCCTGATGGCAGCTGCTGTACCCAGCAAGTGGGTGGCT
 GATGCCTTTGGGAAAGAAGGGATTTATGAAGCCACATCCATCTGAATGGGTACCCATTTCTTGATGTGA
 AGGATGAGTTCACCCACCGTACGCTGGCCACTGATGTGATGCGGCCCCGAGGGGAGAACCGCCATTATC
 GGTAACAACCCAGGACAGCATGACTGTGGAGGACGTGGAGACTCTCATCAAGGAGACAGACTACAACGGC
 TTTCTGTGCTCCTCCAGAGACTCGGAGCGTCTCATCGGGTTTGGCCAGAGGGGGAGCTAATCTTGG
 CTATAAAAAATGCCAGGCAGAGGCAAGAGGGCATTGTGAGCAATTCATCATGTACTTCACAGAGGAGCC
 TCTGAGCTGCCTGCCAACAGCCACATCCACTGAAGCTGAGGCGCATTTTGAACCTGAGCCCTTTCAGG
 GTCACAGATCACACCCCATGGAGACGGTGGTGGACATTTCCGGAAACTGGGGCTCCGACAATGCCTGG
 TGACACGGAGTGGGAGACTTCTTGGGATCATCACAAAAAGGATGTTCTGAGACACATGGCCAGATGGC
 AAACCAGGACCCTGAATCCATCATGTTAAT**TAG**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001302386

Insert Size: 2064 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001302386.1, NP_001289315.1</u>
RefSeq Size:	4169 bp
RefSeq ORF:	2064 bp
Locus ID:	12727
Cytogenetics:	7 4.23 cM
Gene Summary:	<p>Proton-coupled chloride transporter. Functions as antiport system and exchanges chloride ions against protons (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) is shorter at the 5' end, lacks an alternate exon in the 5' coding region and uses a downstream start codon, compared to variant 1. It encodes isoform 2 which has a shorter N-terminus compared to isoform 1.</p>