

Product datasheet for **MC229117**

Hdac7 (NM_001204279) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hdac7 (NM_001204279) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Hdac7
Synonyms:	5830434K02Rik; HD7; HD7a; Hdac7a; mFLJ00062
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

Fully Sequenced ORF: >MC229117 representing NM_001204279
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGACCTGCGGGTGGGCCAGCGCCACGGTGGAGCCCCACCAGGCCTGCGTGCTGACCCGCAAC
 ACCCCCAACGCCTGCACCGCCATCTTCTTGGCAGGCTTACACCAGCAACAGCGCTCAGCCGAGCCAT
 GAGGCTCTCCATGGACCCACCAATGCCGGAGCTGCAGGGGGACAGCAGGAGCAAGAACTTCGGCAACTT
 CTCAATAAAGACAAGAGCAAGCGAAGTGCCGTAGCCAGCAGTGTGGTCAAGCAGAAGCTGGCTGAAGTGA
 TCCTGAAGAAACAGCAGGCAGCCCTTGAGAGAACAGTCCATCCCAGCAGCCCCAGTATCCCTACAGCCT
 GCCCACTGAACCCCGGAACACTTCCCTTGGCTAAAACAGTGTCTGAACCAACCTGAAGTTGCGCTAC
 AAACCAAGAAATCCCTGGAGAGACGAAGAATCCCTGCTCAGGAAGGAGAGTGCCCGCCAGCCTTC
 GGAGGAGCCTGCCGAGACCCTTGGAGATTCTCCCCAGTAGTAGCAGCACACCCCGCTCAGGGTGCAG
 CTCCTAATGACAGCGAGCATGGCCCTAACCTGCCCTAGGCTCAGAGGCTGATGGTGACCGCAGGACC
 CATTCAACTTTAGGCCCTCGGGTCTGTACTGGGAACCCCATGCTCCCTCTTCTGCACCACGGTC
 TGGAGCCAGAGGCTGGGGCACCTTACCCTCTCGCTGCAACCCATTCTCTGCTGGACCCCTCAGTCTC
 TCATGCCCCACTGTGGACTGTGCCTGGCCCTTGGCCCTTCCACTTTGCCAGCCCTTACTGACC
 ACCGAGCGGCTCTCTGGGTGAGGCTCCATCGACCACTTAACCGACCCGCTCAGAGCCCTGCCCCCA
 GCGCCACAGCCTCCCCTCTGCTGGCCCCCTGCAGCCCCGCCAGGATCGGCTCAAACCTCACGTCCAGCT
 GATCAAGCCAGCCATCTCCCCTCCCAGAGGCTGCCAAGCCAGTGAGAAGCCCGACTGCGACAGATA
 CCCTCGGCTGAGGACCTAGAGACAGATGGTGGGGAGTGGGACCTATGGGAATGATGGCCTGGAACATA
 GGGAGTCAGGCCGTGGCCCTCTGAGGGCAGAGGCTCCATTTCTCTGCAGCAGCATCAACAGTCCACCC
 CTGGGAGCAGCAGCATCTAGCCGGCGGCTCTCTCAGGGAAGCCCGGGACTCCGTGCTGATACCTCTG
 GCCCAGGTTGGACACCGCCCTGTCCAGAACCAGTCTTCCCAGCAGCACCTGTCTCCCTGCTGAGCC
 CAGAGCCACCTGTGACACCAAGTCTCAACAGCTCAGAGACACCTGCTACAGGCTGGTCTATGACTC
 GGTGATGCTGAAACACCAATGTTCTGTGGAGACAACAGCAAGCATCCCAGCATGCAGGCCGATCCAG
 AGCATCTGGTCCCGCTGCAGGAACGGGTCTCCGCAGCCAGTGTGAGTGTCTCCAGGCCGAAAGGCTT
 CCCTAGAGGAGCTGCAGTCAGTCCACTGAACGGCACGTGCTCTCTACGGCACGAACCCACTCAGCCG
 CCTCAAAGTGGATAACGGGAAGCTTACAGGACTCCTGGCACAGCGGACGTTTGTGATGCTACCCTGTGGC
 GGGTTGGGGTCGATACTGACACCATCTGGAACGAGCTGCATTCTCCAATGCAGCCCGTGGGCTGCGG
 GCAGTGTACCGACCTTGCTTCAAAGTAGCTTCCCAGAGCTGAAGAATGGCTTTGCTGTGGTGGCACC
 CCCGGACACCATGCAGATCATTCTACAGCCATGGGCTTCTGCTTCTCAACTCCGTGGCCATCGCTGC
 CGACAGCTACAGCAACACGGCAAAGCCAGCAAGATCCTCATTGTTGACTGGGATGTTACCATGGCAACG
 GCACACAGCAGACTTTCTACCAGACCCAGTGTGCTCTACATTTCCCTTCATCGCCATGACGACGGCAA
 CTCTTCCCAGGCAGTGGGGCCGTGGATGAGGTGGGAAGTGGCAGTGGCGAGGGCTTCAATGTCAACGTG
 GCTTGGGCTGGGGCTTGGATCCACCCATGGGGATCCTGAGTACCTGGCTGCTTTCAGGATAGTGGTGA
 TGCCATTGCCCGAGAGTTTGTCCAGACCTGGTCTGGTGTCTGCTGGGTTTGTGCTGCGGAGGGTCA
 CCCAGCCCGCTGGGTGGCTACCATGTTTCTGCCAAATGTTTTGGGTACATGACGCAGCAGTTGATGAAC
 TTGGCAGGAGGCCCGTGGTGTGGCCTTAGAGGGTGGACATGACCTCACGGCCATCTGTGATGCCTCGG
 AGGCTGTGTAGCTGCTTCTGGGCAACAAGGTGGACCCCTTTCAGAAGAAAGCTGGAACAGAAACC
 CAACCTCAGTGCCATCCGCTCGCTGGAAGCTGTGGTCAAGGTGCACAGGAAATACTGGGGCTGCATGCAG
 CGCTTGGCCTCTGTCCAGACTCCTGGCTACCCAGAGTGCCGGGAGCTGATGCAGAAGTGGAAAGCCGTGA
 CCGCGCTGGCATCCCTTCTGTGGGCATCCTGGCTGAAGACAGGCCCTCGGAGCGGCTGGTGAAGAGGA
 AGAACCCATGAACCTTAG

ACGGTACGGCGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001204279

Insert Size:	2679 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	Clone contains native stop codon, and expresses the complete ORF without any c-terminal tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001204279.1</u> , <u>NP_001191208.1</u>
RefSeq Size:	4156 bp
RefSeq ORF:	2679 bp
Locus ID:	56233
Cytogenetics:	15 F1
Gene Summary:	<p>Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4). Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes. Involved in muscle maturation by repressing transcription of myocyte enhancer factors such as MEF2A, MEF2B and MEF2C. During muscle differentiation, it shuttles into the cytoplasm, allowing the expression of myocyte enhancer factors. Positively regulates the transcriptional repressor activity of FOXP3 (By similarity). Serves as a corepressor of RARA, causing its deacetylation and inhibition of RARE DNA element binding (By similarity). In association with RARA, plays a role in the repression of microRNA-10a and thereby in the inflammatory response (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (6) lacks a coding exon and uses an alternate splice site in the coding region, but maintains the reading frame, compared to variant 1. The encoded isoform (6) is shorter than isoform 1. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.</p>